Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.





aSD11

Forest Service

North Central Forest Experiment Station

Resource Bulletin NC-60

Timber Resource of Michigan's Western Upper Peninsula, 1980

John S. Spencer, Jr.

FORESTRY SCIENCES LABORATORY
P. O. BOX 909

JUNEAU, ALASKA 99801

Information contained in this report includes the most commonly used Resources Evaluation statistics. However, additional forest resource data can be provided to interested users. Persons requesting additional information that can be provided from the raw inventory data are expected to pay for the retrieval costs. These costs will vary depending on the complexity of the request, from less than \$100 for a relatively simple request to \$2,000 for a complex retrieval involving the services of a Resources Evaluation computer programmer. If requests for data conflict with ongoing Resources Evaluation work, requests will be scheduled so as to minimize the impact on the work unit.

Requests for unpublished information may be directed to:

Burton L. Essex Renewable Resources Evaluation Project North Central Forest Experiment Station 1992 Folwell Avenue St. Paul, Minnesota 55108

Phone: (612) 642-5282

Area served: Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, eastern South Dakota, Wisconsin.

North Central Forest Experiment Station
Forest Service—U.S. Department of Agriculture
1992 Folwell Avenue
St. Paul, Minnesota 55108
Manuscript approved for publication October 28, 1981
1982

FOREWORD

Resources Evaluation (formerly called Forest Survey) is a continuing endeavor as mandated by the Forest and Rangeland Renewable Resources Planning Act of 1974, which was preceded by the McSweeney-McNary Forest Research Act of 1928. Its objective is to periodically inventory the Nation's forest land to determine its extent, condition, and volume of timber, growth, and depletions. This kind of up-to-date information is essential to frame intelligent forest policies and programs. USDA Forest Service regional experiment stations are responsible for conducting these inventories and publishing summary reports for individual States. The North Central Forest Experiment Station is responsible for Resources Evaluation work done in Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, eastern South Dakota, and Wisconsin.

Fieldwork for the 1980 Western Upper Peninsula forest inventory was begun in October 1977 and was completed in December 1979. Reports on the three previous surveys of Michigan's timber resource are dated 1935, 1955, and 1966.

Similar Resource Bulletins reporting statistical highlights and detailed tables on the other Survey Units in Michigan (see cover) are or soon will be available. In addition to these statistical reports, a series of reports will be published that will analyze the State's timber resource.

More accurate survey information was obtained during the 1980 survey than otherwise would have been feasible because of intensified field sampling. Such sampling was made possible by additional funding and manpower provided the North Central Station through the Michigan Department of Natural Resources and by interested forest industry members. Data from the Department's canvass of all primary wood-using plants in the State were used to help estimate the quantity of timber products harvested in Michigan.

Aerial photos used in the Western Upper Peninsula Forest Inventory were furnished by the Michigan Department of Natural Resources and the Ottawa National Forest.

CONTENTS

	Page
Highlights	1
Appendix	
Accuracy of Survey	3
Survey Procedures	3
Comparing Michigan's Fourth Inventory	
with the Third Inventory	4
Log Grade	5
Tree Species Groups in Michigan's	
Western Upper Peninsula Unit	9
Metric Equivalents of Units	
Used in this Report	9
Definition of Terms	9
Tables	18

TIMBER RESOURCE OF MICHIGAN'S WESTERN UPPER PENINSULA UNIT, 1980

John S. Spencer, Jr.
Principal Resource Analyst

HIGHLIGHTS Forest Area

- Forest land accounted for 4.9 million acres (88 percent of the Unit's land area) in 1980, compared to 5.2 million acres (93 percent) in 1966.
- Commercial forest land occupied 4.5 million acres (93 percent of the forest land) in 1980, compared to 4.9 million acres (95 percent) in 1966—an 8percent decline.
- Productive-reserved forest land totaled 267 thousand acres in 1980, compared to 185 thousand acres in 1966. Additions since 1966 include the Sturgeon River and Sylvania RARE II areas and the McCormick and Sylvania tracts on the Ottawa National Forest, as well as State sharptail grouse management areas and waterfowl project areas.
- Marquette County contained the largest area of commercial forest in 1980 (970 thousand acres) as it did in 1966 (1,097 thousand acres).
- Nonindustrial private parties owned 1.7 million acres (38 percent of the commercial forest) in 1980, compared to 2.0 million acres (40 percent) in 1966.
- The maple-birch forest type continues to dominate the commercial forest, representing 52 percent of the total in 1980, compared to 45 percent in 1966.
- Forty-five percent of the privately owned commercial forest has been owned by its present owner 20 years or more.
- Poletimber stands occupied 46 percent of the commercial forest in 1980 as compared to 44 percent in 1966, although the area of this stand-size class declined slightly between surveys.
- Sawtimber stands—the area of which increased by 88 thousand acres between surveys—amounted

to 36 percent of the commercial forest in 1980, compared to 32 percent in 1966.

Timber Volume

- The volume of growing stock in 1980 was 5.8 billion cubic feet, 22 percent greater than the 4.8 billion¹ in 1966, in spite of the 8-percent loss of commercial forest land between surveys.
- Sawtimber volume amounted to 15.2 billion board feet² in 1980.
- Hardwoods make up 70 percent of the growingstock volume.
- Hard maple (1,405 million cubic feet), quaking aspen (643 million), and soft maple (629 million) contain the highest volumes, and together account for nearly half of the growing-stock volume.
- Twenty-two percent of the 8-county Survey Unit's growing-stock volume is in Marquette County.
- Average growing-stock volume per acre in 1980 was 1,277 cubic feet (16.2 cords), compared to 967 cubic feet (12.2 cords) in 1966.
- Thirty-two percent of the growing-stock volume is in stands aged 41 to 60 years.
- Two-thirds of the sawtimber volume is in grade 3 saw logs.
- The volume in cull trees (rough, rotten, and shortlog cull) is 565 million cubic feet; salvable dead tree volume is 198 million cubic feet.

¹Published 1966 volumes were adjusted by factors derived from 1980 volume equations to make volumes for the two inventories comparable.

²International ¹/₄-inch rule.

Stand Conditions

- Net annual growth on growing-stock trees was 195 million cubic feet in 1979, compared to 139 million in 1965.
- The net annual growth rate of growing stock was 3.4 percent of inventory in 1979, compared to 2.9 percent in 1965.
- Net growth averaged 43.0 cubic feet per acre in 1979—28.2 cubic feet per acre in 1965.
- Annual mortality of growing stock amounted to 48 million cubic feet (0.8 percent of inventory) in 1979, compared to 37 million (0.8 percent of inventory) in 1965.
- Disease accounted for 47 percent of the mortality in 1979—chiefly diseases of aspen and elm.
- Insects caused only 5 percent of softwood mortality in 1979. However, this proportion will rise as the effects of the spruce budworm epidemic, which began after the current survey, are felt.
- Seventy-six percent of the commercial area can grow trees 51 feet and taller at age 50, and 23 percent of the area can grow trees 71 feet and taller at the same age.
- Stands aged 50 years or less declined from 62 percent of the commercial area in 1966 to 40 percent in 1980.

Timber Use

- Timber removals from growing stock in 1979 amounted to 78 million cubic feet (1.4 percent of inventory), compared to 68 million cubic feet (1.4 percent of inventory) in 1965.
- Marquette County accounted for 21 percent of the 1979 removals, followed by Iron County (17 percent and Ontonagon County (14 percent).
- The aspens made up 34 percent of the 1979 removals volume, although they account for only 13 percent of the growing-stock volume.
- Output of timber products totaled 75 million cubic feet in 1978, 61 percent of which was pulpwood.
- Wood residue from primary plants totaled 8.1 million cubic feet in 1978, of which 1.9 million were not used.

Biomass

- Live shrub biomass (including trees less than 1 inch d.b.h.) was highest in the tamarack forest type—5,800 pounds per acre (green weight) in 1980.
- Live tree biomass (trees greater than 1 inch d.b.h.) totaled 319 million green tons (an average of 70 tons per acre) in 1980.
- Highest yields of live tree biomass (green weight) are in the oak-hickory forest type (89 tons per acre), the white pine type (84 tons), the maple-birch type (83 tons), and the paper birch type (73 tons).

APPENDIX

ACCURACY OF SURVEY

Resources Evaluation information is based on a sampling procedure designed to provide reliable statistics at the State and Survey Unit levels. Consequently, the reported figures are estimates only. A measure of reliability of these figures is given by sampling errors. These sampling errors mean that the chances are two out of three that if a l00-percent inventory had been taken, using the same methods, the results would have been within the limits indicated.

For example, the estimated growing-stock volume in the Western Upper Peninsula Unit in 1980, 5,785.0 million cubic feet, has a sampling error of \pm 0.99 percent (\pm 57,271 thousand cubic feet). The growing-stock volume from a 100-percent inventory, then, would be expected to fall between 5,842.3 and 5,727.7 million cubic feet (5,785.0 \pm 57.3), there being a one in three chance that this is not the case.

Sampling errors were calculated separately for National Forest land and other land because of the higher sampling intensity on other land. For example, the sampling error for growing-stock volume on land other than National Forest is \pm 1.02 percent but for Ottawa National Forest land it is \pm 2.81 percent.

The following tabulation shows the combined sampling errors for the 1980 Western Upper Peninsula Forest Inventory:

Item	Unit totals (Million cubic feet)	Sampling error (Percent)
Growing stock Volume Growth Removals Sawtimber Volume	5,785.0 194.7 78.3 (Million board feet) 15,246.2	0.99 1.48 13.00
Growth Removals Commercial forest land Area	701.4 243.8 (Thousand acres) 4,529.6	3.07 15.80 0.36

As survey data are broken down into sections smaller than State or Survey Unit totals, the sampling error increases. The smaller the breakdown, the larger the sampling error. For example, the sampling error for growing-stock volume in a particular county is higher than that for total growing-stock volume in the Survey Unit (table 74 shows the sampling errors for estimates smaller than Unit totals).

SURVEY PROCEDURES

The major steps in the survey of the Western Upper Peninsula Unit were as follows:

1. A total of 22,458 1-acre points were systematically distributed across aerial photos of the entire Unit, except the Ottawa National Forest. These points were classified into land classes as shown below, to make a preliminary estimate of forest area. Next, a total of 19,077 of these points were stereoclassified as to forest type, stand-size class, and density. Finally, a total of 2,777 points were examined on the ground to correct the preliminary area estimate for errors in classification and for actual changes in land use since the photos were taken.

	Photo	points Stereo-	Ground
Forest land Unproductive forest land	Classified 18,899 1	classified 18,899 1	plots visited 2,339 1
Nonforest land With trees Without trees	72 2,600	9	9 325
Water Questionable	718 168	168	86
Total	22,458	19,077	2,777

At each of the 2,296 commercial forest locations, variable-radius plots (basal area factor 37.5) were established at 10 points uniformly placed over the sample acre. Tree measurements made at these locations and at 179 plots established in 1966 and remeasured in 1980 were the basis for estimates of timber volume, growth, mortality, number of trees, and other forest classifications on land other than National Forest land. Estimates for National Forest land were based on 188 plots established in 1980 on commercial forest land on the Ottawa National Forest and on 3 plots remeasured in 1980 on commercial forest land on the Dukes Experimental Forest.

- 2. Growth and mortality on all commercial forest land were estimated using the Stand and Tree Evaluation and Modeling System (STEMS)3 after the System was adjusted with factors derived from the remeasurement in 1979 of permanent sample plots in the Upper Peninsula that were established in 1965. STEMS is an individual tree-growth projection system that uses the following stand and tree characteristics to "grow" trees by updating tree diameter and tree status (live, dead, or cut): species, tree diameter, crown ratio, site index, basal area, and average stand diameter. These characteristics were used to produce growth and mortality rates that were adjusted based on ground conditions gained from remeasurement of plots and applied to trees on the tree list to yield an updated tree list. Local volume equations were applied to the original and updated tree lists to estimate volumes of growth and mortality.
- 3. Under an agreement with the Ottawa National Forest, North Central Station crews established 10-point variable radius plots on the Ottawa Forest at the same time they established other plots in the Western Upper Peninsula Survey Unit. The Ottawa National Forest provided the Station with the area of commercial forest land by forest type, stand-size class, and density for the Forest; and the Station computed all area and volume data in the same manner non-National Forest data were computed. Area and volume tables were approved by the Ottawa National Forest staff before publication.
- 4. Statistics on timber utilization during 1978 were obtained from mill surveys. The Michigan Department of Natural Resources canvassed resident sawmills, veneer mills, and other primary wood-using plants. The North Central Forest Experiment Station canvassed out-of-State sawmills, pulpmills, and veneer mills to determine their use of timber from Michigan. Fuelwood and fencepost output was based on a sample of public and private landowners to determine their production of fuelwood and fenceposts, and on a canvass of industrial and public timber owners. Estimates of primary mill residue used for fuelwood were obtained from the canvass of Michigan primary wood-using plants. Timber cut for products by ownership class was determined by a canvass

- of public and industrial timber owners. The portion of timber cut unaccounted for by the latter owners was grouped under "farmer and other owners."
- 5. A total of 2,239 felled trees on 123 active logging operations were measured throughout the State during 1977-1978 to develop wood utilization factors for converting timber products output to timber removals for saw logs and pulpwood. Factors for all other products were obtained during the 1964-1965 Michigan utilization study.
 - 6. Field data were sent to St. Paul for compilation.

COMPARING MICHIGAN'S FOURTH INVENTORY WITH THE THIRD INVENTORY

Data from new forest inventories are often compared with data from earlier inventories to determine trends in timber volumes. Changes in procedures and definitions between surveys make it necessary to adjust earlier survey data so that they are comparable to data from the new survey. A consistency check was made for each Forest Survey Unit in Michigan to ensure that the changes observed between inventories reflect actual changes in the resource and not changes in definitions or procedures.

In Michigan's Western Upper Peninsula Unit the only definitional or procedural change between the 1966 and 1980 inventories was in the volume equations used. The volume equations used in 1980 gave more accurate estimates of tree volume than those used in 1966. Therefore, the 1966 volumes were adjusted by factors derived from the 1980 volume equations to make them comparable to 1980 volumes.

A test was then made to ensure that it was possible to move from the adjusted 1966 volumes to the 1980 volumes, by means of Timber Resource Analysis System (TRAS), a Forest Service computer program for updating, backdating, and projecting timber volume, growth, mortality, and removals. Using the 1966 numbers of softwood and hardwood trees by 2-inch diameter class and applying 1980 cubic feet per tree and board foot-cubic foot ratios yields estimates of 1966 softwood and hardwood volumes that are comparable with 1980 volumes. Then, using growth rates, mortality rates, and removals rates for the period between the two surveys, TRAS moves the inventories through the period. The program prints out volumes by diameter class and softwoods and hardwoods for each year in the period. Thus,

³For more information on STEMS, see: Belcher, D. L.; Holdaway, M. R.; Brand, G. J. A description to STEMS: The stand and tree evaluation and modeling system. Gen. Tech. Rep. NC-79. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; (In prep.) p.

inconsistencies in volume, growth, mortality, and removals can be identified and resolved. A small downward adjustment in the 1966 softwood growth rate was necessary to move smoothly from 1966 to 1980 Western Upper Peninsula values.

TRAS generates an estimate of what total removals had to be for the inventory to have changed as it did between surveys, given the volume, growth, and mortality inputs. Estimates for removals for products and for logging residues—two of the three components of total timber removals—are available from an independent utilization study. An estimate of "other" removals (see Definition of Terms in Appendix), the third component of total removals, is made by subtracting the first two removals components from the TRAS-generated total removals estimate. This estimate of "other" removals is compared with findings from remeasurement plots and new plots (stump counts and land use change) to check its validity. Total removals are "trend level removals" because the estimate of "other" removals is based on a removals trend line from 1966 to 1980.

In 1966 State Forest was a separate owner class and included only land on State Forests. Other forested State-owned land was included under the Other Public owner class. In 1980 the State owner class included all State lands. Therefore, a comparison of statistics on State land between 1966 and 1980 is not possible.

Some mining companies were called diversified forest industry in 1966 and classed under Forest Industry owner class. In 1980 these companies were

classed under Miscellaneous Private Corporation owner class. Therefore, a comparison of statistics for Forest Industry owner between 1966 and 1980 is not possible.

LOG GRADE

In Michigan's Western Upper Peninsula the butt log of every sawtimber tree on every full permanent sample plot (5,374 trees) was graded for quality. Additionally, all of the logs in a smaller sample of trees throughout the State (2,239 trees) were graded. The volume yield by log grade for each tree in the latter sample was used to distribute the volume of trees in the former sample into log-grade classes. The resulting volumes by log-grade classes were expanded to provide an estimate for the entire Unit.

Logs were graded on the basis of external characteristics as indicators of quality. Hardwood species were graded according to "Hardwood Log Grades for Standard Lumber." The best 12-foot section of the lowest 16-foot hardwood log, or the best 12-foot upper section if the butt log did not meet minimum loggrade standards, was graded as follows:

⁴Vaughn, C. L.; Wollin, A. C.; McDonald, K. A.; and Bulgrin, E. H. Hardwood log grades for standard lumber. Res. Pap. FPL-63. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1966. 52 p.

Forest Service standard grades for hardwood factory saw logs

					Speci	fications			
Grading factors			Log grade 1			Log	grade 2		Log grade 3
Position in tree		Butts only	Butts			Butts a	nd uppers		Butts and uppers
Scaling diameter, in	ches	113-15	16-19	20+	² 11 +		12+		8+
Length without trim	, feet		10+		10+	8-9	10-11	12+	8+
	Min. length, feet	7	5	3	3	3	3	3	2
Required clear cuttings	Max. number	2	2	2	2	2	2	3	No Limit
of each of three best faces ⁴	Min. proportion of log length required in clear cutting	5/6	5/6	5/6	2/3	3/4	2/3	2/3	1/2
Maximum sweep and crook	For logs with less than one-fourth of end in sound defects		15 percent			30 p	ercent		50 percent
allowance	For logs with more than one-fourth of end in sound defects		10 percent			20 p	ercent		35 percent
Maximum scaling de	eduction		40 percent⁵			50 p	ercent ⁶		50 percent

¹Ash and basswood butts can be 12 inches if they otherwise meet requirements for small #1's.
²Ten-inch logs of all species can be #2 if they otherwise meet requirements for small #1's.
³A clear cutting is a portion of a face, extending the width of the face, that is free of defects.
⁴A face is one-fourth of the surface of the log as divided lengthwise.
⁵Otherwise #1 logs with 41-60 percent deductions can be #2.
⁵Otherwise #2 logs with 51-60 percent deductions can be #3.

Forest Service standard specifications for hardwood construction logs (tie and timber logs)¹

Position in tree		Butt and upper
Min. diameter, small	end	8 inches +
Min. length, without	trim	8 feet
Clear cuttings		No requirements.
Sweep allowance, ab	solute	One-fourth of the diameter at the small end for each 8 feet of length.
	Single knots	Any number, if no one knot has an average diameter above the callus in excess of one-third of log diameter at point of occurrence.
Sound surface defects	Whorled knots	Any number if sum of knot diameters above the callus does not exceed one-third of log diameter at point of occurrence.
40,000	Holes	Any number provided none has a diameter over one-third of log diameter at point of occurrence, and none extends over 3 inches into included timber. ²
Unsound surface def	ects	Same requirements as for sound defects if they extend into included timber. ² No limit if they do not.
	Sound	No requirements.
End defects	Unsound	None allowed; log must be sound internally, but will admit one shake not to exceed one-fourth of the scaling diameter and will admit a longitudinal split not extending over 5 inches into the contained timber.

¹These specifications are minimum for the class. If, from a group of logs, factory logs are selected first, thus leaving only nonfactory logs from which to select construction logs, then the quality range of the construction logs so selected is limited, and the class may be considered a grade. If selection for construction logs is given first priority, then it may be necessary to subdivide the class into grades.

²Included timber is always square, and dimension is judged from small end.

Softwood species were graded according to the following specifications on the following page.

Log Grades for Eastern White Pine

Log grade	Minimu Diameter	m size Length¹	Sweep or crook allowance	Total cull allowance including sweep	Maximum weevil injury	Allowable knot size (inches) ² on three best faces or minimum clearness on four faces
1	Inches 12 & 13	Feet 8-16	Per 20	cent —— 50	Number 0	Inches Four faces clear full
	14+	10-16	20	50	0	length Two faces clear full length, or four faces clear 50 percent length (6 feet min. length) ³
2	6+	8-16	30	50	0	Sound knots 1.e. ⁴ D/ 6 and less than 3 inches. ⁵ Unsound knots: 1.e. 1½ inches and for: butt, lots 1.e. D/12, upper logs 1.e. D/10, or four faces clear 50 percent of length
3	6+	8-16	40	50	8-foot logs 1 weevil 10-foot + logs: 2 weevils	Sound knots 1.e.D/3 and less than 5 inches. Unsound knots 1.e. D/6 and less than 2½ inches.
4	6+	8-16	50	50	No limit	No limit

¹Plus trim

Log Grades for Jack Pine and Red Pine

Grade 1: logs with three or four clear faces.5

Grade 2: logs with one or two clear faces.

Grade 3: logs with no clear faces.

After the tentative log grade is established, the log will be degraded one grade for each of the following, except that no log can be degraded below

⁵A face is one-fourth of the circumference in width extending full length of the log. Clear faces are those free of: knots measuring more than ½-inch in diameter, overgrown knots of any size, holes more than ¼-inch in diameter. Faces may be rotated to obtain the maximum number of clear ones.

grade 3. Net scale after deduction for defect must be at least 50 percent of the gross contents of the log.

- 1. Sweep. Degrade any tentative 1 or 2 log one grade if sweep amounts to 3 or more inches and equals or exceeds one-third the diameter inside bark at small end.
- 2. Heart rot. Degrade any tentative 1 or 2 log grade if conk, massed hyphae, or other evidence of advanced heart rot is found anywhere in it.

Log Grades for All Other Softwood Logs

Grade 1

1. Logs must be 16 inches in diameter or larger, 10 feet or longer, and with deduction for defect not more than 30 percent of gross scale.

²Disregard all knots less than ½-inch diameter in all grades.

 $^{^3}$ The sum of the diameter of sound knots plus twice the sum of the diameter of unsound knots (in inches) is less than or equal to $\frac{1}{2}$ of the diameter of the log (inches).

^{41.}e. means less than or equal to.

⁵D means d.i.b. of log at location of knot.

- 2. Logs must be at least 75 percent clear on each of three faces.
- 3. All knots outside clear cutting must be sound and not more than $2\frac{1}{2}$ inches in size.

Grade 2

- 1. Logs must be 12 inches in diameter or larger, 10 feet or longer, and with a net scale after deduction for defect of at least 50 percent of the gross contents of the log.
- 2. Logs must be at least 50 percent clear on each of three faces or 75 percent clear on two faces.

Grade 3

Logs must be 6 inches in diameter or larger, 8
feet or longer, and with a net scale after deduction
for defect of at least 50 percent of the gross contents of the log.

Note: (A) Diameters are diameter inside bark (d.i.b.) at small end of log.

(B) Percent clear refers to percent clear in one continuous section.

TREE SPECIES GROUPS IN MICHIGAN'S WESTERN UPPER PENINSULA UNIT⁶

SOFTWOODS

Eastern white pine	Pinus strobus
Red pine	Pinus resinosa
Jack pine	Pinus banksiana
White spruce	Picea glauca
Black spruce	Picea mariana
Balsam fir	
Eastern hemlock	Tsuga canadensis
Tamarack	0
Northern white-cedar	Thuja occidentalis
OTHER SOFTWOODS	

Eastern redcedar Juniperus virginiana

Norway spruce Picea abies

HARDWOODS

White oaks

Bur oak Quercus macrocarpa
Select red oak

Northern red oak Quercus rubra

Yellow birch Betula alleghaniensis

Hard maples Sugar maple	Acer saccharum
Black maple	Acer nigrum
Soft maples	
Red maple	Acer rubrum
Silver maple	Acer saccharinum
American beech	Fagus grandifolia
Ashes	
White ash	Fraxinus americana
Black ash	Fraxinus nigra
Green ash	Fraxinus
	pennsylvanica
Balsam poplar	Populus balsamifera
Eastern cottonwood	Populus deltoides
Aspens	
Bigtooth aspen	Populus grandidentata
Quaking aspen	Populus tremuloides
Basswood	Tilia americana
Black cherry	Prunus serotina
Elms	
American elm	Ulmus americana
Slippery elm	Ulmus rubra
Rock elm	Ulmus thomasii
Paper birch	Betula papyrifera
Other hardwoods	

Boxelder Acer negundo
River birch Betula nigra

Black willow Salix nigra

METRIC EQUIVALENTS OF
UNITS USED IN THIS

REPORT1 acre = 4,046.86 square meters or 0.405 hectare.

1,000 acres = 405 hectares.

1,000 board feet (International ¼-inch log rule) = 3.48 cubic meters.

Breast height = 1.4 meters above the ground.

1 cubic foot = 0.0283 cubic meter.

1 foot = 30.48 centimeters or 0.3048 meter.

1 inch = 25.4 millimeters, 2.54 centimeters, or 0.0254 meter.

1 pound = 0.454 kilogram.

1 ton = 0.907 metric ton.

DEFINITION OF TERMS

Acceptable trees.—Growing-stock trees of commercial species that meet specified standards of size and quality but do not qualify as desirable trees.

⁶The common and scientific names are based on: Little, Elbert L. Checklist of native and naturalized trees of the United States. Agric. Handb. 541. Washington, DC:U.S. Department of Agriculture, Forest Service; 1979. 375 p.

Area-condition classes.—Class 10.—Areas fully stocked with desirable trees but not overstocked.

Class 20.—Areas fully stocked with desirable trees but overstocked with all live trees.

Class 30.—Areas medium to fully stocked with desirable trees and with less than 30 percent of the area controlled by other trees and/or inhibiting vegetation or surface conditions that will prevent occupancy by desirable trees.

Class 40.—Areas medium to fully stocked with desirable trees and with 30 percent or more of the area controlled by other trees and/or conditions that ordinarily prevent occupancy by desirable trees.

Class 50.—Areas poorly stocked with desirable trees but fully stocked with growing-stock trees.

Class 60.—Areas poorly stocked with desirable trees but with medium to full stocking of growing-stock trees.

Class 70.—Areas poorly stocked with desirable trees and poorly stocked with growing-stock trees.

Basal area.—The area in square feet of the cross section at breast height of a single tree. When the basal area of all trees in a stand are summed, the result is usually expressed as square feet of basal area per acre.

Biomass.—The above-ground volume of all live trees (including bark and foliage) reported in green tons. Biomass is made up of 5 components:

Growing-stock bole.—Biomass of a growing-stock tree from a 1-foot stump to a variable 4-inch top.

Growing-stock tops and limbs.—Biomass of a growing-stock tree from a 1-foot stump minus the growing-stock bole.

Cull bole.—Biomass of a cull tree from a 1-foot stump to a variable 4-inch top.

Cull tops and limbs.—Biomass of a cull tree from a 1-inch stump minus the cull bole.

1- to 5-inch trees.—Biomass of all live trees 1-to 5-inches in diameter at breast height.

Commercial forest land.—Forest land producing or capable of producing crops of industrial wood and not withdrawn from timber utilization. (Note: Areas qualifying as commercial forest land have the capability of producing in excess of 20 cubic feet per acre per year of annual growth under management. Currently inaccessible and inoperable areas are included, except when the areas involved are small and unlikely to become suitable for production of industrial wood in the foreseeable future.) Also see definition of pastured commercial forest land.

- Commercial species.—Tree species presently or prospectively suitable for industrial wood products. (Note: Excludes species of typically small size, poor form, or inferior quality such as hophornbeam and hawthorn.)
- County and municipal land.—Lands owned by counties and local public agencies or municipalities, or lands leased to these governmental units for 50 years or more.
- Cull.—Portions of a tree that are unusable for industrial wood products, because of rot, form, or other defect.
- Desirable trees.—Growing-stock trees having no serious defects in quality limiting present or prospective use, and of relatively high vigor, and containing no pathogens that may result in death or serious deterioration before rotation age. These are trees that would be favored by forest managers in silvicultural operations.
- Diameter classes.—A classification of trees based on diameter outside bark, measured at breast height (4½ feet above the ground). (Note: d.b.h. is the common abbreviation for diameter at breast height. Two-inch diameter classes are commonly used in Forest Survey, with the even inch the approximate midpoint for a class. For example, the 6-inch class includes trees 5.0 through 6.9 inches d.b.h. inclusive).
- Farm.—Either a place operated as a unit of 10 or more acres from which the sale of agricultural products totals \$50 or more annually, or a place operated as a unit of less than 10 acres from which the sale of agricultural products for a year amounts to at least \$250. Places having less than the \$50 or \$250 minimum estimated sales in a given year are also counted as farms if they can normally be expected to produce goods in sufficient quantity to meet the requirements of the definition.
- **Farmer-owned land.**—Land owned by farm operators. (Note: Excludes land leased by farm operators from nonfarm owners, such as railroad companies and States.)
- Forest land.—Land at least 16.7 percent stocked by forest trees of any size, or formerly having had such tree cover, and not currently developed for nonforest use. (Note: Stocking is measured by comparison of basal area and/or number of trees, by age or size and spacing with specified standards.) The minimum area for classification of forest land is 1 acre. Roadside, streamside, and shelterbelt strips of timber must have a crown width

of at least 120 feet to qualify as forest land. Unimproved roads and trails, streams, or other bodies of water or clearings in forest areas shall be classed as forest if less than 120 feet wide. Also see definitions for land area, commercial forest land, noncommercial forest land, productive-reserved forest land, stocking, unproductive forest land, and water.

- Forest industry land.—Land owned by companies or individuals operating primary wood-using plants.
- **Forest trees.**—Woody plants having a well-developed stem and usually more than 12 feet in height at maturity.
- **Forest type.**—A classification of forest land based upon the species forming a plurality of live tree stocking. Major forest types in Michigan are:

Jack pine.—Forests in which jack pine comprises a plurality of the stocking. (Common associates include eastern white pine, red pine, aspen, birch, and maple.)

Red pine.—Forests in which red pine comprises a plurality of the stocking. (Common associates include eastern white pine, jack pine, aspen, birch, and maple.)

White pine.—Forests in which eastern white pine comprises a plurality of the stocking. (Common associates include red pine, jack pine, aspen, birch, and maple.)

Balsam fir.—Forests in which balsam fir and white spruce comprise a plurality of stocking with balsam fir the most common. (Common associates include white spruce, aspen, maple, birch, northern white-cedar, and tamarack.)

White spruce.—Forests in which white spruce and balsam fir comprise a plurality of the stocking with white spruce the most common. (Common associates include balsam fir, aspen, maple, birch, northern white-cedar, and tamarack.)

Black spruce.—Forests in which swamp conifers comprise a plurality of the stocking with black spruce the most common. (Common associates include tamarack and northern white-cedar.)

Northern white-cedar.—Forests in which swamp conifers comprise a plurality of the stocking with northern white-cedar the most common. (Common associates include tamarack and black spruce.)

Tamarack.—Forests in which swamp conifers comprise a plurality of the stocking with tamarack the most common. (Common associates include black spruce and northern white-cedar.)

Oak-hickory.—Forests in which northern red oak, white oak, bur oak, or hickories, singly or in combination, comprise a plurality of the stocking.

(Common associates include jack pine, beech, yellow-poplar, elm, and maple.)

Elm-ash-soft maple.—Forests in which lowland elm, ash, cottonwood, and red maple, singly or in combination, comprise a plurality of the stocking. (Common associates include birches, spruce, and balsam fir.)

Maple-birch.—Forests in which sugar maple, basswood, yellow birch, upland American elm, and red maple, singly or in combination, comprise a plurality of the stocking. (Common associates include white pine, elm, hemlock, and basswood.)

Aspen.—Forests in which quaking aspen or bigtooth aspen, singly or in combination, comprise a plurality of the stocking. (Common associates include balsam poplar, balsam fir, and paper birch.)

Paper birch.—Forests in which paper birch comprises a plurality of the stocking. (Common associates include maple, aspen, and balsam fir.)

Exotic.—Forests in which species not native to Michigan comprise a plurality of the stocking. (Mostly scotch pine plantations.)

- Gross area.—The entire area of land and water as determined by the Bureau of the Census, 1970.
- **Growing-stock trees.**—Live trees of commercial species qualifying as desirable and acceptable trees. (Note: Excludes rough, rotten, and dead trees.)
- Growing-stock volume.—Net volume in cubic feet of growing-stock trees 5.0 inches d.b.h. and over, from a 1-foot stump to a minimum 4.0 inch top diameter outside bark of the central stem or to the point where the central stem breaks into limbs. Cubic feet can be converted to cords by multiplying by 79 cubic feet per solid wood cord.
- **Hardwoods.**—Dicotyledonous trees, usually broadleaved and deciduous.
- Idle farmland.—Includes former croplands, orchards, improved pastures, and farm sites not tended within the past 2 years and presently less than 16.7 percent stocked with trees.
- Improved pasture.—Land currently improved for grazing, by cultivation, seeding, irrigation, or clearing of trees or brush and less than 16.7 percent stocked with live trees.
- Indian land.—Tribal lands held in fee but administered by the Federal Government.
- Land area.—A. Bureau of the Census. The area of dry land and land temporarily or partly covered by water, such as marshes, swamps, and river flood plains (omitting tidal flats below mean high tide); streams, sloughs, estuaries, and canals less than

one-eighth of a statute mile wide; and lakes, reservoirs, and ponds less than 40 acres in area.

B. Forest Survey. The same as the Bureau of the Census, except minimum width of streams, etc. is 120 feet and minimum size of lakes, etc. is 1 acre.

Live trees.—Growing-stock, rough and rotten trees 1 inch d.b.h. and larger.

Log grades.—A classification of logs based on external characteristics as indicators of quality or value. (See Appendix for specific grading factors used.)

Logging residues.—The unused growing stock portions of trees cut or killed by logging.

Maintained road.—Any road, hard-topped or other surfaces, that is plowed or graded at least once a year. Includes rights-of-way that are cut or treated to limit herbaceous growth.

Marsh.—Nonforest land that characteristically supports low, generally herbaceous or shrubby vegetation and that is intermittently covered with water.

Merchantable.—Refers to a pulpwood or saw log section that meets pulpwood or saw log specifications, respectively.

Miscellaneous Federal land.—Federal land other than National Forest, and land administered by the Bureau of Land Management.

Miscellaneous private land.—Privately owned land other than forest-industry and farmer-owned land.

Mortality.—The volume of sound wood in growingstock and sawtimber trees that die annually.

National Forest land.—Federal land that has been legally designated as National Forest or purchase units, and other land under the administration of the USDA Forest Service.

Net annual growth of growing-stock.— The annual change in volume of sound wood in live saw-timber and poletimber trees and the total volume of trees entering these classes through ingrowth, less volume losses resulting from natural causes.

Net annual growth of sawtimber.—The annual change in the volume of live sawtimber trees and the total volume of trees reaching sawtimber size, less volume losses resulting from natural causes.

Net volume.—Gross volume less deductions for rot, sweep, or other defect affecting use for timber products.

Noncommercial forest land.—(a) Unproductive forest land and (b) productive-reserved forest land.

Noncommercial species.—Tree species of typically small size, poor form, or inferior quality which normally do not develop into trees suitable for industrial wood products.

Nonforest land.—Land that has never supported forests, and land formerly forested where use for timber management is precluded by development for other uses. (Note: Includes areas used for crops, improved pasture, residential areas, city parks, improved roads of any width and adjoining clearings, powerline clearings of any width, and 1- to 40-acre areas of water classified by the Bureau of the Census as land. If intermingled in forest areas, unimproved roads and nonforest strips must be more than 120 feet wide and more than 1 acre in area, to qualify as nonforest land.)

a. Nonforest land without trees.—Nonforest land with no live trees present.

b. Nonforest land with trees.—Nonforest land with one or more trees per acre at least 5 inches d.b.h.

Nonstocked land.—Commercial forest land less than 16.7 percent stocked with growing-stock trees.

Other removals.—Growing-stock trees removed but not utilized for products, or trees left standing but "removed" from the commercial forest land classification by land use change. Examples are removals from cultural operations such as timber stand improvement work, land clearing, and changes in land use.

Ownership.—Property owned by one owner, regardless of the number of parcels in a specified area.

Ownership size class.—The amount of commercial forest land owned by one owner, regardless of the number or parcels.

Owner tenure.—The length of time a property has been held by the owner.

Physiographic class.—A measure of soil and water conditions that affect tree growth on a site. Physiographic classes used in Resources Evaluation inventories are:

Xeric sites.—Very dry soils where excessive drainage seriously limits both growth and species occurrence. Example: sandy jack pine plains.

Xeromesic sites.—Moderately dry soils where excessive drainage limits growth and species occurrence to some extent. Example: dry oak ridge.

Mesic sites.—Deep, well-drained soils. Growth and species occurrence are limited only by climate.

Hydromesic sites. - Moderately wet soils where

insufficient drainage or infrequent flooding limits growth and species occurrence to some extent. Example: better drained bottomland hardwood sites.

Hydric sites.—Very wet sites where excess water seriously limits both growth and species occurrence. Example: wet, frequently flooded river bottoms and spruce bogs.

- Plant byproducts.—Plant residues used for products such as mulch, pulp chips, and fuelwood.
- Plant residues.—Wood and bark materials generated at manufacturing plants during production of other products.
- Poletimber stands.—(See stand-size class.)
- **Poletimber trees.**—Growing-stock trees of commercial species at least 5.0 inches d.b.h., but smaller than sawtimber size.
- Productive-reserved forest land.—Forest land sufficiently productive to qualify as commercial forest land but withdrawn from timber utilization through statute, administrative regulation, designation, or exclusive use for Christmas tree production, as indicated by annual shearing.
- Rotten trees.—Live trees of commercial species that do not contain at least one 12-foot saw log or two saw logs 8 feet or longer, now or prospectively, and/or do not meet Regional specifications for freedom from defect primarily because of rot; that is, when more than 50 percent of the cull volume in a tree is rotten.
- Rough trees.—(a) Live trees of commercial species that do not contain at least one merchantable 12-foot saw log or two saw logs 8 feet or longer, now or prospectively, and/or do not meet Regional specifications for freedom from defect primarily because of roughness or poor form, and (b) all live trees of noncommercial species.
- Roundwood products.—Logs, bolts, or other round sections (including chips from roundwood) cut from trees for industrial or consumer uses. (Note: Includes saw logs, veneer logs and bolts; cooperage logs and bolts; pulpwood; fuelwood; piling; poles; posts; hewn ties; mine timbers; and various other round, split, or hewn products.)
- Salvable dead trees.—Standing or down dead trees that are considered merchantable by Regional standards.
- Saplings.—Live trees 1.0 to 5.0 inches d.b.h.
- Sapling-seedling stands.—(See stand-size class.)

- Saw log.—A log meeting minimum standards of diameter, length, and defect, including logs at least 8 feet long, sound and straight and with a minimum diameter outside bark (d.o.b.) for softwoods of 7 inches (9 inches for hardwoods) or other combinations of size and defect specified by Regional standards.
- Saw log portion.—That part of the bole of sawtimber trees between the stump and the saw log top.
- Saw log top.—The point on the bole of sawtimber trees above which a saw log cannot be produced. The minimum saw log top is 7.0 inches d.o.b. for softwoods and 9.0 inches d.o.b. for hardwoods.
- Sawtimber stands.—(See stand-size class.)
- Sawtimber trees.—Growing-stock trees of commercial species containing at least a 12-foot saw log or two noncontiguous saw logs 8 feet or longer, and meeting Regional specifications for freedom from defect. Softwoods must be at least 9.0 inches d.b.h. Hardwoods must be at least 11.0 inches d.b.h.
- Sawtimber volume.—Net volume of the saw log portion of live sawtimber in board feet, International ¼-inch rule, from stump to a minimum 7 inches top diameter outside bark (d.o.b.) for softwoods and a minimum 9 inches top d.o.b. for hardwoods.
- Seedlings.—Live trees less than 1.0 inch d.b.h. that are expected to survive. Only softwood seedlings more than 6 inches tall and hardwood seedlings more than 1 foot tall are counted.
- Short-log (rough tree).—Sawtimber-size trees of commercial species that contain at least one merchantable 8-to 11-foot saw log but not a 12-foot saw log.
- Shrub biomass.—The total above-ground weight (including the bark) of selected shrubs and trees less than 1 inch d.b.h.
- Site class.—A classification of forest land in terms of inherent capacity to grow crops of industrial wood based on fully stocked natural stands.
- Site index.—An expression of forest site quality based on the height of a free-growing dominant or codominant tree of a representative species in the forest type at age 50.
- **Softwoods.**—Coniferous trees, usually evergreen, having needles or scale-like leaves.
- **Stand.**—A growth of trees on a minimum of 1 acre of forest land that is stocked by forest trees of any size.

- **Stand-age class.**—Age of the main stand. Main stand refers to trees of the dominant forest type and stand-size class.
- **Stand-area class.**—The extent of a continuous forested area of the same forest type, stand-size class, and stand-density class.
- Stand-size class.—A classification of forest land based on the size class of growing-stock trees on the area; that is, sawtimber, poletimber or seedlings and saplings.

a. Sawtimber stands.—Stands at least 16.7 percent stocked with growing-stock trees, with half or more of total stocking in sawtimber or poletimber trees, and with sawtimber stocking at least equal to poletimber stocking.

b. *Poletimber stands*.—Stands at least 16.7 percent stocked with growing-stock trees of which half or more of this stocking is in poletimber and/or sawtimber trees, and with poletimber stocking exceeding that of sawtimber.

c. Sapling-seedling stands.—Stands at least 16.7 percent stocked with growing-stock trees of which more than half of the stocking is saplings and/or seedlings.

d. Nonstocked stands.—Stands in which stocking of growing-stock trees is less than 16.7 percent.

State land.—Land owned by States, or land leased to these governmental units for 50 years or more.

Stocking.—The degree of occupancy of land by trees, measured by basal area and/or the number of trees in a stand by size or age and spacing, compared to the basal area and/or number of trees required to fully utilize the growth potential of the land; that is, the stocking standard.

A stocking percent of 100 indicates full utilization of the site and is equivalent to 80 square feet of basal area per acre in trees 5 inches d.b.h. and larger. In a stand of trees less than 5 inches d.b.h., a stocking percent of 100 would indicate that the present number of trees is sufficient to produce 80 square feet of basal area per acre when the trees reach 5 inches d.b.h.

Stands are grouped into the following stocking classes:

Overstocked stands.—Stands in which stocking of trees is 134.0 percent or more.

Fully stocked stands.—Stands in which stocking of trees is from 101.0 to 133.9 percent.

Medium stocked stands.—Stands in which stocking of trees is from 61.0 to 100.9 percent.

Poorly stocked stands.—Stands in which stocking of trees is from 16.7 to 60.9 percent.

Nonstocked areas.—Commercial forest land on which stocking of trees is less than 16.7 percent.

- Timber removals from growing stock.—The volume of sound wood in growing-stock trees removed annually for forest products (including roundwood products and logging residues) and for other removals.
- Timber removals from sawtimber.—The net boardfoot volume of live sawtimber trees removed for forest products annually (including roundwood products and logging residues) and for other removals.
- Timber products output.—All timber products cut from roundwood and byproducts of wood manufacturing plants. Roundwood products include logs, bolts, or other round sections cut from growing-stock trees, cull trees, salvable dead trees, trees on nonforest land, noncommercial species, sapling-size trees, and limbwood. Byproducts from primary manufacturing plants include slabs, edging, trimmings, miscuts, sawdust, shavings, veneer cores and clippings, and screenings of pulpmills that are used as pulpwood chips or other products.
- Tree biomass.—The total aboveground weight (including the bark) of all trees 1 to 5 inches in d.b.h., and the total aboveground weight (including the bark) from a 1-foot stump for trees more than 5 inches in diameter.
- Tree size class.—A classification of trees based on diameter at breast height, including sawtimber trees, poletimber trees, and seedlings.
- Unproductive forest land.—Forest land incapable of producing 20 cubic feet per acre of annual growth or of yielding crops of industrial wood under natural conditions because of adverse site conditions. (Note: Adverse conditions include shallow soils, dry climate, poor drainage, high elevation, steepness, and rockiness.
- **Upper stem portion.**—That part of the bole of saw-timber trees above the saw log top to a minimum top diameter of 4.0 inches outside bark or to the point where the central stem breaks into limbs.
- Urban and other areas.—Areas within the legal boundaries of cities and towns; suburban areas developed for residential, industrial, or recreational purposes; schoolyards, cemeteries, roads; railroads; airports; beaches; powerlines; and other rights-of-way; or other nonforest land not included in any other specified land use class.

- Water.—(a) Bureau of the Census.—Streams, sloughs, estuaries, and canals more than one-eighth of a statute mile wide; and lakes, reservoirs, and ponds more than 40 acres in area.
 - (b) *Noncensus*.—The same as the Bureau of the Census, except minimum width of streams, etc. is 120 feet and minimum size of lakes, etc. is 1 acre.
- Wooded pasture.—Improved pasture with more than 16.7 percent stocking in live trees but less than

25 percent stocking in growing-stock trees. Area is currently improved for grazing or there is other evidence of grazing.

Wooded strip.—An acre or more of natural continuous forest land that would otherwise meet survey standards for commercial forest land except that it is less than 120 feet wide.

TABLES

AREA

- Table 1.—Area of land by land class, 1966 and 1980
- Table 2.—Area of land by land use class and county
- Table 3.—Area of commercial forest land by ownership class and county
- Table 4.—Area of commercial forest land by forest type, physiographic class, and ownership class
- Table 5.—Area of commercial forest land by ownership class and site class
- Table 6.—Area of commercial forest land by ownership class and stand-volume class
- Table 7.—Area of privately owned commercial forest land by ownership class, owner tenure, and size of owner
- Table 8.—Area of commercial forest land by forest type, stand-size class, and ownership class
- Table 9.—Area of commercial forest land by forest type and county
- Table 10.—Area of commercial forest land by county and stand-size class
- Table 11.—Area of commercial forest land by forest type, stand-size class, and site class
- Table 12.—Area of commercial forest land by forest type and stand-age class
- Table 13.—Area of commercial forest land by forest type and site-index class
- Table 14.—Area of commercial forest land by forest type, stand-size class, and basal-area class

- Table 15.—Area of commercial forest land by stocking class of growing-stock trees and standsize class
- Table 16.—Area of commercial forest land by stocking class based on selected stand components
- Table 17.—Area of noncommercial forest land by ownership class
- Table 18.—Area of noncommercial forest land by forest type
- Table 19.—Area of nonforest land with trees by forest type and land use

NUMBER OF TREES

- Table 20.—Number of all live trees on commercial forest land by species group and diameter class
- Table 21.—Number of growing-stock trees on commercial forest land by species group and diameter class
- Table 22.—Number of short-log trees on commercial forest land by species group and diameter class

VOLUME

- Table 23.—Net volume of growing stock on commercial forest land by species group, 1966 and 1980
- Table 24.—Net volume of all live trees on commercial forest land by species group and diameter class

- Table 25.—Net volume of timber on commercial forest land by class of timber and softwoods and hardwoods
- Table 26.—Net volume of growing-stock, sawtimber, short-log, and rough and rotten trees on commercial forest land by individual species
- Table 27.—Net volume of noncommercial species (nongrowing-stock volume) on commercial forest land by individual species
- Table 28.—Net volume of growing stock on commercial forest land by county and species group
- Table 29.—Net volume of sawtimber on commercial forest land by county and species group
- Table 30.—Net volume of growing stock on commercial forest land by species group and diameter class
- Table 31.—Net volume of sawtimber on commercial forest land by species group and diameter class
- Table 32.—Net volume of growing stock on commercial forest land by species group and forest type
- Table 33.—Net volume of sawtimber on commercial forest land by species group and forest type
- Table 34.—Net volume of growing stock on commercial forest land by species group and ownership class
- Table 35.—Net volume of sawtimber on commercial forest land by species group and ownership class
- Table 36.—Net volume of growing stock on commercial forest land by forest type and stand-age class
- Table 37.—Net volume of sawtimber on commercial forest land by forest type and stand-age class
- Table 38.—Net volume of growing stock on commercial forest land by forest type, standsize class, and basal-area class
- Table 39.—Net volume of sawtimber on commercial forest land by forest type, stand-size class, and basal-area class

- Table 40.—Net volume of sawtimber on commercial forest land by species group and log-grade class
- Table 41.—Net volume of short-log trees on commercial forest land by species group and diameter class
- Table 42.—Net volume of short-log trees on commercial forest land by species group and diameter class

GROWTH AND REMOVALS

- Table 43.—Net annual growth of growing stock on commercial forest land by softwoods and hardwoods, 1965-1979
- Table 44.—Net annual growth of growing stock on commercial forest land by species group and county
- Table 45.—Net annual growth of sawtimber on commercial forest land by species group and county
- Table 46.—Net annual growth of growing stock on commercial forest land by species group and ownership class
- Table 47.—Net annual growth of sawtimber on commercial forest land by species group and ownership class
- Table 48.—Net annual growth of growing stock on commercial forest land by species group and forest type
- Table 49.—Net annual growth of sawtimber on commercial forest land by species group and forest type
- Table 50.—Net annual growth of growing stock on commercial forest land by forest type and stand-age class
- Table 51.—Net annual growth of sawtimber on commercial forest land by forest type and stand-age class
- Table 52.—Net annual growth of growing stock on commercial forest land by forest type, stand-size class, and basal-area class
- Table 53.—Net annual growth of sawtimber on commercial forest land by forest type, standsize class, and basal-area class
- Table 54.—Timber removals from growing stock on commercial forest land by species group and county

- Table 55.—Timber removals from sawtimber on commercial forest land by species group and county
- Table 56.—Timber removals from growing stock and sawtimber on commercial forest land by species group, 1965 and 1979
- Table 57.—Timber removals from growing stock and sawtimber on commercial forest land by item and species category
- Table 58.—Net annual growth and removals of growing stock on commercial forest land by species group
- Table 59.—Net annual growth and removals of sawtimber on commercial forest land by species group
- Table 60.—Net annual growth and removals of growing stock on commercial forest land by ownership class and softwoods and hardwoods
- Table 61.—Net annual growth and removals of sawtimber on commercial forest land by ownership class and softwoods and hardwoods

MORTALITY

- Table 62.—Annual mortality of growing stock on commercial forest land by softwoods and hardwoods, 1965 and 1979
- Table 63.—Annual mortality of growing stock on commercial forest land by species group and cause
- Table 64.—Annual mortality of sawtimber on commercial forest land by species group and cause

Table 65.—Annual mortality of growing stock and sawtimber on commercial forest land by ownership class and softwoods and hardwoods

UTILIZATION

- Table 66.—Output of timber products by source of material and softwoods and hardwoods
- Table 67.—Output of roundwood products by source and softwoods and hardwoods
- Table 68.—Timber products from roundwood by species group and product
- Table 69.—Volume of primary plant residue by kind of material and type of use

BIOMASS

- Table 70.—All live shrub biomass yields on commercial forest land by shrub species group and forest type
- Table 71.—All live tree biomass yields on commercial forest land by species group and forest type
- Table 72.—All live tree biomass on commercial forest land by species group and forest type
- Table 73.—All live tree biomass by species group and tree biomass component

SAMPLING ERRORS

Table 74.—Sampling errors for estimates smaller than the Unit totals of volume, net growth, removals, and area of commercial forest land

Table 1.--Area of land by land class, Western Upper Peninsula, Michigan, $1966\frac{1}{2}$ / and 1980

Land class	<u>1</u> /1966	1980
FOREST LAND		
Commercial forest		
Jack pine	127.9	88.3
Red pine	59.4	57.6
White pine	70.9	48.7
Balsam fir-white spruce	479.0	407.2
Black spruce	166.8	209.5
Northern white-cedar	255.3	210.2
Tamarack	42.1	36.0
Oak-hickory	72.6	22.6
Elm-ash-soft maple	245.6	169.7
Maple-birch	2,223.5	2,372.4
Aspen	987.2	733.3
Paper birch	121.0	143.8
Exotic		1.6
Nonstocked	69.6	28.7
Subtotal	4,920.9	4,529.6
Noncommercial forest land		
Unproductive	77.0	62.2
Productive-reserved	185.4	266.7
Subtotal	262.4	328.9
Total	5,183.3	4,858.5
NONFOREST LAND		
Cropland	217.5	224.5
Pasture and range	63.7	156.0
Other	107.3	287.4
Total	388.5	667.9
TOTAL LAND	$\frac{2}{5,571.8}$	$\frac{3}{5}$,526.4
WATER (BUREAU OF THE CENSUS)	<u>2</u> / _{121.6}	$\frac{3}{167.0}$
TOTAL LAND AND WATER	<u>2</u> / _{5,693.4}	$\frac{3}{5,693.4}$
		· · · · · · · · · · · · · · · · · · ·

1/Figures have been adjusted from those published after the 1966 survey to conform to 1980 areas because of changes in survey procedures and definitions.

of changes in survey procedures and definitions. 2/U.S. Department of Commerce, Bureau of the Census.

1950. 3/U.S. Department of Commerce, Bureau of the Census, 1970. Area Measurement Reports, GE-20, No. 1.

Table 2.--Area of land by land use class and county, Western Upper Peninsula, Michigan, 1980

(In thousand acres)

Land use class FOREST LAND Commercial forest Unproductive forest									
COREST LAND Commercial forest Unproductive forest	counties	Baraga	Dickinson	Gogebic	Houghton	Iron	Keweenaw	Marquette	Ontonagon
Commercial forest Unproductive forest									
Unproductive forest	4,529.6	513.2	376.6	619.9	513,7	654.0	207.1	970.4	674.7
	62.2	5.4	1.5	11.1	8.6	9.2	;	23.6	2.8
Productive reserved	266.7	21.2	2.9	23.6	11.4	1.5	126.0	32.9	47.2
Total	4,858.5	539.8	381.0	654.6	533.7	664.7	333.1	1,026.9	724.7
NONFOREST LAND									
Nonforest with trees									
Cropland with trees	3,5	;	1	:	1	1	;	;	3.5
Improved pasture with trees	12.7	1	5.5	:	!	5.4	1	1.8	1
Wooded strips	;	!	:	:	:	!	1	;	1
Idle farmland with trees	;	1	;	;	:	;	;	:	:
Marsh with trees	15.1	1.5	1	7.4	;	2.5	1.9	1	1.8
Urban and other windbreaks	;	;	1	!	1	1	;	;	;
Windbreaks	1	1	;	;	!	;	;	;	;
Wooded pasture	1.8	:	1	!	1.8	1	:	!	:
Subtotal	33.1	1.5	5.5	7.4	1.8	7.9	1.9	1.8	5.3
Nonforest without trees									
Cropland without trees	189.2	6.6	29.9	9.3	56.1	11.7	}	14.3	58.0
Improved pasture without trees	141.5	5.9	26.2	10.9	23.5	24.8	1.6	30.0	18.6
Idle farm without trees	1	1	:	;	-	!	!	1	!
Marsh without trees	89.1	11.5	12.5	3.8	7.3	20.2	3,3	28.4	2.1
Other farm-farmstead	31.8	2.0	2.2	1.5	3.6	3.4	;	8.7	10.4
Urban and other	183.2	5.9	27.3	20.9	24.9	16.8	4.2	60.3	22.9
Subtotal	634.8	35.2	98.1	46.4	115.4	76.9	9.1	141.7	112.0
Total	6.799	36.7	103.6	53.8	117.2	84.8	11.0	143.5	117.3
TOTAL LAND	5,526.4	576.5	484.6	708.4	620.9	749.5	344.1	1,170.4	842.0
WATER (BUREAU OF THE CENSUS)	167.0	15.5	3.7	25.0	19.2	30.7	31.6	31.5	8.6
TOTAL LAND AND WATER	5,693.4	592.0	488.3	733.4	670.1	780.2	375.7	1,201.9	851.8

Table 3.--Area of commercial forest land by ownership class and county, Western Upper Peninsula, Michigan, 1980

(In thousand acres)

	All					County			
Ownership class	counties	Baraga	Dickinson	Gogebic	Houghton	Iron	Keweenaw	Marquette	Ontonagon
National Forest	827.7	37.7	1	259,4	129.7	152.4	;	5.7	242.8
Bureau of Land Mgmt.	;	1	1	;	:	;	;	1	;
Miscellaneous federal	1.6	1	1	1	;	+	1.6	;	:
Indian	16.3	16.3	1	;	1	1		1	;
State	620.3	62.9	182.8	1	43.9	90.1	2,7	218.5	16.4
County and municipal	87.6	1.3	1.6	67.4	1	3.2	1	10.8	3,3
Forest industry	1,269.3	291.9	31.2	134.2	90.2	197.2	36,7	297.7	190.2
Farmer	194.1	28.9	28.9	8,3	19,3	29.1	. 1	44.7	34.9
Misc. private-corp.	668.4	14.5	28.1	93.3	112.9	44.9	135.7	135.8	103.2
Misc. private-indiv.	844.3	56.7	104.0	57.3	117.7	137.1	30.4	257.2	83.9
All owners	4.529.6	513.2	376.6	619.9	513.7	654.0	207.1	970.4	674.7

Table 4.--Area of commercial forest land by forest type, physiographic class, and ownership class, Western Upper Peninsula, Michigan, 1980

(In thousand acres)

Prest type and All National Bureau Burea							0wner:	Ownership class				
Owners Forest Mgmt. Federal Indian State municipal Indiastry 17.9 6.3 20.5 2.9 3.1 18.5 6.3 20.5 2.9 3.1 18.5 6.3 20.5 2.9 3.1 18.5 6.3 25.5 7.6 7.6 18.3 2.1.5 25.5 7.6 7.6 21.2 15.4 21.2 15.4 42.3 11.1 48.7 11.1 48.7 11.1 <td< th=""><th>Forest type and</th><th>A11</th><th>National</th><th>Bureau of Land</th><th>Misc.</th><th></th><th></th><th>County</th><th>Forest</th><th></th><th>Misc.</th><th>Misc.</th></td<>	Forest type and	A11	National	Bureau of Land	Misc.			County	Forest		Misc.	Misc.
Ses	physiographic class	owners	Forest	Mgmt.	Federal	Indian	State	municipal	industry	Farmer	corp.	indiv.
Ses	Jack pine											
Ses	Hydric	1.6	1	1	¦	!	;	1	1.6	1	;	!
Ses	Hydromesic	!	1	!	!	;	!	!	1	1	:	;
Ses 88.3 12.7 10.5 4.29 3.1 5.3 12.7 25.5 7.6 7.6 7.6 5.2 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3	Mesic	17.9	6.3	;	;	1	3.4	;	1.7	!	1.7	4.8
Ses 88.3 25.3 1.6 4.7 11.2 3.3 1 21.5 6.3 1.6 7.6 7.6 7.6 7.6 7.6 7.6 7.6 7.6 7.6 7	Xeromesic	53,3	12.7	1	1	;	20.5	2.9	3.1	;	4.4	9.7
Ses	Xeric	15.5	6.3	;	1	;	1.6	4.7	1.2	;	1	1.7
Ses 57.6 36.9	All classes	88.3	25.3	1	;	;	25.5	7.6	7.6	1	6.1	16.2
Ses 57.6 36.9	Red pine											
33.1 21.5 5.2 1.7 21.2 15.4 6.2 21.2 15.4 6.2 21.2 15.4 6.2 21.2 15.4 6.2 3.0 9.3 3.0 1.7 3.0 9.3 3.4 1.7 2.2 11.1 13.3 10.8 30.4 8.7 11.1 13.3 10.8 30.4 44.2 1.6 1.6 1.6 4.9 13.3 103.1 2.85 366.6 72.6 1.6 61.5 3.3 103.1 2.85 40.6 9.7 18.1	Hydric	;	;	;	1	1	;	;	;	1	1	!
Ses 57.6 36.9 5.2 1.7 Ses 57.6 36.9 9.3 1.7 3.0 9.3 1.7 42.3 11.1 9.9 1.7 3.4 4.2 9.3 1.7 Ses 48.7 11.1 13.3 10.8 187.4 19.7 1.6 13.1 4.9 44.2 1.6 1.6 1.6 4.9 1.6 1.6 8.2 1.6 1.7 8.2 1.6 1.7 9.8 1.6 1.7 1.4 1.6 1.6 1.4 1.6 1.4 1.6 1.4 1.6 1.4 1.6 1.4 1.6 1.4 1.6 1.4 1.6 1.4 1.6 1.4 1.6 1.7 1.7 2.0 1.7 3.1 1.6 1.7 1.7 3.2 1.6 3.3 1.6 3.4 1.6 3.5 1.6 3.6 1.6 3.7 1.7 3.8 1.6 3.9 1.7 3.1 1.6 3.1 1.6 3.2 1.6 3.2 1.6 3.3 1.6 3.4 1.6 3.5 1.6 3.7 1.7 3.8 1.7 3.9 1.7 3.0	Hydromesic	3,3	1	+	;	;	;	!	!	ì	3,3	ł
Ses 57.6 36.9 4.1 4.1	Mesic	33,1	21.5	ł	1	;	5.2	;	1.7	;	}	4.7
Ses 57.6 36.9	Xeromesic	21.2	15.4	1	;	;	4.1	ł	1	ł	1.7	
Ses 57.6 36.9 9.3 1.7 3.0	Xeric	1	;	1	1	;	- 1	;	+	;	;	1
ses 42.3 11.1	All classes	57.6	36.9	:		:	9.3	1	1.7	;	0.5	4.7
Ses	White pine											
Ses	Hydric	;	1	;	;	;	;	;	;	1	}	1
Ses 42.3 11.1 9.9 9.5 9.5 3.4 1.1.1 11.7 11.7 11.8 11.8 11.8 11.8 11.8 18.7 1.6 22.5 1.7 31.2 18.7 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.7 31.2 1.2 31.2 31.2 31.2 31.2 31.2 31.2	Hydromesic	3.0	;	;	;	;	1.7	;	1,3	;	;	;
Ses 48.7 11.1 11.7 10.8 30.4 8.7 13.3 10.8 187.4 19.7 1.6 35.1 1.6 58.9 143.9 44.2 1.6 22.5 1.7 31.2 1.6 1.6 1.7 1.6 1.6 1.7 1.4 1.6 61.5 3.3 103.1 Ses 36.6 72.6 1.6 61.5 3.3 103.1 27.4 1.6 61.5 3.3 103.1 Ses 40.6 19.7 18.1	Mesic	42.3	11.1	;	;	;	6.6	;	9.0	3,4	8.9	1.6
Ses 48.7 11.1 13.3 10.8 30.4 8.7 11.1 187.4 19.7 2.3 143.9 44.2 1.6 22.5 4.9 1.6 1.6 1.7 8.2 1.6 61.5 3.3 103.1 1.4 1.6 61.5 8.2 1.6 61.5 8.2 1.6 61.5 8.2 1.6 1.7 8.2 1.6 1.7 8.2 1.6 1.7 8.2 1.6 1.7 8.2 1.6 1.7 8.2 1.6 1.7 8.3 1.7 8.4 1.6 1.7 8.5 1.7 8.6 1.7 9.7 18.1	Xeromesic	3,4	; ;	;	;	;	1.7	;	; ;	; ;	1.7	}
ses 48.7 11.11 13.3 10.8 187.4 19.7 35.1 1.6 58.9 143.9 44.2 35.1 1.6 58.9 4.9 1.6 1.7 31.2 1.6 1.7 1.6 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 8.2 <	Xeric	1	;	1	1	!	1	;	!	;	. 1	1
30.4 8.7 2.3 11.3	All classes	48.7	11.1	:	:	:	13,3	:	10.8	3.4	8.5	1.6
ses 30.4 8.7 2.3 11.3 187.4 19.7 1.6 58.9 143.9 44.2 1.6 22.5 1.7 31.2 4.9 1.6 1.6 58.9 1.7 31.2 31.2 1.7 31.2 31.2 31.2 31.2 31.2 31.2 31.2 31.2	Balsam fir											
ses 187.4 19.7 35.1 1.6 58.9 143.9 44.2 1.6 22.5 1.7 31.2 4.9 1.6 22.5 1.7 31.2 4.9 1.6 1.6 1.6 1.7 31.2 31.2 1.7 31.2 31.2 1.7 31.2 31.2 1.7 31.2 31.2 1.7 31.2 31.2 31.2 31.2 31.2 31.2 31.2 31.2	Hydric	30.4	8.7	;	;	1	2.3	1	11.3	1,3	5,4	1.4
ses 143.9 44.2 1.6 22.5 1.7 31.2	Hydromesic	187.4	19.7	;	;	;	35,1	1.6	58.9	2.9	21.7	47.5
ses 366.6 72.6 1.6 1.7 1.8 1.7 1.8 1.7 1.8 1.7 1.8 1.7 1.8 1.7 1.8 1.7 1.8 1.7 1.8 1.7 1.8 1.7 1.8 1.7 1.8 1.7 1.8 1.7 1.8 1.7 1.8 1.7 1.8 1.7 1.8 1.7 1.8 1.7 1.8 1.8 1.7 1.8 -	Mesic	143.9	44.2	;	1.6	;	22.5	1.7	31.2	3,3	13.3	26.1
ses 366.6 72.6 1.6 61.5 3.3 103.1 1.4 1.6 61.5 3.3 103.1 8.2 1.7 3.2 27.4 1.7 12.9 3.6 12.9 5.0 5.0 18.1	Xeromesic	4.9	:	1	1	1	1.6	1	1.7	1.6	;	1
ses 366.6 72.6 1.6 61.5 3.3 103.1 1.4 1.4 3.2 8.2 1.7 3.2 27.4 1.7 12.9 3.6 12.9 2.0 9.7 18.1	Xeric	1	-		-	:	1	;	;	1	!	1
1.4 1.4 3.2 8.2 1.7 3.2 27.4 6.6 12.9 3.6 5.0 2.0 9.7 18.1	All classes	366.6	72.6	:	1.6	:	61.5	3.3	103.1	9.1	40.4	75.0
8.2 1.4 3.2 8.2 1.7 3.2 27.4 6.6 12.9 3.6 5.0 5.0 Ses 40.6 9.7 18.1	White spruce											
nesic 8.2 1.7 3.2 27.4 12.9 25ic 27.4 12.9 2.0 12.9 2.0 12.9 2.0 12.9 2.0 12.9 2.0 12.9 2.0 12.9 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0	Hydric	1.4	1	:	:	1	1.4	1	!	1	;	;
27.4 12.9 3.6 2.0 2.0 classes 40.6 9.7 18.1	Hydromesic	8.2	1	1	1	;	1.7	1	3.2	1	1.6	1.7
esic 3.6 2.0 2.0 classes 40.6 9.7 18.1	Mesic	27.4	1	;	ŀ	;	9.9	1	12.9	1.7	5.0	1.2
classes 40.6 9.7 18.1	Xeromesic	3.6	:	1	1	1	1	1	2.0	ł	1	1.6
40.6 9.7 18.1	Xeric	1	:	-	-	1	-			-	-	-
(Table 4 continued on next hade)	All classes	40.6	:	:	1	;	9.7	;	18.1	1.7	9.9	4.5
										(Table 4 c	ontinued on	next name)

	I
	I
	l
	l
_	
ned	
in	
4 cont	
e	
ap	

Protest type and All Mational Of Land Misc. Ountracting Courty & Forest Protest Protest	lable 4 continued)							,				
All Netional Bureau of Freest Misc. 13.8 12.0							Owner	ship class				
Marian of Land Misc. Annual Rederal Indian State County & Forest Protest Mynt. Federal Indian State County Farmer Corp. 113.0 13.2				Bureau							Misc.	Misc.
73.8 12.0	Forest type and physiographic class	All	National Forest	of Land Mgmt.	Misc. Federal	Indian	State	County & municipal	Forest industry	Farmer	priv corp.	priv indiv.
sess 209.5 1/52.7 12.3 1.6 55.0 1.4.8 2.0 20.0 7.5 13.0 3.3 1.7 14.8 25.0 1.3 13.0 1.7 14.8 2.0 1.4 14.8 2.	Black spruce											
sses 200.5 1/52.7	Hydric	73.8	12.0	;	!	!	12.3	1.6	25.0	1.6	3.9	17.4
Sees 200. 7.5 6.4 114	Hydromesic	113.0	33.2	1	1	;	30.3	1.7	14.8	0.	6.7	26.3
Sses 200.5 1/52.7 49.0 3.3 42.7 1te-cedar 25.9	Mesic	20.0	7.5	1	1	;	6.4	:	1.4	1.7	1.3	1.7
sses 209.5 1/52.7	Xeromesic	2.7	1	1	;	;	;	!	1.5	1	1.2	1
sses 209.5 1/52.7 49.0 3.3 42.7	Xeric	1	;	;	!	1	:	1	1	1	-	:
rte-cedar 25.9 4.5 1.3 13.3 13.3	All classes	209.5	1/52.7	1	1	-	49.0	3.3	42.7	3.3	13.1	45.4
Sees 20.8	Northern white-cedar											
sses 20.8	Hydric	25.9	1	;	;	;	4.5	1.3	13,3	1	4.0	2.8
Sses 210.2 52.6 7.7 75.2 52.6 7.7 75.2 52.6 7.7 75.2 52.6 7.7 75.2 52.6 7.7 75.2 52.6 7.7 75.2 52.6 7.7 75.2 52.6 7.7 75.2 52.6 7.7 75.2 52.6 7.7 75.2 52.6 7.7 75.2 52.6 7.7 75.2 72.6 7	Hydromesic	171.3	;	;	;	;	46.5	4.8	57.0	3.1	34.1	25.8
Sees 20.8 52.6 7.7 75.2 20.8 52.6 7.7 75.2 20.8 52.6 7.7 75.2 20.8 20.8 20.8 20.8 20.8 20.8 20.8 20	Mesic	13.0	ł	1	1	;	1.6	1.6	4.9	;	4.9	1
Sses 210.2 52.6 7.7 75.2 52.6 7.7 75.2 52.6 7.7 75.2 52.6 7.7 75.2 52.6 7.7 75.2 52.6 7.7 75.2 52.6 7.7 75.2 52.6 7.7 75.2 52.6 7.7 75.2 52.6 7.7 75.2 52.6 7.7 75.2 72.6 7.2 7.2 7.2 7.2 7.2 7.2 7.2 7.2 7.2 7.2	Xeromesic	1	1	1	;	;	!	;	;	;	!	;
Sees 20.8 52.6 7.7 75.2	Xeric	:	;	;	1	1	1	1	1	;	1	1
Sses 20.8 8.3 5.6 4.5 6.5	All classes	210.2	:		:	;	52.6	7.7	75.2	3.1	43.0	28.6
c 15.2 4.1 4.5 c	Jones de la constitución de la c											
Sses 36.0 4.1 4.5	HVGrio	20.8	1	}	ł	;	80	;	5.6	1.8	3.9	1.2
sses 36.0 12.4 10.1 C 3.2 1.6 11.6 116.0 11.6 11.7 3.4 11.6 11.7 1.8 11.6 11.7 1.8 3.1 3.3 1.9 3.1 3.3 2.0 11.4 45.7 2.16.1 15.8 11.4 45.7 3.4 3.1 3.3 2.5 11.4 45.7 3.6 11.4 45.7 3.7 11.4 45.7 3.8	Hydromesic	15.2	ŀ	1	;	1	4.1	;	4.5	1.6	; ;	5.0
sses 36.0 12.4 10.1 c 3.2 12.4 10.1 sses 2.2 12.4 10.1 sses 2.2 1.6 1.6 c 15.0 1.6 standle 7.8 3.1 3.3 c 158.5 13.6 3.1 3.3 sses 169.7 13.6 24.6 8.4 49.3	Mesic	: 1	;	;	ł	;	: :	;	: 1	; ;	;	; ;
sses 36.0 12.4 10.1 c 3.2 11.6 11.6 1.6 11.7 3.4 11.6 11.7 3.4 11.6 11.7 3.4 11.4 11.7 c 158.5 13.6 23.2 8.4 45.7 sses 169.7 13.6 24.6 8.4 49.3	Xeromesic	:	i t	;	;	;	ł	+	1	1	1	1
Sses 36.0 12.4 10.1 C 3.2 11.6 11.7 116.0 11.6 11.7 3.4 11.5 11.7 Sses 22.6 3.1 3.3 t maple 7.8 23.2 8.4 45.7 3.4 1.4 3.6	Xeric	1	;	;	;	1	1	1	1	1	;	;
c 3.2 1.6 1.6 1.6 1.6 1.6 1.7 3.4 1.7 3.4 1.7 3.4 1.7 3.4 1.7 3.4 1.7 3.4 3.1 3.1 3.3 3.4 1.7 3.4 3.4 45.7 3.4 45.7 3.4 45.7 3.4 1.6 1.6 1.6 8.4 49.3 sses 169.7 13.6 24.6 8.4 49.3	All classes	36.0	-	-	-	:	12.4		10.1	3.4	3.9	6.2
Sees 22.6 1.6 1.6 1.6 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7	Ost High and											
3.2 1.6 16.0 1.7 3.4 1.7 22.6 158.5 13.6 3.6 158.5 13.6 169.7 13.6 169.7 13.6	Uak-nickory Hydric	1		1	1	;		}	;	1	1	
16.0 1.5 1.7 3.4 1.5 1.7 22.6 3.1 3.3 7.8 3.1 3.3 158.5 13.6 23.2 8.4 45.7 3.4 24.6 8.4 49.3	Hydromoric	3.7	1 1	; ;	:		1 -		1 9	¦	1	
7.8	Menio	1, 1		¦	1	: 1	- 1	1	1.7	ł	6.4	6.4
7.8	Xeromesic	3,4	;	1	;	;	; ;	1	; ;	;	3,4	}
7.8	Xeric	1	;	1	;	1	;	!	1	;	1	1
7.8 3.6 158.5 13.6 23.2 8.4 45.7 3.4 23.2 8.4 45.7 	All classes	22.6	:	:	:	:	3.1	:	3.3	;	8.6	6.4
7.8 1.4 3.6 158.5 13.6 23.2 8.4 45.7 3.4 23.2 8.4 45.7 24.6 8.4 49.3	Elm-ash-soft maple											
nesic 158.5 13.6 23.2 8.4 45.7 3.4 3.4 3.2 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5	Hydric	7.8	;	1	1	;	1.4	!	3.6	!	1	2.8
esic	Hydromesic	158.5	13.6	}	1	1	23.2	8.4	45.7	15.9	22.2	29.5
classes 169.7 13.6 24.6 8.4 49.3	Mesic	3.4	:	;	:	ţ	1	:	;	1	1,3	2.1
classes 169.7 13.6 24.6 8.4 49.3	Xeromesic	:	:	1	:	:	1	:	!	:	1	1
169.7 13.6 24.6 8.4 49.3	Xeric		1	-	-	-	1	-	-	1	-	-
(Table 4 continued on next page)	All classes	169.7	13.6	;	;	:	24.6	8.4	49.3	15.9	23.5	34.4
										(Table 4 co	ontinued on	next page)

(Table 4 continued)

						0wners	Ownership class				
Forest type and physiographic class	All owners	National Forest	Bureau of Land Mgmt.	Misc. Federal	Indian	State	County & municipal	Forest industry	Farmer	Misc. priv corp.	Misc. priv indiv.
Maple-birch											
Hydric	2.3	1	1	:	1	1	1	1	1	1	2,3
Hydromesic	178.1	53.0	ł	;	;	12.9	4.9	46.9	0.9	35,3	19,1
Mesic	2.173.4	360,2	;	1	9.6	187.0	37.4	734.0	6,86	343.5	402.8
Xeromesic	18.6	10,4	;	1	; ;	: :	: !	4.9	: 1	5.0	0.4
Xeric	2 1	1	;	1	;	;	1	1	;	}	; ;
A11 51 25 505	2 372 d	423 6	1		9 6	100 0	42.3	785.8	104 0	381 7	424 6
-1	L, 37/ Lo. 1	0.03			2.	2000	200	200	City	100	0.171
Aspen	c					c					c
Hydric	2 5	¦	1	1	! ;	, i	1	1 8	! "	! '	7.0
Hydromesic	4.82	6.22	ŀ	¦	۰.	10.5	;	6.02	/*7	12.6	21.2
Mesic	610.8	133,4	1	1	5. I	118.6	11./	95.8	33.7	82.9	126.6
Xeromesic	20.8	7.7	1	1	;	4.6	!	!	1.7	3,4	3.4
Xeric	-	-	-			-	-	-	-		-
All classes	733,3	164.0	;	1	6.7	140.6	11.7	116.7	38.1	101.9	153.6
Paper birch											
Hydric	1.3	;	;	!	ł	;	1	!	1,3	1	1
Hydromesic	16.0	:	1	:	1	; ;	:	4.7	1.2	2	6 3
Most	126 5	16.7	1 1	} ;		16.5	, "	27.7		0.01	2 40
Venomonia	6.071			1	}		•	1.10	•	13.3	0.67
Verion C	:	1	1	;	:	:	:	1	ŀ	!	1
		:		:	:	:	8	:	•	:	:
All classes	143.8	16.7	-			16.5	3.3	42.4	9.6	23.2	32.1
Exotic											
Hydric	;	1	;	;	;	!	1	;	;	1	1
Hydromesic	:	1	;	;	1	1	1	1	!	;	1
Mesic	1.6	;	;	;	;	;	;	:	1.6	!	1
Xeromesic	:	1	1	1	:	1	1	!	;	1	1
Xeric	1	:	;	;	;	;	;	;	;	1	1
All classes	1.6	:	:	:	:	:	:	:	1.6	-	:
Non-tochood											
Hydric	3.7	. ;	;	;	1	2.3	;	!	1	;	1,4
Hydromesic	2.9	:	1	1	1	;	1	1	1	1	2.9
Mesic	15.2	11.2	ļ	;	!	;	1	1	1	;	4.0
Xeromesic	2.9	1	i	1	1	1	1	;	;	1.7	1.2
Xeric	4.0	1	:	1	1	;	:	2.5	;	;	1.5
All classes	28.7	11.2	1	1	:	2.3	:	2.5	:	1.7	11.0
All types											
Hydric	172.3	20.7	ł	1	1	33.4	2.9	60.4	0°9	17.2	31.7
Hydromesic	958.5	142.4	;	1	1.6	173.6	21.4	259,5	33.9	140.8	185.3
Mesic	3,244.5	612.1	1	1.6	14.7	379.2	55.7	932.5	150.9	490.0	8.709
Xeromesic	134.8	46.2	1	1	1	32.5	2.9	13.2	3,3	20.4	16.3
Aeric	19.5	6.3	-	-	:	1.b	4./	3.7	-	-	3.2
All classes	4,529.6	827.7		1.6	16.3	620.3	87.6	1,269.3	194.1	668.4	844.3
1.											

 $\pm 1/C$ lassified as mixed swamp conifer on Ottawa National Forest land management plan.

Table 5.--Area of commercial forest land by ownership class and site class, Western Upper Peninsula, Michigan, 1980

	A11		Site class	(cubic fee	t of grow	th/acre/yea	ar)
Ownership class	classes	225+	165-224	120-164	85-119	50-84	20-49
National Forest	827.7			17.0	187.4	395.3	228.0
Bureau of Land Mgmt.							
Miscellaneous federal	1.6				1.6		
Indian	16.3				1.7	13.1	1.5
State	620.3		3.3	19.9	106.8	253.8	236.5
County and municipal	87.6				8.3	43.7	35.6
Forest industry	1,269.3			17.8	165.1	488.3	598.1
Farmer	194.1				42.1	100.4	51.6
Misc. private-corp.	668.4			14.1	95.0	270.5	288.8
Misc. private-indiv.	844.3		1.6	23.7	148.0	378.9	292.1
All owners	4,529.6		4.9	92.5	756.0	1,944.0	1,732.2

Table 6.--Area of commercial forest land by ownership class and stand-volume class, Western Upper Peninsula, Michigan, 1980

(In thousand acres)

		Stand-volu	me class (bo	ard feet $\frac{1}{}$)
	A11	Less than	1,500 to	
Ownership class	classes	1,500	5,000	5,000+
National Conset	827.7	253.6	414.5	159.6
National Forest	02/•/	255.0	414.5	133.0
Bureau of Land Mgmt.				
Miscellaneous federal	1.6		1.6	
Indian	16.3	3.1	8.3	4.9
State	620.3	246.3	245.9	128.1
County and municipal	87.6	28.8	52.3	6.5
Forest industry	1,269.3	310.7	585.3	373.3
Farmer	194.1	85.3	88.1	20.7
Misc. private-corp.	668.4	170.5	312.4	185.5
Misc. private-indiv.	844.3	308.4	386.4	149.5
All owners	4,529.6	1,406.7	2,094.8	1,028.1

 $[\]frac{1}{I}$ International $\frac{1}{4}$ -inch rule.

Table 7.--Area of privately owned commercial forest land by ownership class, owner tenure, and size of owner, Western Upper Peninsula, Michigan, 1980

					Size	of owner	(acres)			
Ownership class							101-	501-	2,501-	
and owner tenure class	Total	1-4	5-10	11-20	21-50	51-100	500	2,500	5,000	5001+
Forest Industry										
1-4 years	220.3				1.6		1.6	4.7		212.4
5-9 years	69.3				2.3		1.6	4.8		60.6
10-19 years	355.1							1.6	4.9	348.6
20+ years	624.6						3.3	1.5	3.2	616.6
All classes	1,269.3				3.9		6.5	12.6	8.1	1,238.2
Farmer										
1-4 years	51.0			3.4	6.5	8.2	31.3	1.6		
5-9 years	34.5		1.7		5.0	8.9	12.4	6.5		
10-19 years	36.6				9.7	12.8	10.9	1.6		1.6
20+ years	72.0		3.2	4.9	11.1	25.1	27.7			
All classes	194.1		4.9	8.3	32.3	55.0	82.3	9.7		1.6
Misc. privcorporation)									
1-4 years	41.4						7.2	9.1		25.1
5-9 years	43.4				3.3		5.0			35.1
10-19 years	209.6				1.6		4.5	1.6	4.9	197.0
20+ years	374.0					1.7	11.2	11.6	4.8	344.7
All classes	668.4				4.9	1.7	27.9	22.3	9.7	601.9
Misc. privindividual				-						
1-4 years	217.0	2.8		9.9	58.4	48.2	68.4	12.0	4.8	12.5
5-9 years	166.7		1.6	11.0	44.5	30.9	62.8	12.5	1.8	1.6
10-19 years	200.3	3.2			55.8	36.8	75.4	19.2	4.9	5.0
20+ years	260.3	1.7		3.2	71.3	52.6	83.5	28.9	1.6	17.5
All classes	844.3	7.7	1.6	24.1	230.0	168.5	290.1	72.6	13.1	36.6
All private owners										
1-4 years	529.7	2.8	.0	13.3	66.5	56.4	108.5	27.4	4.8	250.0
5-9 years	313.9	.0	3.3	11.0	55.1	39.8	81.8	23.8	1.8	97.3
10-19 years	801.6	3.2	.0	.0	67.1	49.6	90.8	24.0	14.7	552.2
20+ years	1,330.9	1.7	3.2	8.1	82.4	79.4	125.7	42.0	9.6	978.8
All classes	2,976.1	7.7	6.5	32.4	271.2	225.2	406.8	117.2	30.9	1,878.3

Table 8.--Area of commercial forest land by forest type, stand-size class, and ownership class, Western Upper Peninsula, Michigan, 1980

(In thousand acres)

						Owners	Ownership class				
Forest type and	A11	National	Bureau of Land	Misc.			County &	Forest		Misc. priv	Misc. priv
stand-size class	owners	Forest	Mgmt.	federal	Indian	State	municipal	industry	Farmer	corp.	indiv.
Jack pine							•	(•	
Sawtimber	39.4	1 ;	;	1	:	1/.6	8.4		!	1.6	12.1
Poletimber	41.9	25.3	:	1	1	5.8	1.6	3.1	;	4.5	1.6
Sapling & seedling	7.0	-				2.1	1.2	1.2		-	2.5
All stands	88.3	25.3		;	;	25.5	7.6	7.6		6.1	16.2
Red pine											
Sawtimber	21.9	5.9	;	;	ł	4.6	;	1.7	1	5.0	4.7
Poletimber	21.4	18.6	;	;	1	2.8	!	!	;	;	1
Sapling & seedling	14.3	12.4	-			1.9	-				
All stands	57.6	36.9	:	1	;	6.3		1.7	-	5.0	4.7
White pine											
Sawtimber	42.0	11.1	;	1	;	10.0	1	9.1	1.7	8.5	1.6
Poletimber	6.7	1	;	1	1	3,3	!	1.7	1.7	;	!
Sapling & seedling	1	-								-	-
All stands	48.7	11.1	1	;	;	13,3	;	10.8	3.4	8.5	1.6
Balsam fir											
Sawtimber	77.6	;	;	1.6	;	16.4	;	26.1	2.9	8.1	22.5
Poletimber	193.3	55.2	;	;	1	35.4	1.7	38.0	2.9	22.0	38.1
Sapling & seedling	95.7	17.4	-			9.7	1.6	39.0	3.3	10.3	14.4
All stands	366.6	72.6	;	1.6	;	61.5	3.3	103.1	9.1	40.4	75.0
White spruce											
Sawtimber	13.5	1	!	1	1	1	1	5.3	1	9*9	1.6
Poletimber	22.2	i	1	;	;	4.8	!	12.8	1.7	;	2.9
Sapling & seedling	4.9			:		4.9	-		1	-	
All stands	40.6	1	1	-	1	9.7	-	18.1	1.7	9.9	4.5
Black spruce											
Sawtimber	7.2	1	;	1	1	4.3	:	!	;	1.2	1.7
Poletimber	98.1	45.8	1	1	;	13.5	1.7	14.0	;	1.6	21.5
Sapling & seedling	104.2	6.9	;	-	:	31.2	1.6	28.7	3.3	10.3	22.2
All stands	209.5	1/52.7	!	1	1	49.0	3.3	42.7	3.3	13.1	45.4
Northern white-cedar											,
Sawtimber	88.3	1	1	1	1	6.8	3.2	39.0	1 '	31.2	0.9
Poletimber	97.1	;	:	1	1	39, 5	3.2	30.1	1.7	7.2	15.4
Sapling & seedling	24.8	1	-	-	:	4.2	1.3	6.1	1.4	4.0	7.7
All stands	210.2	1	:	-	-	52.6	7.7	75.2	3.1	43.0	28.6
									(Table 8	continued on next page	next page)

(Table 8 continued on next page)

_	
pan	
ŗ	
ont	
ٽ ~	
41	
ğ	
Ta	l

Perest type and stands All stands Misc.							Owner	Ownership class				
trimber defection and the seedling the seedl	Forest type and stand-size class	A11 owners	National Forest	Rureau of Land Mgmt.	Misc. federal	Indian	State	County & municipal	Forest industry	Farmer	Misc. priv corp.	Misc. priv
Trimer 9.6	Tamarack											
1.5 1.5	Sawtimber	4.6	;	1	1	;	0.9	!	1	1	2.4	1.3
Stands S	Poletimber	9.6	;	1	1	1	1.6	!	6.2	1.8	1	;
Stands S6.0 12.4 10.1 3.4 3.9	Sapling & seedling	21.8					6.6	-	3.9	1.6	1.5	4.9
trimper 11.0 3.1 5.7 5.	All stands	36.0	-				12.4		10.1	3.4	3.9	6.2
trimber 10.0 3.1 6.7 1 1.0 6.7 1 1.0 6.7 1 1.0 6.7 1 1.0 6.7 1 1.0 6.7 1 1.0 6.7 1 1.0 6.7 1 1.0 6.7 1 1.0 6.7 1 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1	Oak-hickory											
trimber 10.0 -	Sawtimber	11.0	!	!	1	;	3.1	!	3,3	}	$\frac{3.1}{2.1}$	1.5
Standard	Poletimber	10.0	1	!	<u> </u>	1	!	:	1	1	6. /	m .
h-strands	Saping & seeding		-	-	-	-	-	:	-	:	-	I
inher fines of 3.2 5.5 6.3 8.2 21.8 1.5 14.1 inher fines of 16.2 8.5 6.4 8.2 8.2 8.4 22.0 9.8 3.2 14.1 inher fines of 16.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1	All stands	22.6	-	-	-	-	3,1	-	3,3	-	9.8	6.4
imper 63.2 5.5 6.3 8 21.8 1.5 14.1 14.1 15.1 15.1 14.2 14.1 15.1 15.1 15.1 15.1 15.1 15.1 15.1	Elm-ash-soft maple											
Stands	Sawtimber	63.2	ວິວ	1	!	-	8.2	1	21.8	1.5	14.1	12.1
National	Poletimber	0./9	8.1	1	;	1	6.3	8.4	23.0	ໝ່≪ ໝູ່	3,2	8.2
birch 1,144.2 161.1 24.6 8.4 49.3 15.9 23.5 birch 1,144.2 161.1 3.2 111.7 8.2 484.4 28.3 192.9 144.9 limber 1,083.3 12.9 1.2 12.3 1.2 12.8 1.3 1.3 6.4 11.7 41.9 142.9 142.9 listands seedling 2,372.4 423.6 6.4 11.7 18.7 18.3 6.4 11.7 41.9 14.9 11.3 1.2 1.2 1.2 1.3 1.3 6.4 11.7 14.9 14.9 14.9 11.7 14.9 14.9 14.9 11.7 14.9 14.9 14.9 11.0 14.9 11.0 14.9 11.0 14.9 11.0 14.9 11.0 14.9 11.0 14.9 11.0 14.9 11.0 14.9 11.0 14.9 11.0 14.9 11.0 14.9 11.0 14.9 11.0 14.9 11.0 14.9 11.0 14.9 11.0 14.9 11.0 14.9 11.0 14.9 11.0 14.0 14.9 11.0 14.0 14.0 14.0 14.0 14.0 14.0 14.0	Saping & seeding	39.5	-		-	:	10.1		4.5	4.0	7.0	14.I
birch 1,144.2 161.1 3.2 111.7 8.2 484.4 28.3 192.9 146.9 147 146.2 161.1 149.2 161.1 149.2 161.1 149.2 161.1 141.2 161.1 141.2 161.1 141.2 161.1 141.2 161.1 141.2 161.1 141.2 161.1 162.9 141.9 162.9 141.9 162.9 141.9 162.9 141.9 162.9 141.9 162.9 141.9 162.9 141.9 162.9 141.9 162.9 141.9 162.9 141.9 162.9 141.9 162.9 141.9 162.9 141.9 162.9 141.9 162.9 141.9 162.9 141.9 162.9 16	All stands	169.7	13.6	1	-	:	24.6	8.4	49.3	15.9	23.5	34.4
imper 1144,2 161.1 6.4 111.7 8.2 484,4 28.3 192.9 194.9 196.9 199.3 122.9 196.1 199.3 122.9 196.1 199.3 12.3 286.1 11.7 41.9 196.9 196.9 199.3 12.8 192.9 196.1 199.3 12.8 192.9 196.1 199.3 12.8 192.9 196.1 199.3 12.8 192.9 196.1 199.3 12.8 192.9 196.1 11.7 11.8 19.9 19.9 19.9 19.9 19.9 19.9 19.9	Maple-birch											
trimber 1,028.9 249.7 6.4 70.1 30.8 255.0 64.9 146.9 146.9 148.9 149.	Sawtimber	1,144.2	161.1	;	:	3.2	111.7	8.2	484.4	28.3	192.9	154.4
ing & seedling 199.3 12.8 18.1 3.3 65.4 11.7 41.9 Istands 2,372.4 423.6 9.6 199.9 42.3 785.8 104.9 381.7 Interpretation 113.6 115.1 1.6 59.9 3.4 40.9 42.3 18.4 54.1 Istands 21.1 6.7 140.6 11.7 116.7 38.1 101.9 Istands 101.7 16.7 14.9 3.3 6.7 3.0 1.8 Istands 143.8 16.7 14.9 3.3 6.7 3.0 1.8 Istands 143.8 16.7 16.5 3.3 42.4 9.6 23.2 Istands 1.6 1.6 3.2 210.5 52.4 446.7 109.5 Istands 1.6 1.6 1.6 Istands 1.6 1.6 1.6 Istands 1.6 1.6 Istands 1.6 1.6 3.2 210.5 52.4 446.7 109.5 261.0 Istands 1.6 1.6 Istands 1.6 1.6 Istands 1.6 1.6 Istands 1.6 Istands 1.6 Istands 1.6 Istands 1.6 Istands 1.6 Istands 1.6 Istands 1.6 Istands 1.6 Istands 1.6 Istands 1.6	Poletimber	1,028.9	249.7	1	1	6.4	70.1	30.8	236.0	64.9	146.9	224.1
Istands 2,372.4 423.6 9.6 199.9 42.3 785.8 104.9 381.7 timber 113.6 1- 5.1 57.5 5.0 54.3 11.0 24.9 timber 213.1 16.1 5.1 57.5 5.0 54.3 18.4 52.9 birch ing a seedling 213.3 164.0 6.7 140.6 11.7 116.7 38.1 101.9 birch ing a seedling 21.1 6.7 140.6 11.7 116.7 38.1 101.9 1 stands 10.3 16.7 14.9 8.2 27.5 6.6 14.8 1 stands 1.6 1.6 6.6 14.8 1 stands 1.6 1.6 3.2 3.2	Sapling & seedling	199.3	12.8	-	-	-	18.1	3.3	65.4	11.7	41.9	46.1
trimber 406.6 115.1	All stands	2,372.4	423.6			9*6	199.9	42.3	785.8	104.9	381.7	424.6
seedling 113.6	Aspen				:							
seedling 406.6 115.1 5.1 57.5 5.0 54.3 18.4 54.1 18.4 54.1 18.8 18.4 54.1 18.8 18.4 54.1 18.8 18.4 54.1 18.8 18.8 18.4 54.1 18.8 18.8 18.4 54.1 18.8 18.8 18.8 18.8 18.8 18.8 18.8 1	Sawtimber	113.6	1	;	1	1	23.2	3,3	21.5	11.0	24.9	29.7
Seedling 213.1 48.9 1.6 59.9 3.4 40.9 8.7 22.9 733.3 164.0 6.7 140.6 11.7 116.7 38.1 101.9 8.2 6.6 14.8 8.2 6.6 14.8 8.2 6.6 14.8 8.2 6.6 14.8 8.2 6.6 14.8 8.3 6.6 14.8 8.4 6.7 140.6 11.7 116.7 38.1 101.9 8.5 6.6 14.8 8.6 6.6 14.8 8.6 6.7 14.9 8.7 14.8 8.8 6.6 14.8 8.8 6.7 14.9 8.8 6.7 14.9 8.9 6.7 14.9 8.0 6.7 14.9 8.0 6.6 14.8	Poletimber	406.6	115.1	!	;	5.1	57.5	5.0	54.3	18.4	54.1	97.1
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	Saping & seeding	213.1	48.9	:	:	1.6	59.9	3.4	40.9	8./	55.9	50.8
seedling 21.1	All stands	733.3	164.0	:	-	6.7	140.6	11.7	116.7	38.1	101.9	153.6
er 21.1	Paper birch											
Ber Seedling 101.7 16.7	Sawtimber	21.1	!	;	1	!	1.6	!	8.2	:	9*9	4.7
& seedling 21.0 3.3 6.7 3.0 1.8 tands 1.6 16.5 3.3 42.4 9.6 23.2 er ber tands 1.6 tands 1.647.6 113.2 can 28.7 11.2 1.7 d 28.7 11.2 1.7 ber 2.104.5 534.5 52.4	Poletimber	101.7	16.7	;	1	;	14.9	1 9	27.5	9.9	14.8	21.2
For a seed in graph of the control o	Sapiing & Seedling	71.0		-	-	:	:	3.3	0.7	3.0	1.8	7.0
For a seedling 1.6 1.6 1.7	All stands	143.8	16./	-		-	16.5	3.3	42.4	9.6	23.2	32.1
ber 1.647.6 183.6 1.6 3.2 210.5 525.5 52.4 446.7 109.5 561.0 ber 2.87 11.2 1.6 152.0 15.7 196.4 39.2 99.5 ked 2.87 11.2 1.6 16.3 620.3 87.6 1.269.3 194.1 668.4 tands	Exotic											
as seedling 1.6 1.6 1.6 1.6 1.6 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 <th< td=""><td>Sawtimber</td><td>1</td><td>1</td><td>1</td><td>:</td><td>!</td><td>!</td><td>!</td><td>ł</td><td>!</td><td>:</td><td>-</td></th<>	Sawtimber	1	1	1	:	!	!	!	ł	!	:	-
tands 1.6 1.6 1.6 1.7 1.7 1.7 1.7 1.7 1.6 1.7 1.6 1.7 1.7 1.6 1.7 1.7 1.7 1.6 1.7 1.7 1.6 1.6 1.5 1.7 1.7 1.6 1.5 1.5 1.7 1.5 1.5 1.5 1.7 1.5 1.5 1.5 1.7 1.5 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.7 1.5 1.7 1.7 1.7 1.7 1.6 1.6 1.6 1.6 1.26.3 1.26.3 1.7 1.7 1.6 1.6 1.6 1.26.3 1.	Poletimber Sanling & soodling		!	!	!	1	:	!	:	1 4	!	1
er 1,647.6 183.6 1.6 3.2 210.5 19.5 623.7 45.4 306.2 ber 2,104.5 534.5 11.5 255.5 52.4 446.7 109.5 261.0 ked 28.7 11.2 1.6 16.3 620.3 87.6 1,269.3 194.1 668.4 tands	Japing & Securing All stands	9	: :	: :		: :		: ;	: :	1.0	:	
er 1,647.6 183.6 1.6 3.2 210.5 19.5 623.7 45.4 306.2 ber 2,104.5 534.5 1.6 3.2 210.5 19.5 623.7 45.4 306.2 ber 2,104.5 98.4 1.6 152.0 15.7 196.4 39.2 99.5 ked 28.7 11.2 2.3 2.3 2.5 1.7 tands 4,529.6 827.7 1.6 16.3 620.3 87.6 1,269.3 194.1 668.4												
er 1,647.6 183.6 1.6 3.2 210.5 19.5 623.7 45.4 306.2 ber 2,104.5 534.5 1.11.5 255.5 52.4 446.7 109.5 261.0 8 seedling 748.8 98.4 1.6 152.0 15.7 196.4 39.2 99.5 ked 28.7 11.2 2.3 2.5 1.7 tands 4,529.6 827.7 1.6 16.3 620.3 87.6 1,269.3 194.1 668.4	Nonstocked	7.87	11.2	-	-	-	2.3	-	2.5	-	1./	11.0
1,647.6 183.6 1.6 3.2 210.5 19.5 623.7 45.4 306.2 2.104.5 534.5 11.5 255.5 52.4 446.7 109.5 261.0 2.104.8 98.4 1.6 152.0 15.7 196.4 39.2 99.5 28.7 11.2 2.3 2.5 1.7 15.7 15.7 15.7 15.7 15.7 15.7 15.7	All types	1	•		•	(1	:		
seedling 748.8 98.4 1.6 152.0 15.7 196.4 39.2 99.5 28.7 11.2 2.3 2.5 1.7 196.4 39.2 99.5 3.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8 3.8	Sawtimber	1,64/.6	183.6	!	1.6	3.2	210.5	19.5	623.7	45.4	306.2	253.9
748.8 98.4 1.6 15.0 15.7 195.4 59.5 99.5 28.7 11.2 2.3 2.5 1.7 4,529.6 827.7 1.6 16.3 620.3 87.6 1,269.3 194.1 668.4	Conjice & conjice	2,104.3	024.0	!	!	11.5	222.5	52.4	440.	109.5	0.102	433.4
ds 4,529.6 827.7 1.6 16.3 620.3 87.6 1,269.3 194.1 668.4	Saping & seeding Nonstacked	740.0	30.4 11.2	: ;	! ;	۱۰۵	152.0	7:61	150.4 0 5	39.2	99.5 1 7	140.0
4,529.6 82/./ 1.6 16.3 620.3 8/.6 1,269.3 194.1 668.4	17 14 1 L L V	A E20 E	7 760		1 6		3	2 70	2000	1 401	, , ,	2 4 4 0
	All Stands	4,529.6	427.1	:	1.6	16.3	620.3	8/.6	1,269.3	194.1	668.4	844.3

1/Classified as mixed swamp conifer on Ottowa National Forest land management plan.

Table 9.--Area of commercial forest land by forest type and county, Western Upper Peninsula, Michigan, 1980

(In thousand acres)

	All					County			
Forest type	counties	Baraga	Dickinson	Gogebic	Houghton	Iron	Keweenaw	Marquette	Ontonagon
Jack pipe	28	4 3	1 7	0	12.0	7 2	1	25	0
מביא איייי		•			77.0	1.,		0.00	7.0
Red pine	9.79	4.1	4.8	0.6	12.0	6,5	1.7	0.6	10.5
White pine	48.7	۲.	1.7	0.9	2.8	14.1	3.4	17.5	8.2
Balsam fir	366.6	41.4	41.5	48.5	20.9	80.6	16.0	82.6	35,1
White spruce	40.6	1.5	4.9	;	1.2	6.7	;	11.7	14.6
Black spruce	209.5	20.0	20.8	33.2	9.7	36.0	2.4	79,1	8,3
Northern white-cedar	210.2	28.9	46.7	12.9	13.5	10.4	36.7	61,1	1
Tamarack	36.0	5.5	3.5	2.7	3.9	15.6	:	4.8	•
Oak-hickory	22.6	!	1.5	3.2	1.6	;	8.1	8.2	:
Elm-ash-soft maple	169.7	18.0	13.0	36.8	17.0	6.9	6.1	42.1	29.8
Maple-birch	2,372.4	335.0	103.6	386.5	345.2	294.1	8.66	421.6	386.6
Aspen	733.3	40.7	116.4	68.7	57.5	149.8	15.0	121.7	163.5
Paper birch	143.8	10.8	13.4	11.1	10.7	23.8	17.9	48.9	7.2
Exotic	1.6	1	;	;	;	;	!	1.6	:
Nonstocked	28.7	2.9	3.1	3.8	5.7	2.3	1	5.2	5.7
All types	4,529.6	513.2	376.6	619.9	513.7	654.0	207.1	970.4	674.7

Table 10.--Area of commercial forest land by county and stand-size class, Western Upper Peninsula, Michigan, 1980

		The second secon			
			Stand-	Stand-size class	
	A11	Sawtimber	Poletimber	Sapling and	Nonstocked
County	stands	stands	stands	seedling stands	areas
Barada	513.2	283.8	154.4	72.1	2.9
Dickinson	376.6	74.1	190.8	108,6	3.1
Gogebic	619,9	168,3	354,3	93, 5	8,8
Houghton	513.7	212.5	233.8	61.7	5.7
Iron	654.0	208.9	309.1	133,7	2.3
Кемеепам	207.1	121.2	62.2	23,7	;
Marquette	970.4	367.1	436.2	161.9	5.2
Ontonagon	674.7	211.7	363.7	93.6	5.7
All counties	4,529.6	1,647.6	2,104.5	748.8	28.7

Table 11.--Area of commercial forest land by forest type, stand-size class, and site class, Western Upper Peninsula, Michigan, 1980

Forest type and	A11		Site cla	ss (cubic f	eet of grow	th/acre/yea	r)
stand-size class	classes	225+	165-224	120-164	85-119	50-84	20-49
Jack pine							
Sawtimber	39.4				11.9	21.0	6.5
Poletimber	41.9					37.5	4.4
Sapling & seedling	7.0					2.8	4.2
All stands	88.3				11.9	61.3	15.1
Red pine							
Sawtimber	21.9				3.3	15.3	3.3
Poletimber	21.4			7.2	14.2		
Sapling & seedling	14.3					14.3	
All stands	57.6			7.2	17.5	29.6	3.3
White pine							
Sawtimber	42.0			1.6	6.3	32.4	1.7
Poletimber	6.7				3.4	3.3	
Sapling & seedling							
All stands	48.7			1.6	9.7	35.7	1.7
Balsam fir							
Sawtimber	77.6		1.7	14.7	39.6	12.6	9.0
Poletimber	193.3		3.2	37.2	102.1	41.5	9.3
Sapling & seedling	95.7			4.7	39.6	17.1	34.3
All stands	366.6		4.9	56.6	181.3	71.2	52.6
White spruce							
Sawtimber	13.5					10.3	3.2
Poletimber	22.2				12.9	7.6	1.7
Sapling & seedling	4.9					4.9	
All stands	40.6				12.9	22.8	4.9
Black spruce							
Sawtimber	7.2					2.9	4.3
Poletimber	98.1				4.4	15.5	78.2
Sapling & seedling	104.2				0.4	6.8	97.0
All stands	209.5				4.8	25.2	179.5
Northern white-cedar							
Sawtimber	88.3					13.5	74.8
Poletimber	97.1					3.2	93.9
Sapling & seedling	24.8					1.6	23.2
All stands	210.2					18.3	191.9

(Table 11 continued on next page)

(Table 11 continued)							
Forest type and	All Site class (cubic feet of growth/acre/year)						
stand-size class	classes	225+	165-224	120-164	85-119	50-84	20-49
Tamarack							
Sawtimber	4.6					2.2	2.4
Poletimber	9.6					3.4	6.2
Sapling & seedling	21.8					3.5	18.3
All stands	36.0					9.1	26.9
Oak-hickory							
Sawtimber	11.0				••	4.6	6.4
Poletimber	10.0				1.6	6.8	1.6
Sapling & seedling	1.6					1.6	
All stands	22.6				1.6	13.0	8.0
Elm-ash-soft maple							
Sawtimber	63.2				1.6	12.5	49.1
Poletimber	67.0					11.5	55.5
Sapling & seedling	39.5					7.8	31.7
All stands	169.7				1.6	31.8	136.3
Maple-birch							
Sawtimber	1,144.2			4.8	103.5	532.0	503.9
Poletimber	1,028.9			3.1	105.2	577.9	342.7
Sapling & seedling	199.3			·	19.8	86.5	93.0
All stands	2,372.4			7.9	228.5	1,196.4	939.6
Aspen							
Sawtimber	113.6			6.4	43.0	52.9	11.3
Poletimber	406.6			6.7	163.7	200.2	36.0
Sapling & seedling	213.1			5.1	78.2	97.0	32.8
All stands	733.3			18.2	284.9	350.1	80.1
Paper birch							
Sawtimber	21.1					1.6	19.5
Poletimber	101.7					55.6	46.1
Sapling & seedling	21.0					5.0	16.0
All stands	143.8					62.2	81.6
Exotic							
Sawtimber							
Poletimber Sapling & seedling	1.6					1.6	
, ,							
All stands	1.6					1.6	
Nonstocked	28.7			1.0	1.3	15.7	10.7
All types	1 647 6		1 7	07.5	200 2	71.2 0	605.4
Sawtimber	1,647.6		1.7	27.5	209.2	713.8	695.4
Poletimber	2,104.5		3.2	54.2	407.5 138.0	964.0 250.5	675.6
Sapling & seedling Nonstocked	748.8			9.8 1.0	1.3	250.5 15.7	350.5 10.7
	28.7						
All stands	4,529.6		4.9	92.5	756.0	1,944.0	1,732.2

Table 12.--Area of commercial forest land by forest type and stand-age class, Western Upper Peninsula, Michigan, 1980

(In thousand acres)

						v,	tand-age	Stand-age class (years	ars)					
	All											101-	121-	
Forest type	ages	1-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	120	140	141+
Jack pine	88.3	1.2	4.5	7.6	13.4	21.8	28.6	4.7	3.1	1.7	1.7	!	i	1
Red nine	57.6	1	16.9	8,1	10.8	;	1.7	5.9	1.3	3.2	3.4	4.8	1.5	}
White pine	48.7	ł	1	1.7	1.7	1.6	1	14.5	3.4	12.7	5.0	3.2	3,3	1.6
Balsam fir	366.6	29.2	32.7	37.1	35.0	55.2	55.8	35.5	34.0	16.1	13.1	15.1	5.9	4.9
White spruce	40.6	3,3	1.6	1	12.3	5.1	6.5	1,7	2.0	!	i	8.1	+	;
Black spruge	209.5	20.7	29.0	38.9	18,3	20.4	27.7	19.0	9.5	ł	2.9	11.8	7.3	4.0
Northern white-cedar	210.2	4.7	7,5	9.8	2.8	11.8	17.8	26.0	22.3	26.6	11.6	39.7	15,1	14.5
Tamarack	36.0	5.1	7.0	5,5	1.4	4.4	5.8	1.6	!	1	2.9	1	1	2.3
Oak-hickory	22.6	¦	1	1.6	1.7	4.9	!	ကိ	;	1.5	3.1	4.9	1.6	;
Flm-ash-soft manle	169.7	15.5	17.7	8,0	8.0	11.5	13.4	13.1	14.6	13.9	8.4	16.6	14.3	12.9
	2,372,4	81.2	81,3	50.4	125,2	370.1	372.8	150.7	162.2	190.5	207.4	349.6	163.5	67.5
Asnen	733.3	113.5	82,1	27.1	81.4	151.0	138.0	51.2	51.9	24.5	5.0	7.6	1	1
Paper birch	143.8	5.0	10.9	5.0	8.0	14.7	42.9	26.1	6.6	8,1	9.9	;	2° 0	1.6
Exotic	1.6	1.6	!	1	!	1	;	!	;	1	1	1	1	;
Nonstocked	28.7	21.2	5.9	1	1.6	1	1	1	-	:	-		:	:
All types	4.529.6	302.2	297.1	200.8	323.4	672.5	711.0	353.3	314.2	298.8	271.1	461.4	214.5	109.3
	2													

Table 13.--Area of commercial forest land by forest type and site-index class, Western Upper Peninsula, Michigan, 1980

	114				Site-	Site-index class	s (feet)			
Forest type	classes	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91+
Jack pine		ł	;	1.7	5.9	10.2	45.0	15.2	10.3	1
Red pine		1	1	1	19,3	13.6	6.8	17.9	1	ł
White pine		;	1	;	8.1	29.3	9.7	1.6	1	;
Balsam fir		1.4	6.5	44.8	92.0	146.4	57.0	5.0	11.9	1.6
White spruce		1	;	3,3	9.8	13.0	3,3	11.2	;	1
Black spruce		;	35.6	88.5	55.5	25.1	4.4	0.4	1	1
Northern white-cedar		16.3	103.8	58.3	18.2	2.7	10.9	1	1	;
Tamarack		1	;	12.9	14.1	5.2	3.8	!	1	;
Oak-hickory		ł	;	1.7	3.2	4.7	11.4	1.6	1	;
Elm-ash-soft maple		;	3.0	39.2	41.0	35.2	35.5	14.2	1.6	1
Maple-birch	ς,	}	6.3	51.7	267.1	616.8	825.5	463.1	126.2	12.7
Aspen	ì	i	1	5.3	31.9	127.4	217.3	232.0	101.2	18.2
Paper birch	143.8	;	1.3	3.1	6.7	62.1	54.6	16.0	!	;
Exotic	1.6	1	;	;	1	1.6	1	1	1	;
Nonstocked	28.7		2.3	2.6	2.8	17.0	2.9	1.1	1	1
		;			, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		1 000	, 077	0.130	2000
All types	4,529.6	1/./	161.8	313.1	2/2.0	1,110.3	1,288.1	119.3	7.167	32.3

Table 14.--Area of commercial forest land by forest type, stand-size class, and basal-area class, Western Upper Peninsula, Michigan, 1980

11 12 12 12 13 14 14 15 15 15 15 15 15	Forest type and	All						Basal an	Basal area class		(square feet per acre	acre)				
sedling 41.9 1.2 2.9 1.2 2.4 11.8 6.3 6.3 1.6 3.1 5.6 5.2 5.7 5.6 5.2 5.7 5.6 5.3 1.6 6.6 5.2 5.7 5.6 5.2 5.7 5.6 5.2 5.7 5.8 5.3 5.3 5.3 5.5 5.2 5.7 5.8 5.3 5.3 5.2 5.2 5.7 5.8 5.3 5.3 5.2 5.2 5.2 5.2 5.2 5.2 5.2 5.2 5.2 5.2	stand-size class	classes	0-10	11-20		31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-150	151-180	181+
edling 41.9 - 2.9 4.6 11.4 4.4 6.0 3.1 6.6 3.1 88.3 1.2 2.9 4.6 11.8 0.4 88.1 1.2 2.9 1.2 2.4 1.8 0.4 88.2 1.2 2.9 1.2 2.4 1.8 0.4 88.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 88.2 2.1 2.1 2.1 2.1 2.1 2.1 2.1 88.3 1.2 2.9 1.2 2.4 2.2 2.4 2.5 2.1 88.4 2.2 2.4 2.5 2.4 2.5 2.4 2.5 2.1 88.5 2.1 2.1 2.1 2.1 2.1 88.6 1.6 2.7 2.7 88.7 2.1 2.1 2.1 2.1 88.8 2.1 2.1 2.1 88.8 3 2.1 2.1 88.9 3.1 3.1 88.1 3.1 3.1 88.2 3.1 3.1 88.3 3.1 3.1 88.3 3.1 3.1 88.4 3.1 3.1 88.5 3.1 3.1 88.7 3.1 3.1 88.8 3.1 3.1 88.9 3.1 3.1 88.9 3.1 3.1 88.9 3.1 3.1 88.9 3.1 3.1 88.9 3.1 3.1 88.9 3.1 3.1 88.9 3.1 3.1 88.9 3.1 3.1 88.9 3.1 88.1 3.1 88.1 3.1 88.1 3.1 88.2 3.1 88.3 3.1 88.3 3.1 88.4 3.1 88.5 3.1 88.7 3.1 88.8 3.1 88.8 3.1 88.9 3.1 88.0 3.1 88.0 3.1 88.0 3.1 88.0 3.1 88.0 3.1 88.0 3.1 88.0 3.1 88.0 3.1 88.0 3.1 88.0 3.1 88.0 3.1 88.0	Jack pine															
edling 7.0 1.2 2.9 1.2 2.4 7.5 18.1 10.7 7.6 6.2 9.7 3 21.9 2.1.9 1.2 2.9 1.2 2.4 7.5 18.1 10.7 7.6 6.2 9.7 3 22.9 1.2 2.9 1.2 2.4 7.5 18.1 10.7 7.6 6.2 9.7 3 22.9 1.2 2.9 1.2 2.4 7.5 18.1 10.7 7.6 6.2 9.7 3 edling 22.4 2.0 1.2 2.4 7.5 18.1 10.7 7.6 6.2 9.7 3 edling 42.0 1.2 1.2 1.2 1.2 1.2 1.2 1.3 1.5 1.2 1.2 1.7 1.2 1.3 1.6 1.7 1.2 1.2 1.7 1.2 1.3 1.6 1.5 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2	Sawtimber	39.4	1	-	;	1	4.6	11.4	4.4	0.9	3.1	9.9	3,3	;	;	1
eedling 7.0 1.2 1.2 2.4 1.8 0.4	Poletimber	41.9	1	2.9	;	!	1.1	6.3	6.3	1.6	3.1	3.1	1	15.9	1	1.6
88.3 1.2 2.9 1.2 2.4 7.5 18.1 10.7 7.6 6.2 9.7 3 21.9 1.2 1.3 1.4 1.3 8.6 1.4 1.3 8.6 1.4	Sapling & seedling	7.0	1.2	1	1.2	2.4	1.8	0.4	1	!	}	1	!	1	1	. ;
edling 11.9	All stands	88.3	1.2	2.9	1.2	2.4	7.5	18.1	10.7	7.6	6.2	9.7	3.3	15.9	1	1.6
eedling 11.4	Red pine															
eedling 14.3 12.4 0.4 3.0 3.6 1.2 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.5 1.7 1.5	Sawtimber	21.9	1	1	}	1	;	1	1	3.4	1.5	1.3	1	10.8	4.9	1
edling 14.3 12.4 0.4 1.5	Poletimber	21.4	1	;	}	1	3.0	3.6	1	1	1.2	1.7	1	5.9	0.9	;
95.6 12.4 0.4 3.0 5.1 3.4 2.7 3.0 9edling 6.7 1.7 1.7 <td>Sapling & seedling</td> <td>14.3</td> <td>:</td> <td>:</td> <td>12.4</td> <td>0.4</td> <td>-</td> <td>1.5</td> <td>1</td> <td></td> <td>:</td> <td></td> <td></td> <td>-</td> <td>-</td> <td>;</td>	Sapling & seedling	14.3	:	:	12.4	0.4	-	1.5	1		:			-	-	;
eedling 42.0 1.7 1.3 5.2 6.6 6 sedling 6.7 1.7 1.3 8.6 1.6 8.3 4 48.7 1.7 1.7 1.3 8.6 1.6 8.3 4 77.6 1.7 1.7 1.7 1.7 1.7 1.7 1.3 11.3 11.3 1	All stands	57.6	1	;	12.4	0.4	3.0	5.1	:	3.4	2.7	3.0	1	16.7	10.9	1
eedling	White pine	1														
edling 6.7 3.4 1.6 1.7	Sawtimber	42.0	1	1	1	1.7	;	i	1.3	5.2	1	9.9	4.7	6.5	16.0	1
edling	Poletimber	6.7	1	;	;	;	1	}	;	3.4	1.6	1.7	1	1	1	;
s 48.7	Sapling & seedling	1	;	1	;	;	1	1	1	1	1	1	1	;	;	ł
edling 17.6 5.3 1.6 9.4 11.3 11 11.3 11 11.3 11 11	All stands	48.7	;	+		1.7	:	1	1.3	8.6	1.6	8.3	4.7	6.5	16.0	;
eedling 13.5 5.3 1.6 9.4 11.3 11 sedling 19.3 5.3 1.6 28.4 14.5 9.8 15.9 52 13.5 12.6 6.8 12.8 51.9 19.3 23.3 38.5 67 13.5 1.6 1.7 1.7 2.0 1.5 1.7 2.2 22.2 1.6 1.7 3.4 1.2 1.7 2.0 2.3 38.5 67 13.5 1.6 1.7 2.0 1.5 1.7 3.4 1.2 1.7 2.0 2.3 38.5 67 14.5 1.6 5.1 1.6 1.7 5.4 2.7 1.7 3 15.5 1.6 1.8 25.0 15.6 22.6 9.9 9.0 21.0 27 16.5 1.6 1.8 4.4 2.7 1.3 3.6 2.9 9.3 1.9 2.9 9.1 2.1 2.9 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1	Balsam fir															
eedling 193.3 1.7 1.7 1.3 1.6 28.4 14.5 9.8 15.9 55 55 5.9 21.9 4.8 4.1 11.3 3 3 56.6 1.4 20.5 1.5 10.9 5.5 5.9 21.9 4.8 4.1 11.3 3 3 5 5 5 5 5 5 5	Sawtimber	77.6	;	1	1	;	+	5,3	1.6	1	9.4	11.3	11.4	35.4	1	3.2
sedling 95.7 1.4 20.5 1.5 10.9 5.5 5.9 21.9 4.8 4.1 11.3 3 sedling 96.6 1.4 20.5 3.2 12.6 6.8 12.8 51.9 19.3 23.3 38.5 67 13.5 1.6 1.7 1.6 1.7 1.6 1.7 5.4 2.7 1.7 3 22.2 1.6 1.7 1.6 1.7 5.4 2.7 1.7 3 7.2 1.6 2.9 3.4 9.2 3.3 1.6 6.4 13.0 23 88.3 1.6 1.8 5.2 17.8 26.0 15.6 22.6 9.9 9.0 21.0 27 te-cedar 88.3 4.8 5.2 17.8 26.0 15.6 22.6 9.9 9.0 21.0 27 88.3 1.6 1.8 4.4 2.7 1.3 3.6 2.9 9.3 13 seedling 24.8 1.6 1.8 6.0 1.4 7.9 6.6 8.7 15.7 41	Poletimber	193,3	1	;	1.7	1.7	1.3	1.6	28.4	14.5	9.8	15.9	52.3	32.7	26.9	6,5
sedling 13.5	Sapling & seedling	95.7	1.4	20.5	1.5	10.9	5.5	5.9	21.9	4.8	4.1	11.3	3.3	3.2	1.4	1
13.5 1.7 1.7 1.7 2.0 1.5 3.4 1.5 1.7 2.0 1.5 1.7 3.4 1.2 1.7 5.4 2.7 1.7 5.4 2.7 1.7 3.4 1.7 5.4 2.7 1.7 3 eedling 98.1 1.6 1.7 5.4 2.7 1.7 3 sedling 104.2 8.3 4.8 5.2 14.9 22.6 6.4 19.3 6.0 2.6 8.0 4 4 s 209.5 8.3 4.8 5.2 17.8 26.0 15.6 22.6 9.9 9.0 21.0 27 </td <td>All stands</td> <td>366.6</td> <td>1.4</td> <td>20.5</td> <td>3.2</td> <td>12.6</td> <td>6.8</td> <td>12.8</td> <td>51.9</td> <td>19.3</td> <td>23.3</td> <td>38.5</td> <td>0.79</td> <td>71.3</td> <td>28.3</td> <td>9.7</td>	All stands	366.6	1.4	20.5	3.2	12.6	6.8	12.8	51.9	19.3	23.3	38.5	0.79	71.3	28.3	9.7
eedling 22.2 1.7 1.7 2.0 1.5 3 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2	White spruce															
eedling 22.2 1.6 1.7 3.4 1.2 1.7	Sawtimber	13.5	1	!	1	;	1.7	1	1.7	2.0	1.5	1	3,3	3,3	1	;
eedling 4.9 1.6 1.7 1.6	Poletimber	22.2	;	1	1	1	1.7	:	1	3.4	1.2	1.7	;	12.5	1.7	:
s 40.6 1.6 5.1 1.6 1.7 5.4 2.7 1.7 3 7.2 2.9 3.4 9.2 3.3 1.6 6.4 13.0 23 eedling 104.2 8.3 4.8 5.2 14.9 22.6 6.4 19.3 6.0 2.6 8.0 4 s 209.5 8.3 4.8 5.2 17.8 26.0 15.6 22.6 9.9 9.0 21.0 27 te-cedar 88.3 1.6 1.8 4.4 2.7 5.8 2.3 s 210.2 1.6 1.8 6.0 1.4 7.9 6.6 8.7 15.7 41	Sapling & seedling	4.9	:	1	1.6	;	1.7	1.6	!	!	!	1	-	:	-	1
7.2 2.3 98.1 2.9 3.4 9.2 3.3 1.6 6.4 13.0 23 s 209.5 8.3 4.8 5.2 14.9 22.6 6.4 19.3 6.0 2.6 8.0 4 te-cedar 88.3 1.6 1.4 3.9 3.0 6.4 25 eedling 24.8 1.6 1.8 4.4 2.7 5.8 2 s 210.2 1.6 1.8 6.0 1.4 7.9 6.6 8.7 15.7 41	All stands	40.6	:	1	1.6	1	5.1	1.6	1.7	5.4	2.7	1.7	3,3	15.8	1.7	1
7.2 2.3 98.1 2.9 3.4 9.2 3.3 1.6 6.4 13.0 23 104.2 8.3 4.8 5.2 14.9 22.6 6.4 19.3 6.0 2.6 8.0 4 209.5 8.3 4.8 5.2 17.8 26.0 15.6 22.6 9.9 9.0 21.0 27 88.3 1.6 1.8 4.4 5.9 9.3 1.3 24.8 1.6 1.8 4.4 2.7 5.8 210.2 1.6 1.8 6.0 1.4 7.9 6.6 8.7 15.7 41	Black spruce															
98.1 2.9 3.4 9.2 3.3 1.6 6.4 13.0 23 104.2 8.3 4.8 5.2 14.9 22.6 6.4 19.3 6.0 2.6 8.0 4 209.5 8.3 4.8 5.2 17.8 26.0 15.6 22.6 9.9 9.0 21.0 27 88.3 1.6 1.4 3.9 3.0 6.4 25 24.8 1.6 1.8 4.4 2.7 5.8 2 210.2 1.6 1.8 6.0 1.4 7.9 6.6 8.7 15.7 41	Sawtimber	7.2	1	1	1	1	!	1	!	2.3	1	1	;	4.9	!	:
104.2 8.3 4.8 5.2 14.9 22.6 6.4 19.3 6.0 2.6 8.0 4 209.5 8.3 4.8 5.2 17.8 26.0 15.6 22.6 9.9 9.0 21.0 27 88.3 1.6 1.4 3.9 3.0 6.4 25 97.1 1.6 1.8 4.4 2.7 5.8 2 24.8 1.6 1.8 6.0 1.4 7.9 6.6 8.7 15.7 41	Poletimber	98.1	1	1	1	2.9	3.4	9.5	3,3	1.6	6.4	13.0	23.0	21.0	5.7	8,6
209.5 8.3 4.8 5.2 17.8 26.0 15.6 22.6 9.9 9.0 21.0 27 88.3 1.6 1.4 3.9 3.0 6.4 25 97.1 1.6 1.8 4.4 2.7 5.8 2 24.8 1.6 1.8 6.0 1.4 7.9 6.6 8.7 15.7 41	Sapling & seedling	104.2	8,3	4.8	5.2	14.9	22.6	6.4	19.3	0.9	2.6	8.0	4.5	1.6		1
88.3 1.6 1.4 3.9 3.0 6.4 25 97.1 1.6 1.8 4.4 2.7 5.8 2.7 210.2 1.6 1.8 6.0 1.4 7.9 6.6 8.7 15.7 41	All stands	209.5	8,3	4.8	5.2	17.8	26.0	15.6	22.6	6.6	9.0	21.0	27.5	27.5	5.7	8.6
88.3 6.4 25 97.1 1.6 1.4 3.9 3.0 6.4 25 97.1 1.6 1.8 4.4 2.7 5.8 2 ds 210.2 1.6 1.8 6.0 1.4 7.9 6.6 8.7 15.7 41	Northern white-cedar															
seedling 24.8 1.6 1.8 4.4 2.7 5.8 2 ds 210.2 1.6 1.8 6.0 1.4 7.9 6.6 8.7 15.7 41	Sawtimber	88.3	1	1	!	1	1.6	1.4	ი ი რ ,	3.0	1 6	6.4	25.3	15.2	15.2	16,3
210,2 1.6 1.8 6.0 1.4 7.9 6.6 8.7 15.7 41	Poletimber	9/•I	:	!	! :	! .	1;	1	L. 0	3.6	2.9	9,3	13.1	22.0	22.5	22.4
210.2 1.6 1.8 6.0 1.4 7.9 6.6 8.7 15.7 41	Saping & seeding	24.8	-	1	1.6	1.8	4.4	1	2.1		2.8	!	2.8	4.3	1.4	:
(Table 14 continued on next page)	All stands	210.2	:	-	1.6	1.8	0.9	1.4	7.9	9.9	8.7	15.7	41.2	41.5	39.1	38.7
													(Tab)	e 14 conti	uned on ne	kt page)

(Table 14 continued)															
Forest type and	All						Basal ar	area class	- 1	(square feet per acre)	acre)				
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-150	151-180	181+
Tamarack															
Sawtimber	4.6	1	;	0.9	1	2.4	1	!	1	!	!	1	1.3	;	:
Poletimber	9.6	1 9	1 3	1 9	2. 8	1	1.7	3,4	1.7	1 (!	}	1	:	1
Sapling & seedling	21.8	». 	2.3	2.3	۰,	:	:	1.6	3.0	3.2	1		:	-	
All stands	36.0	1.8	2.3	3.2	10.4	2.4	1.7	5.0	4.7	3.2	:	;	1.3	1	-
Oak-hickory										,		•		•	
Sawtimber	11.0	1	;	!	1	1	1	1	1	3.1	3.3	1.4	1 6	3.2	1
Poletimber	10.0	1	:	1	1	:	1	!	!	:	1	1.6	3,3	1	ł
All stands	22 6		:	:			:	:	:	: -	2 2	0.7	, ,	2 2	:
	77.0									7:0	0.0	7.6	0.0	3.5	:
Elm-ash-soft maple Sawtimber	63.2	ł	ŀ	ł	1,3	ŀ	1.2	ŀ	ł	2, 9	3.2	11,5	23.6	17.9	9
Poletimber	67.0	;	;	2.0	, m	1.6	; ;	3.2	4.9	3 6	10.2	8	14.2	14.6	1.6
Sapling & seedling	39.5	3.1	4.2	; ;	1,3	4.9	2.9	8.2	6.7	; ;	6.8	1.4	: 1	2	: 1
All stands	169.7	3.1	4.2	2.0	5.9	6.5	4.1	11.4	11.6	6.1	20.2	21.1	37.8	32.5	3.2
Maple-birch					,		;								
Sawtimber	1,144.2	1	;	1	1.5	9.5	11.0	32.5	20.8	51.5	145.2	266.8	395.2	138.2	33,3
Sanling & seedling	1,028.9	3.6	7.9	8.5	14.4	13.6	15.9	53.6 27.6	68°9 26.4	19.8	122.5	246.3	335.6	95.3	8.2
All stands	2,372.4	3.6	7.9	8.5	15.9	46.8	51.6	113.7	155.1	140.3	280.4	538.0	735.6	233.5	41.5
Aspen															
Sawtimber	113.6	1	5.6	1 3	4.6	6.2	6.4	13,3	14.2	15.2	9.9	13.0	19,9	11.6	1
Sapling & seedling	213.1	19.8	28.8	26.0	35.0	39.5	13.9	20.8	3/.8 11.6	34.5 1.6	4/•1 5.3	03.8 10.8	80.8	63.9	14.0
All stands	733.3	19.8	31.4	30.3	48.7	58.1	43.1	83.6	63.6	51.3	59.0	87.6	106.7	35.5	14.6
Paper birch															
Sawtimber	21.1	;	1	1	1.5	!	!	!	:	1.6	1.6	8.0	6. 8	;	1.6
Poletimber Sapling & seedling	101.7		2.7	1.7	1.7	3.4	3.4	3.9	6.7	9.7	9.6	14.6	47.8	8.6	: :
	143.8	:	2.7	1.7	3.2	4.9	3.4	4.9	8,3	11.6	11.2	25.9	54.6	9.8	1.6
Exotic															
Sawtimber	1	;	;	}	1	!	1	1	:	:	:	:	1	;	:
Foletimber Sanling & seedling	1 4	1 1	1	1	; '	1	1	:	:	-	1	:	1	1	1
All stands	9-	:	:	:	9	;	:	:	:	: :	: :		: :	: :	:
Pod 20 to ach	7 86	1,0	12 0												
ATT ATT	707	14.7	0.51		:	:	:	:	:	:	:	:	:	1	:
Sawtimber	1,647.6	1	2.6	0.9	10.6	25.7	36.7	58.7	95.9	86.8	192.1	348.7	522.9	207.0	56.0
Poletimber	2,104.5	30.3	2.9	8,0	19.8	39.6	64.5	150.6	148.1	139.6	235.8	428.0	597.7	206.4	63.5
Nonstocked	28.7	14.9	13.8	0.20	0.26	0./01	c · /c	+•c01	1.1	† • •	1.1	0.20	13.9	0.7	: :
All stands	4,529.6	54.1	90.5	70.9	122.4	173.1	158.5	314.7	304.1	269.8	472.0	829.3	1,134.5	416.2	119.5

Table 15.--Area of commercial forest land by stocking class of growing-stock trees and stand-size class, Western Upper Peninsula, Michigan, 1980

Stocking			Stand-	-size class	
class (percent)	All stands	Sawtimber stands	Poletimber stands	Sapling and seedling stands	Nonstocked areas
Less than 16.7	28.7				28.7
16.7 to 60.9	242.1	58.9	83.9	99.3	
61.0 to 100.9	1,558.9	553.7	692.4	312.8	
101.0 to 133.9	2,223.2	828.2	1,128.4	266.6	
134.0 or more	476.7	206.8	199.8	70.1	
All classes	4,529.6	1,647.6	2,104.5	748.8	28.7

Table 16.--Area of commercial forest land by stocking class based on selected stand components, Western Upper Peninsula, Michigan, 1980

Stocking		Stockin	g classified i	n terms of	
class	A11	Growing-	Desirable	Acceptable	Rough and
(percent)	live trees	stock trees	trees	trees	rotten trees
0-10	2.9	15 /	1 201 1	15 /	1 026 0
		15.4	4,384.4	15.4	1,936.9
11-20	7.8	24.5	108.1	24.5	1,401.2
21-30	20.1	37.6	24.7	39.2	763.8
31-40	21.4	30.2	10.8	30.2	286.5
41-50	42.3	71.4		78.1	95.6
51-60	62.0	92.0	1.6	119.9	27.7
61-70	75.3	228.3		222.0	9.7
71-80	149.1	293.4		302.1	1.6
81-90	256.5	460.6		499.2	2.6
91-100	325.8	576.7		629.4	1.5
101-110	479.6	737.1		739.8	
111-120	652.7	718.7		697.0	1.2
121-130	835.0	637.2		639.8	1.3
131-140	745.7	394.7		316.1	
141-150	610.7	169.1		143.6	
151-160	234.0	42.7		33.3	
161+	8.7				
Total	4,529.6	4,529.6	4,529.6	4,529.6	4,529.6

Table 17.--Area of noncommercial forest land by ownership class, Western Upper Peninsula, Michigan, 1980

	A11	Productive-	Unproductive
Ownership class	areas	reserved areas	areas
National Forest	65.5	$45.6^{1/}$	19.9
Bureau of Land Management			
Indian			
Miscellaneous federal	125.9	125.9	
State	105.1	95.0	10.1
County and municipal	0.2	0.2	
Forest industry	16.9		16.9
Farmer	0.2		0.2
Misc. private-corp.	7.8		7.8
Misc. private-indiv.	7.3		7.3
Total	328.9	266.7	62.2

 $[\]frac{1}{2}$ /Includes 22.9 thousand acres of productive-deferred.

Table 18.--Area of noncommercial forest land by forest type, Western Upper Peninsula, Michigan, 1980

Forest type	All areas	Productive- reserved areas—	Unproductive areas
		6.0	0.1
Jack pine	6.9	6.8	0.1
Red pine	3.1	1.4	1.7
White pine	1.2	1.2	
Balsam fir	52.1	49.6	2.5
White spruce	6.3	5.3	1.0
Black spruce	27.1	14.0	13.1
Northern white-cedar	17.3	0.1	17.2
Tamarack	5.7		5.7
Oak-hickory			
Elm-ash-soft maple	4.6	4.3	0.3
Maple-birch .	110.8	108.7	2.1
Aspen	74.4	72.8	1.6
Paper birch	1.5	1.5	
Exotic			
Nonstocked	17.9	1.0	16.9
All types	328.9	266.7	62.2

 $[\]frac{1}{2}$ Includes 22.9 thousand acres of productive-deferred.

Table 19.--Area of nonforest land with trees by forest type and land use, Western Upper Peninsula, Michigan, 1980

					Land u	se			
Forest type	All uses	Cropland	Improved pasture	Wooded strips	Idle farmland	Marsh	Wind- breaks	Urban and other windbreaks	Wooded pasture
Jack pine	1.7		1.7					•-	
Red pine									
White pine									
Balsam fir									
White spruce									
Black spruce	1.6					1.6			
Northern white-cedar	6.0					6.0			
Tamarack									
Oak-hickory									
Elm-ash-soft maple	4.3	1.8				2.5			
Maple-birch	7.2		7.2						
Aspen	12.3	1.8	3.7			5.1			1.7
Paper birch									
Exotic									
All types	33.1	3.6	12.6			15.2			1.7

Table 20.---Number of all live trees on commercial forest land by species group and diameter class, Western Upper Peninsula, Michigan, 1980

(In thousand trees)

Species group Classes 2.9	.9 3.0- .9 4.9 .8 1,638 17,226 18 5,990 19 41,264 32 142,925 27 7,638 29 41,264 32 142,925 27 7,638 27 7,438 27 7,438	5.0- 6.9 2,197 4,203 7,385	7.0-	0- 9.0- 9 10.9	11.0- 12.9	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0- 20.9	21.0-	23.0-28.9	29.0- 38.9	30 04
roup classes 2.9 ne 15,099 4,368 e 28,766 12,217 e 28,892 5,208 ruce 68,038 26,015 ruce 131,983 26,015 ruce 131,983 26,015 ruce 68,038 26,015 ruce 131,983 26,015 ruce 131,983 26,015 ruce 68,038 26,015 ruce 131,983 26,015 ruce 132,22 9,304 ruce 166,404 54,962 ruch 132,595 58,861 ruch 132,595 58,861 ruch 132,595 58,861 ruch 132,737 82,070 oplar 17,732 8,888 od 21,582 4,898 aspen 256,110 130,212 ruch 38,444 19,089 ruch 26,103 21,240 ruch 26,071 06,771	1,63 1,22 7,22 1,26 1,10 1,26 1,26 1,42,92 1,63 1,63 1,63 1,63 1,63 1,63 1,63 1,63	2,197 4,203 7,385	8.9	10.9	12.9	14.9	16.9	18.9	20.9	22.9	28.9		200
ne 28,709 4,368 E 28,892 5,208 ruce 68,038 26,015 ruce 131,983 26,015 ruce 131,983 26,015 ruce 68,038 26,015 47,924 13,227 25,222 9,304 white-cedar 166,404 54,962 thwoods 15,623 4,255 ed oaks 16,523 4,255 ed oaks 16,523 4,255 le 983,864 578,735 oplar 132,737 82,070 oplar 17,732 8,888 od aspen 21,582 4,898 aspen 256,110 130,212 erry 38,444 19,089 tridwoods 1,246 crhwoods 1,246	14 4 4 14 15 17 17 17 17 17 17 17 17 17 17 17 17 17	2,197 4,203 7,385										ı	50.61
ne 15,099 4,368 e 28,766 12,217 e 8,038 26,015 ruce 68,038 26,015 ruce 131,983 55,599 ir 556,092 315,682 47,924 13,227 47,924 13,227 47,924 13,227 47,924 13,227 47,924 13,227 47,924 13,227 47,924 13,227 47,924 13,227 93,304 44,656 ed oaks 16,523 4,255 ed oaks 16,523 4,255 le 983,864 58,81 le 983,864 58,735 le 983,864 58,835 oplar 12,737 82,070 oplar 21,582 4,898 aspen 21,582 4,898 aspen 21,582 4,898 erry 38,444 19,089 t 52,103 21,240 ridwoods 1,246 25,150 ridwoods 1,246 25,150 ridwoods 1,246 25,150	14 4 4 4 27 27 2	2,197 4,203 7,385											
e 28,766 12,217 e 28,892 5,208 ruce 68,038 26,015 ruce 131,983 55,599 ir 47,924 13,227 25,222 9,304 white-cedar 166,404 54,962 ftwoods 1,688 1,602 ed oaks 16,523 4,255 d oaks 16,523 4,255 le 132,595 58,861 le 983,864 578,735 le 401,474 193,852 le 401,474 193,852 od aspen 256,110 130,212 oplar 17,732 8,888 od 21,582 4,898 aspen 256,110 130,212 cod 21,582 4,898 t 55,040 11,369 oplar 55,040 11,369 crip 38,444 19,089 t 65,103 21,240 rchwoods 1,246 rchwoods 1,246 rchy 14,44 19,089	14 4 14 15 17 17 17 17 17 17 17 17 17 17 17 17 17	4,203 7,385	1,524	1,420	896	1,073	989	553	238	250	210	24	;
ruce 28,892 5,208 ruce 68,038 26,015 ruce 131,983 55,599 ir 556,092 315,682 ftwoods 1,688 1,602 ftwoods 1,688 1,602 ruch 166,404 54,962 ruch 166,404 54,962 ruch 166,404 54,962 ruch 166,404 54,962 ruch 170,108 498,184 ruch 170,108 498,184 ruch 170,108 498,184 ruch 170,108 498,184 ruch 170,108 498,888 ruch 170,108 110,369 ruch 170,108 110,369 ruch 170,108 110,089 ruch 170,104 110,089	114 14 14 15 15 15 15 15 15 15 15 15 15 15 15 15	7,385	2,643	842	629	459	285	120	109	17	16	;	;
ruce 68,038 26,015 ruce 131,983 26,015 ruce 131,983 55,599 ir 556,092 315,682 25,222 9,304 white-cedar 166,404 54,962 ftwoods 1,688 1,602 d oaks 16,523 4,255 ed oaks 16,523 4,255 le 1,070,108 498,184 le 0aks 178,735 le 4,133,852 le 401,474 193,852 le 401,474 193,852 le 401,474 193,852 le 256,110 130,212 aspen 256,110 130,212 coplar 256,110 130,212 lnut 38,444 19,089 tridwoods 1,240 rich 90,126 25,150 rich 90,126 25,150 rich 90,126 25,150 rich 90,126 25,150	14 4 14 27		5,661	2,862	1,147	428	181	52	m	7	1	:	1
ruce 131,983 55,599 ir 556,092 315,682 ir 47,924 13,227 25,222 9,304 white-cedar 166,404 54,962 ftwoods 1,688 1,602 ed oaks 16,523 4,255 d oaks 16,523 4,255 ed oaks 16,523 4,255 le 132,537 82,070 oplar 132,737 82,070 oplar 17,732 8,888 oplar 256,110 130,212 fruct 50,040 11,369 oplar 556,100 130,212 fruct 38,444 19,089 tridwoods 1,246 25,150 rich 90,126 25,150 rich 90,126 25,150 rich 90,126 25,150 rich 90,126 25,150	14 14 27	9.528	6,143	3,985	2,044	1.266	621	224	69	16	18	1	;
ir 556,092 315,682 White-cedar 166,404 54,962 ftwoods 1,688 1,602 I,070,108 498,184 inte oaks 16,523 4,255 d oaks 16,523 4,255 d oaks 16,523 4,255 le 132,595 58,861 irch 132,595 58,861 le 983,864 578,735 le 401,474 193,852 od aspen 256,110 130,212 aspen 256,110 130,212 oplar 17,732 8,888 od 21,582 4,898 aspen 256,110 130,212 rinut 38,444 19,089 t 52,103 21,240 ridwoods 1,246 ridwoods 1,246 ridwoods 1,246 ridwoods 1,246 ridwoods 1,246 ridwoods 1,246 ridy 6,271	14	27,674	7 051	1 840	468	132	15	7	, "	9	1		
white-cedar 166,404 54,962 13,227 25,222 9,304 13,227 25,222 9,304 1,602 1,608 1,602 1,608 1,602 1,002 108 1,602 1,002 108 1,602 1,002 108 1,002	14	4,0,47	106,10	1,040	100	132		- 0.	2	¦	; '	:	!
white-cedar 15,222 9,304 white-cedar 166,404 54,962 ftwoods 16,404 54,962 ftwoods 16,404 64,962 ftwoods 16,702,108 498,184 od oaks 16,523 4,255 ed oaks 16,523 4,255 le 132,595 58,861 le 983,864 578,735 le 401,474 193,852 od aspen 21,582 8,888 od 21,582 4,898 aspen 21,582 4,898 aspen 256,110 130,212 oplar 60,040 11,369 oplar 7 732 8,888 cery 8,444 19,089 t 65,040 11,369 oplar 7 732 oplar 7 732 oplar 7 732 oplar 8,888 cod 17,732 8,888 cod 17,732 8,888 cod 21,582 4,898 aspen 256,110 130,212 cod 21,582 4,898 cod 21,582 4,898 cod 21,582 25,150 crimoods 1,046 760 crimoods 1,046 771	4	61,/34	24,285	8,344	2,505	459	143	0.		!	s.	!	:
## white-cedar 166,404 54,962 1,688 1,602 1,688 1,602 1,688 1,602 1,688 1,602 1,688 1,602 1,070,108 498,184 193,852 1,692 1,732 8,888 0 od sapen 21,582 4,898 aspen 256,110 130,212 aspen 256,110 130,212 erry 38,444 19,089 the code of t	27	5,375	4,998	4,845	4,380	3,127	2,108	1,058	594	331	217	56	;
thwoods	27	4.570	1,763	756	133	85	22	9		5	1	1	;
ftwoods	27	30,567	17,396	9 905	5. 784	2,899	1.464	692		190	130	12	ļ
hite oaks 16,523 4,255 ed oaks 16,523 4,255 d oaks 16,523 4,255 d oaks 132,595 58,861 le 983,864 578,735 le 401,474 193,852 le 401,474 193,852 oplar 17,732 8,888 oplar 256,110 130,212 spen 256,110 130,212 frut 50,040 11,369 cry 38,444 19,089 tridwoods 12,607	27	45	29	•	7	:	2	; ;	; ;	; ;	}	: :	ł
bite oaks 16,523 d oaks 16,523 f coaks irch 132,595 le 401,474 le 401,474 le 401,474 lo oplar 17,732 od 21,582 aspen 21,582 aspen 256,110 lo oplar 256,110 lo oplar 500,040 lo the first of the first of the first oplase		150,278	72,393	34,799	18,065	9,925	5,545	2,695	1,293	808	605	62	:
79 16,523 132,595 983,864 401,474 11,732 17,732 17,732 17,732 21,582 21,582 26,110 50,040 38,444 11,046 11,046													
16,523 	;	;	;	34	23	22	;	!	;	;	1	;	1
ow birch oaks ow birch oaks ow birch 083,864 55 maple 083,864 55 maple 401,474 11 h 132,737 am poplar 17,732 onwood 21,582 ing aspen 256,110 12 wood 50,040 ow-poplar k cherry 38,444 r birch 90,126 r birch 900,126 compared 12,671	55 3 703	2 446	1 940	1 647	978	787	402	191	80	45	36	4	;
ow birch 132,595 maple 983,864 maple 401,474 h 132,737 am poplar 17,732 owbod 21,582 ing aspen 256,110 ow-poplar 256,110 wood 50,040 ow-poplar 250,040 ow-poplar 250,100 r birch 252,103 r birch 196,040		•	211	11067	5	5	101	101	3	?	3	+	
ory ow birch ow birch maple maple H Manaple A01,474 A13 A13,737 Monwood Outh aspen C1,582 ing aspen C26,110 wood wood We walnut k walnut k walnut cherry	:		1	!	1	1	;	1	1	1	}	1	;
ow birch 132,595 maple 983,864 maple 401,474 h 132,737 am poplar 17,732 onwood 21,582 ing aspen 256,110 wood 50,040 ow-poplar 50,040 c walnut 38,444 ernut 52,103 r birch 90,126 r mardwoods 12,640		1	1 ;	1	1 ;	1	1	1 ;	1 }	1	1 ;	1	1
maple 983,864 maple 401,474 h 132,737 am poplar 17,732 onwood 21,582 ing aspen 256,110 wood 50,040 ow-poplar 50,040 ow-poplar 50,040 r word 50,040 ow-poplar 50		17,125	11,200	6,381	3,669	2,800	1,810	1,063	650	361	425	109	11
maple 401,474 h 132,737 am poplar 17,732 nowood 21,582 ing aspen 256,110 wood 256,110 wood 20,040 we poplar 256,110 we won 10,040 r birch 20,040 r birch 20,040	35 210,288	94,658	46,726	23,570	11,842	7,317	4,977	3,001	1,451	591	613	92	!
413 413 132,737 132,737 17,732 17,732 18,44 19,040		54,010	29,205	13,313	6,389	3,171	1,696	869	312	134	132	13	-
132,737 am poplar 17,732 onwood 21,582 ing aspen 256,110 ow-poplar 50,040 ow-poplar k walnut 38,444 ernut 52,103 r birch 90,126 ownords 1,046		31	38	!	11	1	6	!	:	!	:	;	1
am poplar 17,732 onwood 2,582 ooth aspen 256,110 wood 50,040 wood 50,040 wood 50,040 wood 50,040 r kenry 38,444 ernut 52,103 r birch 52,103		11,033	5,337	2,681	1,564	731	307	104	27	13	2	1	;
onwood 21,582 ing aspen 256,110 wood 50,040 wood 50,040 wood 50,040 enut 38,444 ernut 52,103 r birch 90,126 r hardwoods 1,046	88 2,921	2,184	1,420	965	664	362	163	85	46	21	13	က	!
21,582 ing aspen 21,582 wood 26,110 wwood 50,040 ow-poplar k walnut 38,444 ernut 52,103 r birch 90,126 cmmorcial coords 1,046	:	1	:	1	1	1	4	1	:	:	;	1	1
ing aspen 256,110 wood 50,040 ow-poplar k walnut 38,444 ernut 52,103 r birch 90,126 r hardwoods 1,046		4,282	4,280	2,409	1,390	700	526	117	35	34	16	;	;
wood 50,040 ow-poplar k walnut 38,444 ernut 52,103 r birch 90,126	37	30,318	25,596	16,917	9,077	3,785	1,599	929	509	24	15	4	1
ow-poplar		10,153	8,221	4,696	2,429	1,052	573	250	120	47	24	4	ŀ
k walnut 38,444 ernut 38,444 52,103 r birch 90,126 nmancial cociae 1,046	1	;	;	1	;	1	1	1	1	;	1	1	;
k cherry 38,444 ernut 5 52,103 r birch 90,126 nmancial cociae 1,046	:	;	!	!	1	!	1	1	:	:	:	;	!
ernut 52,103 r birch 90,126 1,046 remonstrial coories 126,071	89 7,940	5,307	3,580	1,653	521	265	47	27	15	;	;	;	;
52,103 r birch 90,126 r hardwoods 1,046	:	1	1	;	;	;	;	!	1	;	1	;	;
r birch 90,126 r hardwoods 1,046		7,592	5,004	2,737	1,701	995	386	222	142	45	40	21	_
1,046	.,	18,823	13,986	7,039	3,050	953	388	124	44	56	12	4	ł
126 071 05		37	77	6	23	10	18	. ;	;	:	;	;	;
1/6,071	71 22,764	6,182	1,899	623	142	71	4	4	11	;	;	;	1
Total 2,321,843 1,234,974	74 487,846	264,181	158,459	84,674	43,473	23,021	12,639	6,459	3,148	1,371	1,328	257	13
All species 3.391.951 1.733.158	58 763,302	414 459	230.852	119.473	61,538	32,946	18.184	9.154	4,441	2,179	1.933	319	13
20160011		20.6.2.	200	2									

Table 21.--Number of growing-stock trees on commercial forest land by species group and diameter class, Western Upper Peninsula, Michigan, 1980

(In thousand trees)

					Di	Diameter class	iss (inches		at breast height	ht)					
	All	1.0-		5.0-	7.0-	-0.6		13.0-	15.0-	17.0-	19.0-	21.0-	Ι.	29.0-	
Species group	classes	2.9	4.9	6.9	8.9	10.9	12.9	14.9	16.9	18.9	20.9	22.9	28.9	38.9	39.0+
SOFTWOODS															
White pine	14,240	4,160	1,638	1,876	1,433	1,306	921	1,031	631	547	233	250	192	22	1
Red pine	28,646	12,218	7,227	4,202	2,557	827	614	459	285	117	109	15	16	;	;
Jack pine	28,214	4,897	5,990	7,273	5,586	2,769	1,097	412	167	18	c	2	1	1	1
White spruce	67,117	25,857	17,824	9,399	5,989	3,884	2,013	1,211	621	216	69	16	18	ł	1
Black spring	130,461	55,083	40,861	24,321	7,727	1,820	461	133	45	7	c	;	;	¦	1
Balsam fir	543,406	307,881	140,893	59,893	23,663	8,053	2,440	440	134	4	'	;	S	ì	1
Hemlock	43,151	13,227	7,317	4,193	4,022	3,900	3,686	2,805	1,960	296	551	289	210	24	1
Tamarack	24,155	8,974	8,547	4,198	1,480	703	119	71	53	9	2	2	;	1	;
Northern white-cedar	146,137	52,044	38,741	26,041	13,567	7,348	4,406	2,103	1,055	448	190	116	70	∞	1
Other softwoods	1,523	1,442	-	45	29	-	7			-		-	:	1	1
Total	1,027,050	485,783	269,038	141,441	66,053	30,610	15,764	8,665	4,951	2,330	1,160	069	511	54	1
HARDWOODS															
Select white oaks	46	1	;	1	;	1	24	22	;	;	1	;	;	;	1
Select red oaks	15,464	4,255	3,371	2,080	1,872	1,535	928	740	376	178	27	39	31	2	1
Other red oaks	1	1	;	;	;	;	1	!	;	1	1	;	1	1	;
Hickory	;	1	;	!	1	!	1	1	1	1	1	;	¦	1	1
Yellow birch	111,404	52,308	24,599	13,048	8,885	4,884	2,647	2,155	1,294	763	398	204	179	32	8
Hard maple	902,767	534,214	195,095	85,732	41,339	20,460	9,956	6,535	4,482	2,646	1,278	205	457	71	1
Soft maple	370,995	180,827	92,764	49,338	26,465	11,415	5,179	2,648	1,410	535	243	96	65	10	ł
Beech	393	323	;	31	34	1	;	;	2	1	1	;	;	1	;
Ash	125,112	77,228	28,013	10,285	4,705	2,387	1,443	662	253	94	27	13	2	1	1
Balsam poplar	17,196	8,684	2,921	2,035	1,361	901	627	345	159	79	46	21	14	m	1
Cottonwood	4	1	1	-	1	;	}		4	1	1	1	1	ŀ	E 1
Bigtooth aspen	18,635	4,256	2,667	3,739	3,670	2,183	1,195	581	215	98	14	19	10	1	i
Quaking aspen	231,452	120,828	34,764	26,435	22,651	14,448	7,541	3,058	1,123	439	130	23	∞	4	1
Basswood	45,055	9,722	10,123	9,027	7,761	4,347	2,212	959	517	232	103	30	19	m	1
Yellow-poplar	;	1	1	1	1	;	;	1	1	:	;	;	1	;	1
Black walnut	1	1	1	1	1	1	!	!	;	!	,	;	;	;	1
Black cherry	31,618	16,987	5,658	4,042	3,031	1,312	304	218	43	13	10	1	1	;	1
Butternut	1	-	1	+	1	-	1	-	1	;	-	;	;	1	1
Elm	46,223	17,594	11,017	7,214	4,649	2,562	1,514	895	363	199	128	40	32	15	1
Paper birch	82,345	24,049	17,930	17,122	12,875	6,379	2,707	836	323	75	52	14	10	1	1
Other hardwoods	205	1	162	37	:	-	9	;	1	:	-	-		-	-
Total	1,998,914	1,051,275	429,084	230,165	139,298	72,813	36,283	19,654	10,567	5,339	2,459	1,001	827	140	6
All species	3,025,964	1,537,058	698,122	371,606	205,351	103,423	52,047	28,319	15,518	7,669	3,619	1,691	1,338	194	6

Table 22.--Number of short-log trees on commercial forest land by species group and diameter class, Western Upper Peninsula, Michigan, 1980

(In thousand trees)

				Dia	Diameter class	s (inches	at breast height	height)			
Species group	All classes	9.0- 10.9	11.0- 12.9	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0- 20.9	21.0-22.9	23.0- 28.9	29.0- 38.9	39.0+
SOFTWOODS											
White pine	77	42	14	9	1	9	က	!	9	ł	;
Red pine	16	}	16	1	;	1	1	1	;	;	!
Jack pine	88	51	56	4	;	7	1	;	;	;	ł
White spruce	119	78	16	21	;	4	1	1	;	1	+
Black spruce	;	;	;	1	;	;	;	1	;	!	1
Balsam fir	154	93	48	7	1	9	1	;	1	;	;
Hemlock	827	438	190	82	37	38	14	20	4	П	;
Tamarack	က	1	;	1	m	1	1	1	;	1	;
Northern white-cedar	1,301	522	414	131	127	38	52	22	21	1	;
Other softwoods	1		-	-	1	-	:	1	:	:	1
Total	2,585	1,224	724	254	167	66	42	42	31	2	:
HARDWOODS											!
Select white oaks	1	;	}	1	1	;	;	;	1	1	;
Select red oaks	94	1	24	24	17	3	17	4	2	;	ł
Other red oaks	1	1	!	!	:	;	;	!	;	:	;
Hickory	1	1	;	ŀ	1	;	;	1	!	1	1
Yellow birch	941	i	303	192	174	99	88	39	54	52	;
Hard maple	1,410	1 1	599	306	509	127	63	33	61	12	ł
Soft maple	789	!	391	187	88	51	27	14	30	-	;
Beech	13	1	6	1	4	1	1	!	;	;	;
Ash	9/	;	52	12	6	1	1	1	1	1	1
Balsam poplar	59	1	52	;	4	!	!	1	;	;	;
Cottonwood	1	1	1	1	;	;	!	1	1	;	;
Bigtooth aspen	186	1	86	09	10	10	9	2	1	1	1
Quaking aspen	792	1	413	175	134	44	21	2	1	1	;
Basswood	165	1	93	17	27	7	10	80	2	_	;
Yellow-poplar	;	1	;	!	1	;	1	:	!	!	;
Black walnut	;	1	;	1	1	;	;	;	!	1	!
Black cherry	118	!	88	17	;	13	!	;	1	!	;
Butternut	1	1	1	1	:	1	1	!	1	1	1
Elm	241	1	161	20	4	17	9	1	3	;	1
Paper birch	275	;	186	59	23	18	11	7	1	-	1
Other hardwoods	5	1		5	1	-	-	;	;	;	;
Total	5,134	1	2,445	1,074	703	356	249	112	155	40	
All species	7,719	1,224	3,169	1,328	870	455	291	154	186	42	;
										!	

Table 23.--Net volume of growing stock on commercial forest land by species group, Western Upper Peninsula, Michigan, 1966 and 1980

(In million cubic feet)

Species group	1966	1980
SOFTWOODS		
White pine	141.0	153.8
Red pine	42.4	73.7
Jack pine	63.6	104.8
White spruce	142.1	207.6
Black spruce	128.2	136.5
Balsam fir	328.4	405.5
Hemlock	287.5	281.5
Tamarack	21.2	34.9
Northern white-cedar	272.8	330.1
Other softwoods		0.3
Total	1,427.2	1,728.7
HARDWOODS		
Select white oak		0.8
Select red oak	101.1	85.1
Other red oak		
Hickory		
Yellow birch	340.3	321.6
Hard maple	1,210.5	1,404.7
Soft maple	361.1	628.5
Beech	0.6	0.5
Ash	104.8	130.8
Balsam poplar	18.5	42.8
Cottonwood		0.1
Bigtooth aspen	85.2	104.5
Quaking aspen	630.1	643.0
Basswood	113.1	209.2
Yellow-poplar		
Black walnut		
Black cherry	38.4	53.6
Butternut		
Elm	144.8	148.2
Paper birch	177.1	282.8
Other hardwoods	4.3	0.2
Total	3,329.9	4,056.4
All species	4,757.1	5,785.1

Table 24.--Net volume of all live trees on commercial forest land by species group and diameter class, Western Upper Peninsula, Michigan, 1980

(In thousand cubic feet)

					Diameter		class (inches at	breast height	ight)				
	All	5.0-	7.0-	-0.6	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	23.0-	29.0-	
Species group	classes	6.9	8.9		12.9	14.9		18.9	20.9	22.9	28.9	38.9	39.0+
SOFTWOODS													
White pine	157,521	4,509	7,030	12,288	12,763	22,782	19,534	23,158	12,510	17,779	20,493	4,675	1
Red pine	74,360	10,435	13,234	7,817	6,657	11,090	9,185	4,916	5,673	1,065	1,288	1	;
Jack pine	106,727	19,553	31,125	26,247	15,791	8,252	4,771	773	107	108	1	;	;
White spruce	210,118	25,110	35,472	42,126	34,863	32,283	22,083	10,625	4,244	1,282	2,030	;	;
Black spruce	137,774	63,551	42,541	18,188	7,782	3,501	1,644	347	220		;	;	;
Ralcam fir	413,139	147,919	130,316	80,869	38,207	10,489	4 193	402		1	744		
10 m 10 m 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1	226 100	0 166	10,012	200,000	46,000	50,02	010	22 510	25 26	16 060	16 02	2 570	!
H-III OCK	304,300	0,100	10,000	15,337	776,04	10,23/	49,013		600,62	000,01	10,023	0/0,0	;
lamarack		12,2/0	10,092	8,323	7,244	1,/13	1,499		900	503	1 0	1 6	;
Northern white-cedar Other softwoods		64,630	71,459	6/,155	62,2/4 119	43,193	30,923	18,300	9,920	7,934	868'/	1,306	: :
Total	1,825,835	357,226	360,962	296,010	230,622	183,560	142,897	92,211	58,411	45,099	49.278	9,559	:
HARDWOODS													
Select white paks	1,138	1	;	369	382	387	1	;	1	;	;	1	;
Colort rod oaks	90 588	6 153	10 520	15 63/	1/1 382	16 328	11 /13	088 9	2 600	2 551	2 571	163	
Select red dans	000 606	0,133	•	10,004	•		614,11	000,0	06060	400,7	1/6,2	202	ŀ
Uther red oaks	1	1	1	1	1	1	!	ŀ	1	1	;	;	:
Hickory	!	:	1	1	;	1	;	;	;	!	;	:	;
Yellow birch	402,763	40,911	56,324	52,682	45,561	50,721	43,705	33,612	25,003	16,385	25,171	9,713	2,975
Hard maple	1,538,043	260,965	266,792	231,844	180,893	159,865	148,034	117,375	71,798	34,552	51,655	14,270	+
Soft maple	040,969	146,596	99	128,885	93,091	65,458	45,722	22,567	12,836	6,166	7,112	1,327	70
Beech	735	106	270	}	114	1	245	1	1	!	1	1	;
Ash	138,691	29,888	29,715	25,602	23,144	15,563	8,292	3,879	1,412	1,025	171	;	;
Balsam poplar	43,805	3,062	5,179	6,362	8,149	6,919	4,482	3,192	2,543	1,668	1,500	749	!
Cottonwood	73	1	}	1	1	:	73	1	1	1	1	;	1
Bigtooth aspen	115,419	12,872	26,277	25,069	21,230	14,904	7,258	4,079	1,197	1,637	968	1	;
Quaking aspen	717,089	90,935	157,303	174,059	139,386	79,855	42,380	20,695	8,852	2,143	1,016	465	1
Basswood	220,812	27,023	48,302	47,719	37,611	22,482	17,000	9,962	5,643	2,489	1,817	764	1
Yellow-poplar	;	;	1	1	1	1	;	;	1	;	!	1	1
Black walnut	!	+	;	;	;	1	;	1	1	!	}	1	;
Black cherry	63,374	12,876	19,775	15,800	7,050	5,227	1,301	843	505	1	1	;	;
Butternut	:	1	1	1	1	1	;	1	1	1	-	1	1
Elm	158,421	21,902	29,464	27,030	25,799	20,966	10,836	7,811	6,681	2,436	3,127	2,253	116
Paper birch	305,370	64,164	88,148	72,505	45,240	18,896	9,595	3,456	1,521	1,113	619	113	1
Other hardwoods	950	110	78	22	192	153	362	1	;	;	ł	1	;
Noncommercial species	es 30,668	13,823	8,456	4,742	1,697	1,260	88	125	477		1	1	-
Total	4,524,009	731,386	912,843	828,357	643,921	478,984	350,786	234,476	142,155	72,168	95,655	30,117	3,161
All species	6,349,844	6,349,844 1,088,612	1,273,805	1,124,367	874,543	662,544	493,683	326,687	200,566	117,267	144,933	39,676	3,161
										ì			

Table 25.--Net volume of timber on commercial forest land by class of timber and softwoods and hardwoods, Western Upper Peninsula, Michigan, 1980

	A11		
Class of timber	species	Softwoods	Hardwoods
LIVE TREES			
Growing-stock trees			
Sawtimber			
Saw log portion	2,492,966	917,175	1,575,791
Upper stem portion	347,064	119,846	227,218
Subtotal	2,840,030	1,037,021	1,803,009
Poletimber	2,945,001	691,648	2,253,353
		•	
Total growing-stock	5,785,031	1,728,669	4,056,362
Cull trees			
Rough and rotten cull trees Sawtimber	195,661	44,523	151,138
Poletimber	245,774	26,541	219,233
Subtotal	441,435	71,064	370,371
Subcocal	441,433	71,004	370,371
Short-log cull trees	123,378	26,102	97,276
Total cull	564,813	97,166	467,647
Total cult	304,013	37,100	407,047
TOTAL LIVE TREES	6,349,844	1,825,835	4,524,009
SALVABLE DEAD TREES	198,420	85,740	112,680
ALL CLASSES	6,548,264	1,911,575	4,636,689

Table 26.--Net volume of growing-stock, sawtimber, short-log, and rough and rotten trees on commercial forest land by individual species, Western Upper Peninsula, Michigan, 1980

Spacias	Total	Growing	Short-log	Rough and	Sautimbor
Species	all live	stock	cull	rotten cull	
		The	:- 61		Thousand 1
COLTHOODS		<u>Thousand cub</u>	1c reet		board feet
SOFTWOODS	157 501	150 771	1 014	2 726	700 022
White pine	157,521	153,771	1,014	2,736	780,033
Red pine	74,360	73,688	143	529	279,874
Jack pine	106,727	104,739	833	1,155	276,692
Scotch pine	210 110	207 (22		1 402	745 245
White spruce	210,118	207,633	992	1,493	745,345
Norway spruce	217	217			
Engelmann spruce	127 774	126 520			152 242
Black spruce	137,774	136,530	1 200	1,244	153,343
Balsam fir	413,139	405,475	1,289	6,375	610,899
Hemlock	304,366	281,531	8,360	14,475	1,444,202
Tamarack	36,450	34,916	60	1,474	61,261
Northern white-cedar	384,992	330,049	13,411	41,532	994,377
Eastern redcedar	171	120		51	589
Total	1,825,835	1,728,669	26,102	71,064	5,346,615
HARDWOODS					
White oak					
Bur oak	1,138	769		369	3,693
Swamp white oak					
Northern red oak	90,588	85,076	2,266	3,246	298,531
Shellbark hickory					
Yellow birch	402,763	321,572	21,050	60,141	1,049,376
Black maple	116	116			
Sugar maple	1,537,927	1,404,594	31,141	102,192	4,009,886
Red maple	693,953	626,833	13,450	53,670	1,160,841
Silver maple	2,117	1,676	143	298	7,868
American beech	735	488	202	45	821
White ash	31,279	30,163	475	641	68,007
Black ash	104,440	97,878	587	5,975	200,287
Green ash	2,972	2,749		223	10,030
Balsam poplar	43,805	42,799	392	614	153,205
Paper birch	305,370	282,834	3,969	18,567	376,599
Bigtooth aspen	115,419	104,484	2,568	8,367	242,428
Quaking aspen	717,089	643,017	12,396	61,676	1,360,347
Basswood	220,812	209,228	3,042	8,542	505,144
American elm	156,938	146,695	3,832	6,411	391,201
Slippery elm	1,199	1,199			3,569
Rock elm	284	284			1,555
Black cherry	63,374	53,658	1,706	8,010	55,406
Boxelder	853	177	57	619	432
Sweet birch					
Eastern cottonwood	73	73			371
Black willow	97			97	
Ohio buckeye					
Flowering dogwood					
Black locust					
Noncommercial species	30,668			30,668	
Total	4,524,009	4,056,362	97,276	370,371	9,899,597
All species	6,349,844	5,785,031	123,378	441,435	15,246,212

 $[\]frac{1}{I}$ International $\frac{1}{4}$ -inch rule.

Table 27.--Net volume of noncommercial species (nongrowing-stock volume) on commercial forest land by individual species, Western Upper Peninsula, Michigan, 1980

Species	Nongrowing-stock (rough tree) volume
Striped maple	681
Mountain maple	2,240
Ailanthus	2,210
American hornbeam	114
Eastern hophornbeam	24,888
Eastern redbud	
Hawthorn	
Apple	121
Pin cherry	704
Chokecherry	716
Mountain ash	1,204
Peachleaf willow	
Diamond willow	
All species	30,668

Table 28.--Net volume of growing stock on commercial forest land by county and species group, Western Upper Peninsula, Michigan, 1980

(In thousand cubic feet)

	All					County			
Species group	counties	Baraga	Dickinson	Gogebic	Houghton	Iron	Кемеепам	Marquette	Ontonagon
SOFTWOODS									
White pine	153,771	11,690	7,961	6,184	11,644	27,923	13,780	57,551	17,038
Red pine	73,688	3,531	5,135	7,845	11,032	9,427	474	26,769	9,475
Jack pine	104,739	6,425	1,508	6,375	17,715	7,988	1	54,887	9,841
White spruce	207,633	23,514	12,721	23,665	17,357	35,308	12,968	44,848	37,252
Black spruce	136,530	17,149	16,388	14,777	6,174	27,640	5,791	43,826	4,785
Balsam fir	405,475	41,352	35,583	59,181	36,395	72,293	22,172	87,209	51,290
Hemlock	281,531	58,700	1,641	49,862	32,689	23,276	274	69,212	45,877
Tamarack	34,916	4,296	4,784	3,243	3,498	10,290	397	7,599	808
Northern white-cedar	330,049	43,425	40,428	40,629	28,043	25,712	49,271	78,037	24,504
Other softwoods	337	1	1	158	24	27	+	77	51
Total	1,728,669	210,082	126,149	211,919	164,571	239,884	105,127	470,015	200,922
HARDWOODS									
Select white oaks	692	20	1	167	92	77	!	1	383
Select red oaks	85,076	3,140	4,423	6,543	10,178	6,277	17,007	33,636	3,872
Other red oaks	!	1	1	1	1	!	;	1	1
Hickory	1	1	!	1	1	1	1	1	;
Yellow birch	321,572	65,784	5,852	51,438	51,616	35,135	15,604	50,800	45,343
Hard maple	1,404,710	209,963	58,492	199,816	223,250	185,935	62,350	268,226	196,678
Soft maple	628,509	112,115	13,579	60,607	102,832	54,797	38,908	164,385	81,286
Beech	488	1	\$	1	1	1	1	488	1
Ash	130,790	12,967	8,468	38,200	13,234	8,710	1,393	10,946	36,872
Balsam poplar	42,799	2,650	20,809	210	353	6,693	460	7,346	4,278
Cottonwood	73	1	1	1	1	73	1	1	1
Bigtooth aspen	104,484	8,724	8,524	7,723	9,823	14,549	674	39,162	15,305
Quaking aspen	643,017	37,744	63,209	88,450	74,034	107,243	18,749	90,446	163,142
Basswood	209,228	8,365	30,521	40,106	25,313	30,737	1,388	18,844	53,954
Yellow-poplar	:	1	1	!	!	;	!	1	:
Black walnut	;	1	!	!	!	1	1	!	;
Black cherry	53,658	11,354	2,549	9,010	4,656	11,589	150	10,305	4,045
Butternut	;	1	!	;	!	!	!	1	1
Elm	148,178	10,152	12,947	32,884	16,139	29,633	925	12,025	33,473
Paper birch	282,834	25,958	27,995	16,807	22,090	54,642	29,640	87,841	17,861
Other hardwoods	177	;	:	110	:	-	:	:	29
Total	4,056,362	508,966	257,368	552,071	553,610	546,090	187,248	794,450	656,559
All species	5,785,031	719,048	383,517	763,990	718,181	785,974	292,375	1,264,465	857,481

Table 29.--Net volume of sawtimber on commercial forest land by county and species group, Western Upper Peninsula, Michigan, 1980

(In thousand board feet) $\underline{1}/$

	All					County			
Species group	counties	Baraga	Dickinson	Gogebic	Houghton	Iron	Keweenaw	Marquette	Ontonagon
SOFTWOODS									
White pine	780,033	62,081	39,185	31,809	60,937	140,182	72,749	286,654	86,436
Red pine	279,874	19,026	20,152	15,209	42,026	33,862	1,086	128,220	20,293
Jack pine	276,692	8,047	3,475	10,655	32,334	19,407	1	186,395	16,379
White spruce	745,345	92,445	42,080	91,333	59,238	132,524	47,743	156,655	123,327
Black spruce	153,343	19,405	11,519	17,879	8,868	31,630	13,468	45,076	5,498
Balsam fir	610,899	58,749	50,341	81,480	63,311	114,526	36,258	124,556	81,678
Hemlock	1,444,202	310,370	7,789	248,181	166,553	124,563	1,487	357,652	227,607
Tamarack	61,261	10,223	2,303	5,362	10,223	21,647	1,083	9,234	1,186
Northern white-cedar	_	163,114	69,513	136,366	101,157	77,832	155,233	204,497	86,665
Other softwoods			:	589			1	!	;
Total	5,346,615	743,460	246,357	638,863	544,647	696,173	329,107	1,498,939	649,069
HARDWOODS									
Select white oaks	3,693	241	;	803	440	371	1	;	1,838
Select red oaks	298,531	9,500	18,140	19,398	41,323	20,547	70,995	105,533	13,095
Other red oaks	1	1	1	1		1	1	1	1
Hickory	i	1	!	1	1	1	;	:	:
Yellow birch	1,049,376	247,536	12,036	148,891	141,970	120,608	59,976	195,806	122,553
Hard maple	4,009,886	700,785	67,583	535,635	664,036	499,633	171,170	781,680	589,364
Soft maple	1,168,709	264,384	12,024	108,544	198,769	115,743	87,305	266,336	115,604
Beech	821	1	1	1	1	;	1	821	;
Ash	278,324	34,684	12,310	86,351	26,589	16,842	3,503	19,504	78,541
Balsam poplar	153,205	12,451	78,033	1,261	1,201	16,018	;	24,278	19,963
Cottonwood	371	1	1	1	1	371	}	;	;
Bigtooth aspen	242,428	27,062	22,346	21,943	25,895	33,967	1,407	78,829	30,979
Quaking aspen	1,360,347	97,251	101,347	180,969	195,197	217,565	44,873	186,731	336,414
Basswood	505,144	25,304	79,143	74,694	71,722	59,520	5,958	75,179	113,624
Yellow-poplar	1	;	1	1	1	1	1	1	;
Black walnut	-	-	1	1	1	1	}	;	;
Black cherry	55,406	11,334	2,469	8,175	6,179	10,468	;	11,359	4,822
Butternut	1	1	1	;	1	1	;	1	!
Elm	396,325	30,081	28,820	83,238	50,395	79,819	4,979	37,621	81,372
Paper birch	376,599	49,697	18,345	17,759	26,263	69,993	51,580	123,692	19,270
Other hardwoods	432	-	-	1		-	1	1	432
Total	6,899,597	1,510,310	452,596	1,287,661	1,450,579	1,261,465	501,746	1,907,369	1,527,871
All species	15.246.212	2.253.770	698,953	1.926.524	1,995,226	1,957,638	830,853	3,406,308	2,176,940
	, , , , ,			, , , , ,		, , , , ,			

1/International 1/4-inch rule.

Table 30.--Net volume of growing stock on commercial forest land by species group and diameter class, Western Upper Peninsula, Michigan, 1980

(In thousand cubic feet)

					niallerei	cer class	וווכוובי מר	Dredst neignt	eignc)				
	A11	-0°-9	7.0-	-0°6	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	23.0-	29.0-	
Species group	classes	6.9	8.9	10.9	12.9		16.9			22.9	28.9	38.9	39.0+
SOFTWOODS													
White pine	153, 771	3.872	6.767	11.567	12,403	22,356	19,492	22,995	12,373	17,779	19,801	4,366	;
Dod page	73,688	10,434	12,897	7,754	0,514	11,090	0 186	4 855	5,673	007	1 288		i
ייים לייון	75,000	10,000	20,007	10767	15 217	000	00167	2006	2,00	001	1,500		1
Jack pine	104,/39	19,309	30,918	760,62	12,31/	8,083	4,009	280	10/	108	1 ;	1	1
White spruce	207,633	24,911	35,020	41,507	34,656	31,390	22,082	10,511	4,244	1,282	2,030	!	1
Black spruce	136,530	63,104	41,867	18,136	7,711	3,501	1,644	347	220	!	1	1	1
Ralsam fir	405 475	144 988	128 220	79 214	37 742	10 300	4 081	186			744		
100,000	201 521	7 766	16 601	20,000	1001	77 2EA	47,015	21 601	21 516	15 011	16 436	2 225	
neill ock	201,031	7,733	10,091	007,07	46,099	t00°/t	CIO, /+	31,001	0+0,47	10,044	10,430	3,363	!
lamarack	34,916	11,801	196,6	8,115	7,14/	1,550	1,438	1/2	89	64	1	1	-
Northern white-cedar	330,049	60,142	63,114	57,813	53,724	36,459	25,674	13,827	7,908	5,717	4,761	910	!
Other softwoods	337	77	140	1	120	1	+	!	1	1	1	;	;
Total	1,728,669	346,453	345,195	278,083	215,933	172,083	135,171	85,160	55,139	41,791	45,060	8.601	;
HARDWOODS													
Soloct white pake	769			1	382	387	1	i	į	i		I	i
Select Wille Daks	607	717	1001	700 71	200	15 710	000	273 3	1000	1 1 1 1 1		1 000	!
Select red oaks	9/0,68	714,6	10,199	14,98/	13,998	12,/10	10,890	0,54/	7,600	7,255	7,253	077	1
Other red oaks	1	1	1	!	;	!	1	1	1	1	1	1	1
Hickory	1	!	1	1	1	1	1	1	!	1	;	1	1
Yellow birch	321,572	36,081	48,972	44,625	36,799	42,906	34,719	27,245	18,155	11,311	14,162	4,026	2,571
Hard maple	1,404,710	242,846	244,189	210,180	160,430	148,042	138,458	108,258	66,264	30,985	43,569	11,489	1
Soft maple	628,509	137,322	155,211	116,081	80,818	58,293	40,455	19,031	11,024	5,068	4,103	1,103	;
Beech	488	106	243	1	:	1	139	;	:	!	1	1	1
Ash	130,790	28,643	27,275	23,866	22,030	14,873	7,799	3,696	1,412	1,025	171	1	1
Balsam poplar	42,799	2,960	5,149	6,180	7,769	6,749	4,393	3,138	2,543	1,669	1,500	749	!
Cottonwood	73	1	1	}	;	!	73	1	1	;	ł	1	;
Bigtooth aspen	104,484	12,083	23,429	23,931	19,429	13,414	6,555	3,332	628	1,054	629	1	;
Quaking aspen	643,017	83,633	144,812	159,521	124,415	69,933	34,157	17,543	6,519	1,406	613	465	1
Basswood	209,228	24,961	46,858	45,752	35,487	21,555	16,089	9,633	5,163	1,743	1,499	488	:
Yellow-poplar	1	-	1	!	;	!	1	1	;	:	1	;	!
Black walnut	;	;	;	;	:	1	1	;	1	;	1	;	;
Black cherry	53,658	10,952	17,501	13,665	4,843	4,583	1,202	472	440	1	1	;	;
Butternut	!	;		!	1			1	+	1	1	;	;
Elm	148,178	21,176	28,106	25,556	23,587	19, 373	10.427	7,178	6.152	2.264	2.608	1,634	117
Paper birch	282,834	60,269	83,065	67,441	41,216	17,258	8,634	2,569	1,077	711	594	1	; ;
Other hardwoods	177	110			19	1	1	; ;		: 1		1	;
Total	4,056,362	666,559	835,009	751,785	571,270	433,076	313,990	208,642	121,977	59,491	71,701	20,174	2,688
A11 caocioc	E 70E 021	1 010 010	1 100 204	1 020 050	500 707	606 150	101 000	000	177 116	000	110	1 1	
70 10						-							

Table 31.--Net volume of sawtimber on commercial forest land by species group and diameter class, Western Upper Peninsula, Michigan, 1980

(In thousand board feet)1/

					Diameter class (inches at breast height	ss (inches	at breast he	eight)			
	All	-0°6	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	23.0-	29.0-	
Species group	classes	10.9	12.9	14.9	16.9	18.9		22.9	28.9	38.9	39.0+
SOFTWOODS											
White pine	780,033	59,608	64,824	116,312	105,973	123,838	68,608	101,472	113,220	26,178	1
Red pine	279,874	41,996	52,007	60,280	51,325	27,802	32,496	6,002	7,966	;	;
Jack pine	276,692	129,774	76,755	41,758	24,183	3,076	574	572	!	1	1
White Spruce	745,345	205,601	172,609	157,331	113,341	55,384	22,434	7,135	11,510	!	1
Black spruce	153,343	84,525	37,973	18,448	9,119	1,964	1,314	: 1	:	;	1
Balsam fir	610,899	355,378	178,094	51, 283	20,680	1,036	1	1	4.428	1	;
Hemlock	1 444 202	157, 263	237 255	262,130	265, 476	178 485	138 342	90.312	96,149	18 790	;
Tamarack	61 261	34 635	10.368	7 990	7 032	708	265	263	2 1 6 2 2	0 1	1
Northern white-cedar	994,377	270,683	255,108	174,601	126,350	68,993	39,731	29,179	24,903	4,829	1
Other softwoods	589	1	589	1	1	1	1	1	1	1	;
Total	5,346,615	1,339,463	1,085,582	890,133	723,479	461,286	303,764	234,935	258,176	49,797	1
HARDWOODS											
Select white oaks	3,693	;	1,952	1,741	;	1	1	;	;	1	;
Select red oaks	298,531	1	71,942	85,441	61,213	37,711	15,415	13,180	12,491	1,138	1
Other red oaks	1	1	1	1	1	1	1	;	;	1	;
Hickory	:	1	;	1	1	;	1	;	1	;	!
Yellow birch	1,049,376	1	200,164	237,069	196,088	154,491	98,245	63,259	72,589	17,555	9,916
Hard maple	4,009,886	!	827,290	837,783	814,185	649,648	394,526	182,032	243,019	61,403	1
Soft maple	1,168,709	1	384,016	318,763	233,475	113,072	64,724	28,086	21,122	5,451	;
Beech	821	!	!	1	821	!	1	1	1	1	1
Ash	278,324	1	116,256	81,966	43,598	21,422	7,989	000,9	1,093	1	;
Balsam poplar	153,205	1	42,823	37,268	23,748	16,740	13,600	8,331	7,220	3,475	1
Cottonwood	371	1	1	1	371	1	1	1	;	!	;
Bigtooth aspen	242,428	1	100,040	72,901	37,719	19,185	3,520	5,714	3,349	1	1
Quaking aspen	1,360,347	1	650,303	377,906	186,264	95,702	37,148	7,603	3,207	2,214	1
Basswood	505,144	1	181,894	121,048	95,157	56,295	29,270	698,6	8,611	3,000	1
Yellow-poplar	1	1	1	1	:	1	1	;	1	!	;
Black walnut	:	;	;	1	1	;	1	1	;	1	;
Black cherry	55,406	1	24,102	21,411	5,629	2,219	2,045	1	;	;	;
Butternut	;	;	1	1	1	1	;	1	;	1	1
Elm	396,325	1	136,112	107,178	54,551	36,184	30,911	10,619	12,413	7,790	295
Paper birch	376,599	1	217,490	90,841	43,547	12,895	5,382	3,427	3,017	1	;
Other hardwoods	432	-	432	1	1	:	1	1	-	-	;
Total	9,899,597	1	2,954,816	2,391,316	1,796,366	1,215,564	702,775	338,120	388,131	102,026	10,483
All species	15,246,212	1,339,463	4,040,398	3,281,449	2,519,845	1,676,850	1,006,539	573,055	646,307	151,823	10,483

1/International 1/4-inch rule.

Table 32.--Net volume of growing stock on commercial forest land by species group and forest type,
Western Upper Peninsula, Michigan, 1980

					Forest type	2		
	A11	Jack	Red	White	Balsam	White	Black	Northern white-
Species group	types	pine	pine	pine	fir	spruce	spruce	cedar
SOFTWOODS								
White pine	153,771	1,251	7,427	49,678	16,770	3,408	4,524	4,214
Red pine	73,688	4,455	43,499	4,656	3,857	142	3,556	137
Jack pine	104,739	83,117	2,538	939	697	428	5,121	
White spruce	207,633	189	804	5,481	50,915	23,881	4,150	7,971
Black spruce	136,530	1,121	1,235	1,894	21,972	1,874	68,791	17,224
Balsam fir	405,475	878	2,197	5,006	139,620	4,095	14,796	25,746
Hemlock	281,531			531	5,499		643	424
Tamarack	34,916			96	4,362	338	11,031	4,230
Northern white-cedar	330,049			793	33,214	1,838	20,888	158,987
Other softwoods	337		140				77	
Total	1,728,669	91,011	57,840	69,074	276,906	36,004	133,577	218,933
HARDWOODS								
Select white oaks	769							
Select red oaks	85,076	1,469	1,182	585	498			
Other red oaks	´		·					
Hickory								
Yellow birch	321,572			91	9,049	104	1,393	4,740
Hard maple	1,404,710		574	2,618	5,276	1,081	288	2,606
Soft maple	628,509	176	1,097	4,125	26,238	1,183	2,476	7,767
Beech	488		-,				,	
Ash	130,790				2,628		1.787	3,294
Balsam poplar	42,799		90		5,425	34	289	2,603
Cottonwood	73				-,			
Bigtooth aspen	104,484	635	3,080		1,488		99	122
Quaking aspen	643,017	4,973	4,738	6,404	29,609	12,261	7,095	3,019
Basswood	209,228			206	193	,		
Yellow-poplar								
Black walnut								
Black cherry	53,658				3,245	75	165	279
Butternut	30,000				5,245			
Elm	148,178			96	4,103	314		209
Paper birch	282,834	235	2,891	11,225	24,845	1,625	6,456	13,758
Other hardwoods	177		2,051			1,023		15,750
Total	4,056,362	7,488	13,652	25,350	112,597	16,677	20,048	38,397
All species	5,785,031	98,499	71,492	94,424	389,503	52,681	153,625	257,330

(Table 32 continued on next page)

				Forest	type			
	.	0ak	Elm-ash-	Maple-	٠	Paper		Non-
Species group	Tamarack	hickory	soft maple	birch	Aspen	birch	Exotic	stocked
SOFTWOODS								
White pine	342	1,012	1,891	42,643	15,881	4,674		56
Red pine		1,358		877	9,667	1,484		
Jack pine				2,693	6,078	3,025		103
White spruce	53	166	9,006	65,909	32,209	6,899		
Black spruce	2,449	234	2,989	7,098	7,374	2,275		
Balsam fir	1,086	173	15,528	128,614	54,977	12,759		
Hemlock			7,488	264,482	1,718	746		
Tamarack	9,935		527		2,864	1,533		
Northern white-ced	lar 1,397		23,063	76,569	7,347	5,953		
Other softwoods				120				
Total	15,262	2,943	60,492	589,005	138,115	39,348		159
ARDWOODS								
Select white oaks					769			
Select red oaks		19,537	563	47,162	10,513	3,567		
Other red oaks		´		·	´ 	´		
Hickory								
Yellow birch		306	12,895	288,270	3,926	798		
Hard maple		3,757	8,002	1,346,656	26,195	7,657		
Soft maple		2,055	34,652	485,081	46,429	17,230		
Beech				488				
Ash		121	49,472	65,368	7,394	726		
Balsam poplar	319		1,043	6,626	25,227	1,143		
Cottonwood			-,-		73	-,-		
Bigtooth aspen		2,180		25,436	65,577	5,867		
Quaking aspen	694	646	6,353	185,057	366,545	15,406		217
Basswood			1,927	202,087	4,517	298		
Yellow-poplar					7,017			
Black walnut								
Black cherry			583	44,041	4,783	487		
Butternut				44,041	4,703			
Elm			12,047	121,431	9,522	456		
Paper birch	339	1,895	4,903	62,022	49,118	103,400		122
Other hardwoods	339	1,095	4,903	110	49,110	103,400		122
Total	1,352	30,497	132,507	2,879,835	620,588	157,035		339
							- -	
ll species	16,614	33,440	192,999	3,468,840	758,703	196,383		498

Table 33.--Net volume of sawtimber on commercial forest land by species group and forest type, Western Upper Peninsula, Michigan, 1980

(In thousand board feet) $\frac{1}{}$ /

					Forest type	2		
								Northern
	A11	Jack	Red	White	Balsam	White	Black	white-
Species group	types	pine	pine	pine	fir	spruce	spruce	cedar
SOFTWOODS								
White pine	780,033	6,454	35,550	244,152	83,369	16,274	23,412	24,913
Red pine	279,874	19,679	143,354	24,903	19,914	756	14,147	698
Jack pine	276,692	223,371	6,307	3,891	1,473	1,165	12,929	
White spruce	745,345	909	1,637	18,686	168,137	60,139	17,545	34,552
Black spruce	153,343	2,045	´	3,537	32,158	2,869	47,860	27,520
Balsam fir	610,899	4,368	3,649	5,977	210,862	7,168	18,127	22,242
Hemlock	1,444,202			3,122	26,336		3,090	2,505
Tamarack	61,261			495	10,346	1,171	11,349	3,836
Northern white-cedar				1,911	100,278	5,051	69,675	421,177
Other softwoods	[*] 589							
Total	5,346,615	256,826	190,497	306,674	652,873	94,593	218,134	537,443
HARDWOODS								
Select white oaks	3,693							
Select red oaks	298,531	1,293	4,580	774				
Other red oaks								
Hickory								
Yellow birch	1,049,376				34,122		5,897	18,858
Hard maple	4,009,886			3,673	15,336	1,491	910	5,340
Soft maple	1,168,709		699	5,118	45,430	´ 	1,030	13,029
Beech	821							
Ash	278,324				3,190		786	3,885
Balsam poplar	153,205		511		16,719		1,019	6,175
Cottonwood	371						-,	
Bigtooth aspen	242,428	1,454	2,773		7,368			684
Quaking aspen	1,360,347		2,994	9,281	57,719	8,291	13,752	9,394
Basswood	505,144		-,	-,	432	-,		
Yellow-poplar								
Black walnut								
Black cherry	55,406				2,127			456
Butternut								
Elm	396,325				4,786	604		390
Paper birch	376,599	667	3,530	20,671	33,951	1,315	9,428	24,310
Other hardwoods	432							
Total	9,899,597	3,414	15,087	39,517	221,180	11,701	32,822	82,521
All species	15,246,212	260,240	205,584	346,191	874,053	106,294	250,956	619,964

(Table 33 continued on next page)

^{1/}International 1/4-inch rule.

				Fores	t type			
		0ak	Elm-ash-	Maple-		Paper		Non-
Species group	Tamarack	hickory	soft maple		Aspen	birch	Exotic	stocked
SOFTWOODS								
White pine	2,024	4,980	9,775	223,227	82,401	23,502		
Red pine		7,344		4,501	36,761	7,817		
Jack pine				1,831	12,014	13,711		
White spruce		840	37,205	268,413	114,637	22,645		
Black spruce	1,834	696	6,240	16,692	9,886	2,006		
Balsam fir	1,503		19,423	221,391	83,471	12,718		
Hemlock			37,506	1,361,187	7,101	3,355		
Tamarack	24,009		2,377	1,501,107	7,031	647		
Northern white-ceda	•		70,373	290,864	18,348	13,005		
Other softwoods			70,373	589	10,340	13,005		
		13,860						
Total	33,065	13,600	182,899	2,388,695	371,650	99,406		
HARDWOODS								
Select white oaks					3,693			
Select red oaks		68,034	1,564	185,151	29,869	7,266		
Other red oaks								
Hickory								
Yellow birch		670	40,629	945,897	2,077	1,226		
Hard maple		2,079	16,053	3,931,778	25,594	7,632		
Soft maple		682	74,076	994,681	24,152	9,812		
Beech				821				
Ash		675	122,793	135,112	11,266	617		
Balsam poplar	1,430		1,498	24,716	96,302	4,835		
Cottonwood					371			
Bigtooth aspen		4,279		87,215	126,156	12,499		
Quaking aspen	2,090	2,233	8,177	512,984	694,024	39,408		
Basswood			4,370	496,682	3,660			
Yellow-poplar								
Black walnut								
Black cherry			986	47,212	4,625			
Butternut								
Elm			38,936	341,274	9,036	1,299		
Paper birch		3,582	8,903	132,833	55,307	82,102		
Other hardwoods		3,302	432	132,033	33,307.	02,102		
Total	3,520	82,234	318,417	7,836,356	1,086,132	166,696		
10001	3,020	02,234	310,417	,,000,000	1,000,102	100,050		
All species	36,585	96,094	501,316	10,225,051	1,457,782	266,102		

Table 34.--Net volume of growing stock on commercial forest land by species group and ownership class, Western Upper Peninsula, Michigan, 1980

(In thousand cubic feet)

						Owner	Ownership class				
	A11	National	Bureau of Land	Misca			County &	Forest		Misc. priv	Misc. priv
Species group	owners	Forest	Mgmt.	federal	Indian	State	municipal	industry	Farmer	corp.	indiv.
SOFTWOODS											
White pine	153,771	33,494	1	1	1	25,230	645	32,068	5,073	29,343	27,918
Red pine	73,688	29,079	;	!	1	12,441	;	9,265	484	9,636	12,783
Jack pine	104,739	41,016	;	1	;	24,637	7,153	8,386	;	7,164	16,383
White spruce	207,633	42,347	!	112	336	33,184	1,097	58,970	5,784	34,502	31,301
Black spruce	136,530	22,062	;	94	1	34,923	3,182	34,786	2,261	13,791	25,431
Balsam fir	405,475	90,119	;	1,820	106	66,336	4,672	105,480	12,404	51,441	73,097
Hemlock	281,531	46,140	;	!	2,926	19,389	2,455	117,426	10,546	33,073	49,576
Tamarack	34,916	4,750	;	1	1	10,163	628	9,421	1,148	3,016	5,790
Northern white-cedar	330,049	40,363	1	1	592	60,974	7,672	107,638	6,944	62,089	41,104
Other softwoods	337	140	-	:	-	:	:	1	:	120	11
Total	1,728,669	349,510	:	2,026	3,633	287,277	27,504	483,440	44,644	247,175	283,460
HARDWOODS	į	1									
Select white oaks	69/	69/	!	1	!	:	1	1	!	-	1
Select red oaks	85,076	5,046	1	!	258	13,784	!	21,619	3,718	20,688	19,963
Other red oaks	1	:	;	:	!	!	;	:	;	1	:
Hickory	:	:	;	!	:	!	:	:	;	1	:
Yellow birch	321,572	57,113	;	107	3,879	26,141	4,751	121,308	989,6	50,190	48,397
Hard maple	1,404,710	262,451	;	!	7,239	104,263	23,436	488,150	60,924	227,258	230,989
Soft maple	628,509	96,640	!	1	5,829	68,187	6,661	179,001	31,416	104,088	136,687
Beech	488	;	;	;	;	265	;	223	;	!	1
Ash	130,790	35,522	1	1	423	12,976	6,681	39,090	4,273	15,021	16,804
Balsam poplar	42,799	996	1	1	1	16,946	1	9,604	1,619	2,085	11,579
Cottonwood	73	1	;	1	1	:	!	1	73	1	1
Bigtooth aspen	104,484	17,697	;	1	3,682	17,813	2,298	13,365	2,789	19,629	27,211
Quaking aspen	643,017	159,197	!	:	4,734	90,346	13,662	107,476	25,597	95,787	146,218
Basswood	209,228	53,204	!	;	275	19,830	4,040	43,852	14,375	32,893	40,759
Yellow-poplar	:	1	1	1	:	!	1	!	;	1	1
Black walnut	:	:	:	!	:	!	;	!	:	!	!
Black cherry	53,658	8,671	;	;	1	5,298	1,384	20,492	3,622	5,640	8,551
Butternut	1	1	:	!	1	!	!	1	;	;	:
Elm	148,178	31,207	1	!	216	15,342	3,768	34,349	13,656	19,271	30,369
Paper birch	282,834	46,008	1	343	1	38,436	2,526	70,169	13,258	48,958	63,136
Other hardwoods	177	:	:	:	:	:	:	-	-	29	110
Total	4,056,362	774,491	:	450	26,535	429,627	69,207	1,148,698	185,006	641,575	780,773
All species	5,785,031	1,124,001	:	2,476	30,168	716,904	96,711	1,632,138	229,650	888,750	1,064,233

Table 35.--Net volume of sawtimber on commercial forest land by species group and ownership class, Western Upper Peninsula, Michigan, 1980

(In thousand board feet) $\frac{1}{2}$

						0wner:	Ownership class				
			Bureau							Misc.	Misc.
	All	National	of Land	Misc.			County &	Forest		priv	priv
Species group	owners	Forest	Mgmt.	federal	Indian	State		industry	Farmer	corp.	indiv.
SOFTWOODS											
White pine	780,033	168,585	;	1	!	127,912	2,672	159,520	25,018	154,120	142,206
Red pine	279,874	69,803	;	1	;	55,402	;	44,178	1,360	50,180	58,951
Jack pine	276,692	72,215	;	1	;	90,740	19,055	18,394	!	19,119	57,169
White Spruce	745,345	160,352	;	547	709	121,012	3,679	208,573	19,114	128,150	103,209
Black spriice	153,343	17,622		; ;	; ;	39 313	5,469	40 017	2 349	23,730	24 843
Dalen spine	610,043	1/10 2/22		5 106		087.80	288	177 799	12,242	82 001	118 264
Dalsdill III	010,099	146,202	!	004.0		90,400	000,00	144,133	13,709	160,20	110,204
Hemlock	1,444,202	236,632	1	;	15,318	103,626	10,533	61/,55/	54,930	166,2/6	239,330
Tamarack	61,261	4,567	1	!	;	15,155	1,460	20,365	1,891	8,072	9,751
Northern white-cedar	994,377	129,859	;	;	1,126	135,405	27,854	348,233	12,430	230,327	109,143
Other softwoods	589	:	:	1	;	1	-	-	!	589	1
Total	5,346,615	1,001,897	:	5,953	17,153	787,045	76,610	1,601,636	130,801	862,654	862,866
HARDWOODS											
Select white oaks	3,693	3,693	1	-	1	1	1	1	1	;	;
Select red oaks	298,531	20,095	;	;	1,410	45,570	-	75,463	15,591	72,191	68,211
Other red oaks		:	;	1	:	1	;	1	+	;	:
Hickory	;	:	;	;	;	;	;	;	1	;	!
Yellow birch	1,049,376	165,080	1	591	12,291	87,051	13,179	445,122	29,172	152,879	144,011
Hard maple	4,009,886	838,278	1	: 1	14,572	266,446	48,267	1,601,705	111,064	635,631	493,923
Soft maple	1,168,709	163,865	1	1	5,783	108,297	15,350	404,014	52,306	185,118	233,976
Beech	821	!	;	1	1	821	:	1	!	!	:
Ash	278,324	65,693	;	1	1,855	25,861	11,210	101,302	5,421	39,958	27,024
Balsam poplar	153,205	5,799	;	1	;	70,207		27,362	4,821	3,972	41,044
Cottonwood	371	1	;	1	1	:	1	1	371	1	;
Bigtooth aspen	242,428	31,241	1	1	9,897	32,480	7,396	34,979	8,654	43,901	73,880
Quaking aspen	1,360,347	332,869	;	1	7,617	189,449	26,325	222,969	53,902	230,459	296,757
Basswood	505,144	110,954	1	1	1,516	53,255	4,017	118,720	37,350	78,605	100,727
Yellow-poplar	:	!	1	1	;	!	:	;	1	!	!
Black walnut	:	:	;	;	;	:	1	!	1	1	;
Black cherry	55,406	11,114	1	1	1	6,712	750	19,969	3,357	7,103	6,401
Butternut	1	1	;	1	1	1	;	1	!	!	;
티크	396,325	68,412	1	;	651	41,788	9,797	99,559	38,992	55,677	81,449
Paper birch	376,599	51,524	;	1,156	;	40,199	3,358	113,085	10,779	76,829	79,669
Other hardwoods	432	-	-	:	;	:	-	-		432	:
Total	9,899,597	1,868,617	+	1,747	55,592	968,136	139,649	3,264,249	371,780	1,582,755	1,647,072
All species	15,246,212	2,870,514	1	7,700	72,745	1,755,181	216,259	4,865,886	502,581	2,445,409	2,509,938

1/International 1/4-inch rule.

Table 36.--Net volume of growing stock on commercial forest land by forest type and stand-age class, Western Upper Peninsula, Michigan, 1980

	_ _						30	Stand-dge class	ldss (yed	2				
Forest type	classes	0-10	0-10 11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	91-100 101-120	121-140	141+
Jack pine	98,499	1	1,559	11,567	9,255	32,790	29,341	5,422	4,612	2,380	1,573	1	!	;
Red pine	71,492	1	2,983	11,001	13,790	;	1,562	13,838	2,179	7,521	1,377	15,296	1,945	1
White pine	94,424	1	1	1,687	1,558	1,572	+	33,728	4,481	21,874	10,077	7,966	8,283	3,198
	389,503	10,987	10,828	16,617	31,402	76,164	63,194	50,732	47,569	26,927	21,203	24,194	3,380	6,306
White spruce	52,681	1,738	1,004	1	16,686	4,180	8,883	4,565	1,806		1	13,819		
	153,625	8,475	8,261	12,754	11,107	16,184	26,504	24,651	9,258	1	4,193	16,727	10,661	4,850
Northern white-cedar	r 257,330	1,031	3,638	3,781	1,612	11,410	23,560	$30_{\circ}153$	30,333	32,982	18,621	51,211	24,735	24,263
Tamarack	16,614	1,801	2,270	1,709	69	2,116	3,794	389	!	;	2,492	1	!	1,974
Oak-hickory	33,440	!	!	1,117	2,740	7,160		5,203	1	2,897	6,202	4,995	3,126	;
t maple	192,999	4,985	9,649	3,530	8,883	10,596	14,811	16,559	18,284	21,565	11,251	23,246	26,519	23,121
	3,468,840	37,635	42,756	42,609	153,387	521,681	534,345	227,894	234,821	305,296	343,581	586,042	290,797	147,996
Aspen	758,703	33,209	28,600	21,039	102,778	178,303	188,152	64,698	85,492	34,853	6,424	15,155	;	1
birch	196,383	2,578	4,583	2,557	11,828	23,099	65,329	34,052	18,749	12,341	10,479		8,160	2,628
Exotic	1	;	;	;	;	1	;	;	!	!	1	1	!	ł
Nonstocked	498	173	108	1	217	-	:	:	1	-	1	-	-	8
All types	5.785.031 102.612 116.239	102,612		129,968	365 312	885 255	959 475	511 884	457 584	468 636	437 473	758 651	377 606	21/1 336

Table 37.--Net volume of sawtimber on commercial forest land by forest type and stand-age class, Western Upper Peninsula, Michigan, 1980

(In thousand board feet) $\frac{1}{2}$

	All						Stand-a	ge class (y.	ears)					
Forest type	classes	0-10	11-20	21-30	31-40	41-50	51-60	51-60 61-70	71-80	81-90	91-100	101-120	121-140	141+
Jack pine	260.240	1	5,429	10.070	14,164	74.451	110.524	20,895	17,409	948	6.350	İ	1	į
Red pine	205,584	1	6,332	10,073	20,519		4,664	48,362	7,358	24,774	5,619	71.971	5.912	1
White pine	346,191	1	1	2,898	3,743	2,899	+	115,551	18,396	81,861	40,784	33,073	34,441	12,545
Balsam fir	874,053	17,608	14,071	28,924	52,962	149,495	120,002	108,183	126,929	75,814	68,791	76,873	10,729	23.672
White spruce	106,294	8,026	1,253	1	7,883	10,933	19,053	9,233	5,909	1	+	44,004	: 1	1 1
Black spruce	250,956	10,354	9,309	9,371	13,212	23,602	22,313	37,888	7,272	1	15,027	56,370	31,922	14.316
Northern white-cedar	619,964	1,246	3,653	5,418	1,388	14,568	38,943	45,231	48,956	76,314	55,782	161,152	80,991	86.322
Tamarack	36,585	5,865	5,804	1,681	1	3,022	5,959	1	;	1	6,436	;	: :	7.818
Oak-hickory	96,094	1	1	2,078	5,523	17,199	1	9,538	;	11,944	19,723	18,046	12,043	
Elm-ash-soft maple	501,316	11,272	13,838	6,317	16,223	15,511	30,007	26,088	37,089	59,043	41,791	80,346	84,417	79.374
	10,225,051	74,966	95,623	79,044	257,949	941,264	1,071,215	540,387	703,863	1,050,921 1	,264,219	2,257,488	1,176,032	712,080
	1,457,782	51,778	43,940	19,052	136,754	258,152	354,509	161,162	256,035	103,714	19,953	52,733		1
Paper birch	266,102	3,257	4,813	1,184	18,796	23,086	53,901	40,546	39,183	28,370	25,775		20,603	6,588
Exotic	!	1	;	!	1	1	}	-	:	1	1	-	1	;
Nonstocked	;	;	1	:	!	;	;	:	:	;	1	;	;	

 $\frac{1}{2}$ International 1/4-inch rule.

All types

15,246,212 184,372 204,065 176,110 549,116 1,534,182 1,831,090 1,163,064 1,268,399 1,513,703 1,570,250 2,852,056 1,457,090 942,715

Table 38.--Net volume of growing stock on commercial forest land by forest type, stand-size class, and basal-area class, Western Upper Peninsula, Michigan, 1980

Forest type and	A1 1		Basa	l-area clas	ss (square	feet per a	icre)	
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70
Jack pine								
Sawtimber	42,271					2,860	10,387	4,284
Poletimber	54,250		853			428	4,717	6,327
Sapling & seedling	1,978			184	928	621	245	~-
All stands	98,499		853	184	928	3,909	15,349	10,611
Red pine								
Sawtimber	43,718							
Poletimber	26,283					1,492	1,928	
Sapling & seedling	1,491			739			752	
All stands	71,492			739		1,492	2,680	
White pine				·				
Sawtimber	87,835				844			1,504
Poletimber	6,589							
Sapling & seedling								
All stands	94,424				844			1,504
Balsam fir					-			
Sawtimber	120,928						3,579	1,569
Poletimber	233,872			549	570	797	1,695	20,586
Sapling & seedling	34,703	7.7	1,563	269	4,686	2,414	3,082	7,330
All stands	389,503	77	1,563	818	5,256	3,211	8,356	29,485
White spruce								
Sawtimber	18,988					1,369		1,993
Poletimber	30,951					782		
Sapling & seedling	2,742			502		1,236	1,004	
All stands	52,681			502		3,387	1,004	1,993
Black spruce								
Sawtimber	11,358							
Poletimber	108,476				1,450	1,744	6,186	2,561
Sapling & seedling	33,791	80	276	410	3,026	6,916	2,914	7,988
All stands	153,625	80	276	410	4,476	8,660	9,100	10,549
Northern white-cedar								
Sawtimber	132,786					964	898	2,108
Poletimber	115,131							969
Sapling & seedling	9,413			272	255	1,302		504
				272	255	2,266	898	3,581

(Table 38 continued on next page)

(Table 38 continued)							
Forest type and			Basal-area c	lass (square	feet per acr	e)	
stand-size class	71-80	81-90	91-100	101-120	121-150	151-180	181+
Jack pine							
Sawtimber	5,895	3,949	9,981	4,915			
Poletimber	1,303	2,972	4,025		31,381		2,244
Sapling & seedling							
All stands	7,198	6,921	14,006	4,915	31,381		2,244
Red pine							
Sawtimber	2,938	1,945	2,179		25,077	11,579	
Poletimber		1,075	1,969		9,032	10,787	
Sapling & seedling							
All stands	2,938	3,020	4,148		34,109	22,366	
White pine		-					
Sawtimber	7,267		11,388	9,485	14,272	43,075	
Poletimber	3,245	1,572	1,772				
Sapling & seedling							
All stands	10,512	1,572	13,160	9,485	14,272	43,075	
Balsam fir							
Sawtimber		12,366	13,714	15,630	64,905		9,165
Poletimber	13,769	7,905	16,755	61,358	46,491	52,214	11,183
Sapling & seedling	1,545	2,335	5,361	2,864	2,250	927	
All stands	15,314	22,606	35,830	79,852	113,646	53,141	20,348
White spruce							
Sawtimber	1,806	1,939		5,275	6,606		
Poletimber	3,448	1,355	2,397		18,404	4,565	
Sapling & seedling							
All stands	5,254	3,294	2,397	5,275	25,010	4,565	
Black spruce							
Sawtimber	2,528				8,830		
Poletimber	1,287	5,330	11,049	23,216	31,376	8,319	15,958
Sapling & seedling	3,709	1,139	4,189	2,236	908		
All stands	7,524	6,469	15,238	25,452	41,114	8,319	15,958
Northern white-cedar							
Sawtimber	1,889		6,379	30,851	21,456	27,212	41,029
Poletimber	2,408	2,211	9,283	11,114	23,991	28,106	37,049
Sapling & seedling		2,449		1,593	2,685	353	
All stands	4,297	4,660	15,662	43,558	48,132	55,671	78,078

(Table 38 continued on next page)

(Table 38 continued) Forest type and	A11		Basa	l-area cla	ss (square	feet per	acre)	
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70
Tamarack	, · · · · · · · · · · · · · · · · · · ·							
Sawtimber	4,231			301		1,974		
Poletimber	5,790				901		1,289	1,601
Sapling & seedling	6,593	94	968	624	2,059			397
All stands	16,614	94	968	925	2,960	1,974	1,289	1,998
Oak-hickory								
Sawtimber	17,222							
Poletimber	15,101							
Sapling & seedling	1,117							
All stands	33,440							
Elm-ash-soft maple								
Sawtimber	101,769				540		897	
Poletimber	73,799			385	1,476	656		2,184
Sapling & seedling	17,431		748		908	1,781	1,293	4,604
All stands	192,999		748	385	2,924	2,437	2,190	6,788
Maple-birch								
Sawtimber	1,922,331				723	5,545	8,012	27,905
Poletimber	1,443,933					7,943	7,321	45,741
Sapling & seedling	102,576	150	932	1,402	3,279	11,215	14,330	14,608
All stands	3,468,840	150	932	1,402	4,002	24,703	29,663	88,254
Aspen								
Sawtimber	156,204		597		1,734	3,907	4,903	10,750
Poletimber	532,624			1,060	4,371	7,267	13,636	41,561
Sapling & seedling	69,875	440	4,409	6,437	10,762	14,002	6,363	10,119
All stands	758,703	440	5,006	7,497	16,867	25,176	24,902	62,430
Paper birch								
Sawtimber	33,056				765			
Poletimber	153,609			705		960	2,842	1,417
Sapling & seedling	9,718		66	705	401	1,490		1,099
All stands	196,383		66	705	1,166	2,450	2,842	2,516
Exotic								
Sawtimber								
Poletimber								
Sapling & seedling								
All stands								
Nonstocked	498	225	273					
All types	0 440 505						00	50.00
Sawtimber	2,692,697		597	301	4,606	16,619	28,676	50,113
Poletimber	2,800,408		853	1,994	8,768	22,069	39,614	122,947
Sapling & seedling	291,428	841	8,962	11,544	26,304	40,977	29,983	46,649
Nonstocked	498	225	273					

225

1,066

498

5,785,031

853 8,962 273

10,685

13,839

39,678

(Table 38 continued on next page)

98,273

219,709

79,665

Poletimber Sapling & seedling Nonstocked

All stands

(Table 38 continued)		-					
Forest type and			Basal-area	class (square	e feet per ac	re)	
stand-size class	71-80	81-90	91-100	101-120	121-150	151-180	181+
Tamarack							
Sawtimber					1,956		
Poletimber	1,999						
Sapling & seedling	948	1,503					
All stands	2,947	1,503			1,956		
Oak-hickory							
Sawtimber		4,103	3,039	2,898		7,182	
Poletimber				9,851	5,250		
Sapling & seedling				1,117			
All stands		4,103	3,039	13,866	5,250	7,182	
Elm-ash-soft maple							
Sawtimber		2,943	3,109	14,056	40,543	35,909	3,772
Poletimber	3,217	4,017	10,999	9,452	17,774	20,084	3,555
Sapling & seedling	3,590		3,892	615			
All stands	6,807	6,960	18,000	24,123	58,317	55,993	7,327
Maple-birch							
Sawtimber	67,137	65,035	180,502	406,108	757,550	306,048	97,766
Poletimber	65,928	72,851	136,588	345,957	567,564	175,677	18,363
Sapling & seedling	15,030	14,202	8,544	15,200	3,684		
All stands	148,095	152,088	325,634	767,265	1,328,798	481,725	116,129
Aspen							
Sawtimber	15,342	17,824	9,433	22,837	39,653	29,224	
Poletimber	38,315	40,252	55,530	95,240	147,275	50,568	37,549
Sapling & seedling	6,535	688	3,428	6,692			
All stands	60,192	58,764	68,391	124,769	186,928	79,792	37,549
Paper birch							
Sawtimber		1,886	1,350	11,404	12,500		5,151
Poletimber	8,919	7,234	11,941	20,275	80,969	19,052	
Sapling & seedling	1,305	2,528		2,124			
All stands	10,224	11,648	13,291	33,803	93,469	19,052	5,151
Exotic							
Sawtimber							
Poletimber							
Sapling & seedling							
All stands							
Nonstocked							
All types							
Sawtimber	104,802	111,990	241,074	523,459	993,348	460,229	156,883
Poletimber	143,838	146,774	262,308	576,463	979,507	369,372	125,901
Sapling & seedling	32,662	24,844	25,414	32,441	9,527	1,280	
Nonstocked							
All stands	281,302	283,608	528,796	1,132,363	1,982,382	830,881	282,784

Table 39.--Net volume of sawtimber on commercial forest land by forest type, stand-size class, and basal-area class, Western Upper Peninsula, Michigan, 1980

(In thousand board feet) $\frac{1}{}$ /

Forest type and	A11		Basa	l-area cla	ss (square	feet per	acre)	
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70
Jack pine								
Sawtimber	161,918					12,649	48,056	16,042
Poletimber	92,096		2,399				9,698	26,047
Sapling & seedling	6,226				2,383	2,971	872	´
All stands	260,240		2,399		2,383	15,620	58,626	42,089
Red pine								
Sawtimber	168,660							
Poletimber	33,308					2,716	5,116	
Sapling & seedling	3,616						3,616	
All stands	205,584					2,716	8,732	
White pine								
Sawtimber	332,197				3,033			6,378
Poletimber	13,994							
Sapling & seedling								
All stands	346,191				3,033			6,378
Balsam fir								
Sawtimber	375,925						11,999	6,462
Poletimber	445,180			584	666	1,889	4,366	40,642
Sapling & seedling	52,948	360	2,175	834	9,804	4,450	2,703	6,783
All stands	874,053	360	2,175	1,418	10,470	6,339	19,068	53,887
White spruce								
Sawtimber	64,529					6,391		8,225
Poletimber	32,486					1,977		
Sapling & seedling	9,279			2,243		5,783	1,253	
All stands	106,294			2,243		14,151	1,253	8,225
Black spruce								
Sawtimber	35,095							
Poletimber	183,627				2,657	2,057	7,926	5,211
Sapling & seedling	32,234				3,745	10,520	4,376	2,153
All stands	250,956				6,402	12,577	12,302	7,364
Northern white-cedar								
Sawtimber	447,955					2,729	4,341	8,747
Poletimber	159,874							690
Sapling & seedling	12,135			913				334
All stands	619,964			913		2,729	4,341	9,771

(Table 39 continued on next page)

Forest type and			Basal-area d	lass (square	feet per ac	re)	
stand-size class	71-80	81-90	91-100	101-120	121-150	151-180	181+
Jack pine							
Sawtimber	20,565	14,400	36,336	13,870			
Poletimber	1,617	5,416	9,418		36,547		954
Sapling & seedling							
All stands	22,182	19,816	45,754	13,870	36,547		954
Red pine							
Sawtimber	10,283	5,912	7,358		102,577	42,530	
Poletimber	`	2,684	2,676		7,397	12,719	
Sapling & seedling							
All stands	10,283	8,596	10,034		109,974	55,249	
White pine	22 222				54 000		
Sawtimber	33,882		48,366	32,188	51,920	156,430	
Poletimber	6,641	2,899	4,454				
Sapling & seedling	40.500					150 100	
All stands	40,523	2,899	52,820	32,188	51,920	156,430	
Balsam fir		20 21 2	46 500	46 400	106 074		00 144
Sawtimber	22 726	39,310	46,533	46,403	196,074	100 013	29,144
Poletimber	32,726	8,537	33,370	121,230	77,125	109,013	15,032
Sapling & seedling	2,190	4,570	10,448	2,919	5,712	100 010	44 176
All stands	34,916	52,417	90,351	170,552	278,911	109,013	44,176
White spruce	F 000	F 040		10 077	10 005		
Sawtimber Poletimber	5,909 3,243	5,942 1,642	6 202	18,077	19,985	0 222	
Sapling & seedling	3,243	1,042	6,203		10,188	9,233	
All stands	9,152		6,203			9,233	
	9,152	7,584	0,203	18,077	30,173	9,233	
Black spruce Sawtimber	6,931				28,164		
Poletimber	983	5,358	21,261	41,602	43,354	19,806	33,412
Sapling & seedling	3,733	2,269	5,438	71,002	75,557	19,000	33,712
All stands	11,647	7,627	26,699	41,602	71,518	19,806	33,412
Northern white-cedar	22,047	7,027	20,000	12,002	, , , , , , , ,	13,000	00,112
Sawtimber	6,294		20,402	108,220	73,167	98,269	125,786
Poletimber	3,777	4,535	10,813	11,355	32,557	41,324	54,823
Sapling & seedling		5,136		2,681	2,638	433	
All shands	10 071	0 671	21 215	122 256	100 262	140 026	100 600

31,215

122,256

10,071

Poletimber Sapling & seedling All stands

9,671

140,026 180,609 (Table 39 continued on next page)

108,362

(Table 39 continued)								
Forest type and	A11		Basa	l-area cla	ss (square	feet per	acre)	
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70
Tamarack								
Sawtimber	14,597			748		7,818		
Poletimber	8,638				669		2,758	1,891
Sapling & seedling	13,350		4,174	811	4,846			
All stands	36,585		4,174	1,559	5,515	7,818	2,758	1,891
Oak-hickory								
Sawtimber	61,756							
Poletimber	32,260							
Sapling & seedling	2,078							
All stands	96,094							
Elm-ash-soft maple								
Sawtimber	345,648				2,378		3,706	
Poletimber	125,353				1,112	734		3,391
Sapling & seedling	30,315		954		4,047	3,327	485	4,872
All stands	501,316		954		7,537	4,061	4,191	8,263
Maple-birch								,
Sawtimber	7,423,179				2,950	24,761	30,998	108,645
Poletimber	2,583,050					13,768	5,646	81,935
Sapling & seedling	218,822	751	507	4,189	5,086	16,304	29,890	32,061
All stands	10,225,051	751	507	4,189	8,036	54,833	66,534	222,641
Aspen	10,220,001			1,105	0,000	01,000		222,012
Sawtimber	490,671		2,224		6,128	12,316	16,856	35,772
Poletimber	865,754			2,546	3,668	5,384	18,423	66,118
Sapling & seedling	101,357		3,470	11,876	13,403	21,868	12,592	14,780
All stands	1,457,782		5,694	14,422	23,199	39,568	47,871	116,670
Paper birch	1,107,702		0,051	11,122	23,133	03,000	17,071	110,070
Sawtimber	91,486				2,932			
Poletimber	165,362					617	694	2,804
Sapling & seedling	9,254			1,298	1,458			2,018
All stands	266,102			1,298	4,390	617	694	4,822
Exotic	200,102		· · · · · · · · · · · · · · · · · · ·	1,250	1,050	017		1,022
Sawtimber								
Poletimber								
Sapling & seedling								
All stands								
Nonstocked								
All types								
Sawtimber	10,013,616	0	2,224	748	17,421	66,664	115,956	190,271
Poletimber	4,740,982	0	2,399	3,130	8,772	29,142	54,627	228,729
Sapling & seedling	491,614	1,111	11,280	22,164	44,772	65,223	55,787	63,001
Nonstocked	451,014						33,707	
All stands	15,246,212	1,111	15,903	26,042	70,965	161,029	226,370	482,001
5531135	20,210,222	-,	20,500	20,012	, , , , , , ,			,

(Table 39 continued on next page)

Forest type and			Basal-area	class (square	e feet per a	cre)	
stand-size class	71-80	81-90	91-100	101-120	121-150	151-180	181+
Tamarack							
Sawtimber					6,031		
Poletimber	3,320						
Sapling & seedling	462	3,057					
All stands	3,782	3,057			6,031		
Oak-hickory							
Sawtimber		18,483	10,365	11,944		20,964	
Poletimber				22,763	9,497		
Sapling & seedling				2,078			
All stands		18,483	10,365	36,785	9,497	20,964	
Elm-ash-soft maple							
Sawtimber		8,929	12,015	54,876	133,717	116,343	13,684
Poletimber	4,550	4,600	21,214	15,806	28,758	39,513	5,675
Sapling & seedling	8,446		7,637	547		**	
All stands	12,996	13,529	40,866	71,229	162,475	155,856	19,359
Maple-birch							
Sawtimber	272,388	257,445	671,328	1,539,870	2,942,127	1,163,691	408,976
Poletimber	124,258	112,311	209,752	641,735	1,040,333	316,045	37,267
Sapling & seedling	27,064	25,417	28,131	43,347	6,075		
All stands	423,710	395,173	909,211	2,224,952	3,988,535	1,479,736	446,243
Aspen							
Sawtimber	49,712	58,807	28,768	76,353	122,984	80,751	
Poletimber	49,032	51,543	76,085	177,096	250,404	76,443	89,012
Sapling & seedling	10,863	1,419	3,192	7,894			
All stands	109,607	111,769	108,045	261,343	373,388	157,194	89,012
Paper birch							
Sawtimber		6,127	4,269	30,411	29,891		17,856
Poletimber	9,417	5,417	10,089	30,692	84,314	21,318	
Sapling & seedling	1,959	1,059		1,462			
All stands	11,376	12,603	14,358	62,565	114,205	21,318	17,856
Exotic							
Sawtimber							
Poletimber							
Sapling & seedling							
All stands							
Nonstocked	***						
All types							
Sawtimber	405,964	415,355	885,740	1,932,212	3,706,637	1,678,978	595,446
Poletimber	239,564	204,942	405,335	1,062,279	1,620,474	645,414	236,175
Sapling & seedling	54,717	42,927	54,846	60,928	14,425	433	
Nonstocked							

^{1/}International 1/4-inch rule.

700,245

663,224

1,345,921

3,055,419

5,341,536

Poletimber Sapling & seedling Nonstocked

All stands

831,621

2,324,825

Table 40.--Net volume of sawtimber on commercial forest land by species group and log-grade class, Western Upper Peninsula, Michigan, 1980

(In thousand board feet) $\frac{1}{}$ /

	A11		Lo	g grade	
Species group	grades	1	2	3	Tie and timber
SOFTWOODS					
White pine	780,033	51,328	97,679	433,711	197,315
Red pine	279,874	3,870	11,768	252,919	11,317
Jack pine	276,692	699	3,108	270,069	2,816
White spruce	745,345		36,109	709,236	
Black spruce	153,343	760	2,695	149,888	
Balsam fir	610,899	3,018	915	588,913	18,053
Hemlock	1,444,202	25,287	109,919	1,308,996	´
Tamarack	61,261	·		61,261	
Northern white-cedar	994,377	12,008	32,174	950,195	
Other softwoods	589	·		589	
Total	5,346,615	96,970	294,367	4,725,777	229,501
HARDWOODS					
Select white oaks	3,693		52	1,393	2,248
Select red oaks	298,531	26,495	97,415	149,824	24,797
Other red oaks					
Hickory					
Yellow birch	1,049,376	131,272	302,789	570,125	45,190
Hard maple	4,009,884	596,280	1,086,771	2,088,591	238,242
Soft maple	1,168,710	105,476	246,897	795,652	20,685
Beech	821	124	199	469	29
Ash	278,324	36,472	66,713	167,793	7,346
Balsam poplar	153,205	8,765	36,947	96,557	10,936
Cottonwood	371			345	26
Bigtooth aspen	242,428	16,506	54,127	149,147	22,648
Quaking aspen	1,360,348	43,268	156,647	1,016,770	143,663
Basswood	505,144	56,160	163,362	270,429	15,193
Yellow-poplar					
Black walnut					
Black cherry	55,406	3,526	730	43,482	7,668
Butternut					
Elm	396,325	46,406	145,515	176,655	27,749
Paper birch	376,599	3,134	41,844	300,570	31,051
Other hardwoods	432		173	259	
Total	9,899,597	1,073,884	2,400,181	5,828,061	597,471
All species	15,246,212	1,170,854	2,694,548	10,553,838	826,972

^{1/}International 1/4-inch rule.

Table 41.--Net volume of short-log trees on commercial forest land by species group and diameter class, Western Upper Peninsula, Michigan, 1980

(In thousand cubic feet)

				Ω	Diameter class	iss (inches	at breast height	. height)			
	All	-0°6	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	23.0-	29.0-	
Species group	classes	10.9	12.9	14.9	16.9	18.9	20.9	22.9		38.9	39-0+
SOFTWOODS											
White pine	1,014	258	121	81	!	163	75	!	316	!	;
Red pine	143	1	143	:	!	1	!	1	;	1	1
Jack pine	833	303	264	78	1	188	1	1	1	1	;
White spruce	366	527	148	251	:	99	1	;	1	1	ł
Black spruce	1	1	1	1	1	1	1	1	;	1	1
Balsam fir	1,289	809	396	69	1	216	1	1	1	;	;
Hemlock	8,360	2,623	1,774	1,161	089	948	361	491	201	121	1
Tamarack	,	1	;	:	09	!	;	;	;	1	1
Northern white-cedar	13,411	2,902	3,528	1,524	2,043	850	694	760	1,013	26	1
Other softwoods	1	•	•	:	:	:	1	:	:	:	:
Total	26,102	7,221	6,374	3,164	2,783	2,431	1,130	1,251	1,530	218	:
HARDWOODS											
Select white oaks	1	1	:	;	;	;	1	:	1	!	:
Select red oaks	2,266	1	236	377	386	112	628	209	318	1	;
Other red oaks	:	1	1	;	;	;	!	!	;	;	;
Hickory	1	1	1	;	1	;	!	!	;	1	1
Yellow birch	21,050	;	2,938	2,612	3,516	1,789	2,709	1,561	3,384	2,541	;
Hard maple	31,141	1	7,516	5,510	4,697	3,896	2,628	1,529	3,428	1,937	;
Soft maple	13,593	1	4,753	3,057	1,853	1,276	772	208	1,321	53	;
Beech	202	1	95	:	107	:	1	1	1	;	1
Ash	1,062	1	979	184	252	1	1	1	;	1	1
Balsam poplar	392	1	304	:	88	:	1	!	1	1	;
Cottonwood	1	1	1	:	1	1	1	1	1	1	:
Bigtooth aspen	2,568	1	1,015	865	169	263	164	92	1	1	1
Quaking aspen	12,396	!	4,881	2,912	2,623	1,100	703	177	1	1	;
Basswood	3,042	1	1,086	361	544	171	253	381	114	132	1
Yellow-poplar	1	!	1	!	!	!	!	;	;	1	;
Black walnut	1	1	!	;	1	1	;	1	1	+	1
Black cherry	1,706	1	1,053	282	1	371	1	!	1	1	1
Butternut	1	1	1	1	1	1	1	!	1	;	1
Elm	3,832	1	1,923	880	106	492	230	1	201	1	;
Paper birch	3,969	;	2,067	444	426	340	332	281	i	79	1
Other hardwoods	22	-	1	57	-	-	-	-			
Total	97,276	•	28,493	17,541	14,767	9,810	8,419	4,738	8,766	4,742	1
All species	123,378	7,221	34,867	20,705	17,550	12,241	9,550	5,988	10,296	4,960	ł

Table 42.--Net volume of short-log trees on commercial forest land by species group and diameter class, Western Upper Peninsula, Michigan, 1980

<u></u>
feet)
board
thousand
(In

					Diameter class	ass (inches	at	breast height)			
Species group	All classes	9.0	11.0- 12.9	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0-	21.0-	23.0-	29.0- 38.9	39-0+
SOFTWOODS											
White pine	3,350	1,093	453	275	1	505	211	!	816	;	;
Red pine	539	1	539	!	1	1	1	1	1	1	1
Jack pine	2,938	1,241	876	301	;	418	1	ł	1	1	;
White spruce	3,904	2,332	929	821	1	195	1	1	;	1	;
Black spruce	;	;	1	;	;	1	1	;	1	;	;
Balsam fir	4,155	2,481	1,164	246	:	264	1	;	1	1	;
Hemlock	30,012	10,457	6,745	4,024	2,186	2,970	1,423	1,421	527	259	1
Tamarack	186	!	;	!	186	;	;	;	;	;	;
Northern white-cedar	36,766	11,179	10,616	3,887	4,722	1,737	1,660	1,354	1,531	80	1
Other softwoods	1									-	
Total	81,850	28,783	21,051	9,554	7,094	980*9	3,294	2,775	2,874	339	:
HARDWOODS											
Select white oaks	!	1	;	;	1	I	1	1	1	;	1
Select red oaks	6,024	1	588	1,000	638	330	1,877	633	958	1	1
Other red oaks	1	;	;	;	1	!	1	;	1	;	1
Hickory	1	1	1	1	;	1	!	;	1	!	!
Yellow birch	82,879	1	15,866	12,895	14,964	7,094	10,069	6,504	8,906	6,581	:
Hard maple	83,883	1	21,317	15,853	12,889	10,946	6,203	3,380	9,230	4,065	1
Soft maple	41,121	1	14,664	8,348	5,461	3,994	2,738	1,575	4,176	165	;
Beech	202	1	242	!	592	:	!	!	!	1	1
Ash	2,686	1	1,807	491	388	!	1	1	1	;	;
Balsam poplar	866	1	745	1	253	1	!	!	1	1	:
Cottonwood	:	:	:	!	1	1	1	1	1	1	1
Bigtooth aspen	6,036	1	2,502	2,047	402	583	322	180	;	1	;
Quaking aspen	33,808	1	14,035	7,585	6,807	2,833	2,198	350	;	1	1
Basswood	9,112	1	2,729	918	1,493	413	1,033	1,802	343	381	;
Yellow-poplar	!	1	;	;	1	!	1	!	1	;	1
Black walnut	1 1	1	1	!	1 1	;	1	!	1	;	1
Black cherry	4,970	1	3,162	755	!	1,053	1	!	1	;	1
Butternut	1	1	•	1	1	1	1	!	1	1	;
Elm	11,425	1	5,942	2,404	300	1,495	619	1	605	1	1
Paper birch	11,303	1	5,085	1,311	1,278	1,309	1,128	893	1	599	1
Other hardwoods	220	-	+	220	-	-		-	-	:	:
Total	294,972	1	88,684	53,827	45,138	30,050	26,247	15,317	24,218	11,491	1
All species	376 822	28 783	109 735	63 381	52 232	36 136	29 541	18 092	27 092	11 830	!
1	27.00	50,103	100,100	100,000	35,505	001,000	20,072	10,00	100	200	

1/International 1/4-inch rule.

Table 43.--Net annual growth of growing stock on commercial forest land by softwoods and hardwoods, Western Upper Pennisula, Michigan, 1965 and 1979

(In million cubic feet)

Species	1965	1979
Softwoods	40.0	60.9
Hardwoods	98.9	133.8
All species	138.9	194.7

¹/Figures have been adjusted from those published after the 1965 survey to conform to 1979 volumes because of changes in survey definitions and procedures.

Table 44.--Net annual growth of growing stock on commercial forest land by species group and county, Western Upper Peninsula, Michigan, 1979

(In thousand cubic feet)

	A11					County			
Species group	counties	Baraga	Dickinson	Gogebic	Houghton	Iron	Кемеепам	Marquette	Ontonagon
SOFTWOODS									
White pine	4,794	347	283	196	356	791	374	1.879	268
Red pine	3,030	113	190	420	508	364	24	, 902	509
Jack pine	3,999	208	118	263	731	301	i !	1,986	392
00:100	12 011	1 100	990	1 500	100	100	V C 3	20067	202 0
white spruce	118,21	1,198	996	1,528	941	2,195	034	2,040	2,/03
Black spruce	4,936	9//		916	121	1,064	16	1,/19	102
Balsam fir	16,748	1,824	1,395	2,284	1,012	3,217	403	4,209	2,404
Hemlock	6.260	1,209	41	1,228	669	457	2	1,444	1,177
Tamarack	841	153	149	95	6	259	m	170	
Northern white-cedar	7,331	843	1,218	752	518	604	813	2,198	385
Other softwoods	86)		4	1	2	1	76	? m
Total	60,836	6,671	4,982	7,286	4,896	9,254	2,272	17,229	8,246
HARDWOODS									
Select white oaks	17	-	:	4	2	2	1	:	80
Select red oaks	2,599	100	117	264	254	179	373	1,124	188
Other red oaks	!	1	1	1	:	1	1	1	1
Hickory	1	1	1	1	1	1	1	!	1
Yellow birch	6,723	890	127	1,482	1,241	929	361	821	1,175
Hard maple	49,016	6,913	3,178	7,296	7,277	7,190	1,833	8,295	7,034
Soft maple	31,444	4,373	798	3,095	5,424	2,741	1,475	8,992	4,546
Beech	11	1	:	1	1	1	!	11	1
Ash	7,914	444	782	2,122	638	770	53	961	2,144
Balsam poplar	917	27	441	4	80	151	7	224	55
Cottonwood	9	1	1	1	;	9	-	i	;
Bigtooth aspen	2,295	101	162	196	205	360	8	640	623
Quaking aspen	15,664	841	2,478	1,875	1,500	2,896	316	2,068	3,690
Basswood	7,530	287	1,164	1,306	922	1,087	32	473	2,259
Yellow-poplar	;	1	!	-	:	1	į	1	!
Black walnut	1	1	1	-	;	1	1	!	1
Black cherry	2,109	345	179	337	148	431	6	427	233
Butternut	:	:	1	1	!	1	!	1	1
Elm	-1,291	-38	166	-334	-242	-338	-22	-12	-471
Paper birch	8,873	203	1,221	610	571	1,933	9/9	2,565	890
Other hardwoods	ω	-	-	3	-	-	-	1	5
Total	133,835	14,791	10,813	18,260	17,948	18,034	5,021	26,589	22,379
All species	194,671	21.462	15.795	25.546	22,844	27.288	7.293	43,818	30,625
						2 - 6			

Table 45.--Net annual growth of sawtimber on commercial forest land by species group and county, Western Upper Peninsula, Michigan, 1979

(In thousand board feet) $\frac{1}{2}$

	A11					County			
Species group	counties	Baraga	Dickinson	Gogebic	Houghton	Iron	Keweenaw	Marquette	Ontonagon
SOFTWOODS									
White pine	25,759	1,901	1,350	1,032	2,327	4,779	2.019	9,029	3,322
Red nine	12,329	449	483	1,266	2,101	1,292	621	4,173	1,944
Jack pine	21,954	1.226	88	1,051	3,406	1,144	; !	12,910	2,129
White spruce	53,710	6,795	4.135	7,857	6,012	8,674	3,263	8,249	8,725
Black spruce	5,499	277	853	349	-192	1,612	45	2,629	-74
Ralsam fir	44 394	3.728	5.163	6 552	4 522	7,704	830	9 227	6 668
Hemlock	37 543	7,070	192	6 735	3 910	2 518	35	10 177	900,0
Taganar	3 722	1 043	161	807	151	826	31	571	227
Northern white coder	32,722	2,043	7 053	/ 053	2 680	020	3 255	37.1 6.656	7 452
Other softwoods	35,141	7/160) 	8	7,000	070 %	0,2,0	0,00	76467
Total	237,059	25,961	16,386	30,610	24,917	33,169	10,099	63,621	32,296
HARDWOODS									
Select white oaks	104	7	;	23	12	10	1	;	52
Select red oaks	15,496	273	1,116	1,600	2,016	503	2,154	7,455	379
Other red oaks		;				;			1
Hickory	1	;	1	;	;	;	!	;	;
Yellow birch	19,639	4,590	140	1,471	5,882	1,988	1,521	2,414	1,633
Hard maple	139,326	24,066	5,119	15,433	22,959	20,437	6,324	27,446	17,542
Soft maple	79,450	15,687	2,581	7,973	14,100	9,248	4,255	17,277	8,329
Beech	80	1	1	1	:	1	1	80	:
Ash	31,615	2,267	2,235	11,297	2,879	1,998	578	3,289	7,072
Balsam poplar	4,484	59	2,715	19	19	198	!	1,269	205
Cottonwood	27	1	1	:	1	27	!	1	;
Bigtooth aspen	17,011	398	1,598	1,738	2,592	1,567	- -7	4,390	4,735
Quaking aspen	93,060	3,927	6,374	14,885	10,716	14,609	2,217	14,313	26,019
Basswood	29,144	265	2,860	5,127	2,289	4,519	146	2,565	8,041
Yellow-poplar	;	;	1	!	:	1	1	1	1
Black walnut	1	!	1	!	1	1	1	1	1
Black cherry	4,548	1,931	30	750	89	66	1	1,622	48
Butternut	1	:	1	1	1	1	1	1	1
Elm	1,630	-119	860	1,405	853	-105	-139	-198	-927
Paper birch	28,787	3,818	2,248	1,904	4,888	6,483	2,269	5,876	1,301
Other hardwoods	16		:	1	1	1	1 1	!	16
Total	464,345	57,501	30,876	63,625	69,273	61,581	19,318	87,726	74,445
All species	701,404	83.462	47.262	94.235	94,190	94.750	29,417	151.347	106.741

1/International 1/4-inch rule.

Table 46.--Net annual growth of growing stock on commercial forest land by species group and ownership class, Western Upper Peninsula, Michigan, 1979

(In thousand cubic feet)

						0wners	Ownership class				
			Bureau							Misc.	Misc.
Species group	All owners	National Forest	of Land Mgmt.	Misc. federal	Indian	State	County & municipal	Forest industry	Farmer	priv corp.	priv indiv.
SOFTWOODS											
White pine	4,794	1,010	1	;	;	816	23	1,020	163	919	843
Red pine	3,030	1,630	1	;	;	438	1	509	35	191	527
Jack pine	3,999	1,560	1	1	1	946	370	363	1	229	531
White spruce	12,811	2,363	;	9	66	1,957	140	4,146	477	1,754	1,869
Black spruce	4,936	645	;	_	1	296	115	1,450	131	350	1,277
Balsam fir	16,748	3,452	;	36	2	2,327	139	4,860	846	1,610	3,476
Hemlock	6,260	905	1	;	47	373	62	2,586	220	813	1,257
Tamarack	841	S	1	;	;	466	8	148	28	111	75
Northern white-cedar	7,331	700	;	;	2	1,830	106	2,313	298	991	1,091
Other softwoods	98	∞	1	1	1	:	-	-		2	9/
Total	60,836	12,275	1	43	150	10,120	696	17,095	2,198	0,60	11,022
HARDWOODS											
Select white oak	17	17	;	;	;	1	;	;	;	1	1
Select red oaks	2,599	135	1	;	2	434	1	671	94	585	675
Other red oaks	:	1	;	;	;	1	1	;	;	;	1
Hickory	1	:	;	;	1	1	:	;	1	!	-
Yellow birch	6,723	677	;	2	43	202	35	2,062	292	1,746	1,089
Hard maple	49,016	7,147	1	1	156	4,185	1,389	16,691	2,483	8,127	8,838
Soft maple	31,444	5,436	1	1	207	3,443	320	7,874	1,858	5,005	7,301
Beech	11	:	1	;	;	വ	1 }	9	1 3	1 ;	1
Ash	7,914	1,764	;	1	12	778	407	2,391	400	1,119	1,043
Balsam poplar	917	18	1	1	;	315	:	267	42	20	225
Cottonwood	9	1	;	1	;	1	1	1	9	1 }	1
Bigtooth aspen	2,295	743	1	1	48	342	30	121	44	489	478
Quaking aspen	15,664	2,783	1	;	78	2,775	389	2,716	1,081	2,349	3,493
Basswood	7,530	1,570	1	1	2	721	162	1,703	529	1,314	1,529
Yellow-poplar	1	;	1	1	;	!	:	1	!	1	1
Black walnut	!	1	1	;	1	1	!	;	;	;	1
Black cherry	2,109	331	1	!	;	242	99	691	113	291	375
Butternut	1	1	1	1	1	1	;	;	1	:	1
Elm	-1,291	-519	;	1	9-	-75	-30	-322	-190	-42	-107
Paper birch	8,873	1,144	1	5	1	1,531	69	1,948	477	1,200	2,499
Other hardwoods	8	-	-		-	1				2	3
Total	133,835	21,546		7	545	15,203	2,837	36,819	7,199	22,238	27,441
All species	194,671	33,821	!	50	695	25,323	3,800	53,914	9,397	29,208	38,463

Table 47.--Net annual growth of sawtimber on commercial forest land by species group and ownership class, Western Upper Peninsula, Michigan, 1979

(In thousand board feet) $\underline{1}/$

						0wners	Ownership class				
	נימ	F 0 1 2 4 4 1 M	Bureau	7.7			9			Misc.	Misc.
Species aroup	OWNERS	Forest	Mamt	Misc. federal	Indian	State	county &	industrv	Farmer	priv	priv.
SOFTWOODS			C								
White pine	25,759	5,443	;	;	;	4,779	88	4,843	754	5,141	4,711
Red pine	12,329	2,967	;	;	;	2,655	;	719	72	1,511	1,405
Jack pine	21,954	7,661	;	1	;	8,409	582	993	1	2,224	2,085
White spruce	53,710	13,900	;	546	25	9,357	680	11,201	1,885	9,574	6,515
Black spruce	5,499	-160	;	1	;	1,962	470	2,770	559	-134	32
Balsam fir	44,394	8,114	;	127	;	7,606	916	11,311	1,330	4,451	10,539
Hemlock	37,543	4,813	;	1	240	2,005	236	18,531	1,150	4,923	5,645
Tamarack	3,722	1,443	1	1	;	1,069	34	903	7	149	1117
Northern white-cedar	32,141	6,161	;	;	11	4,793	357	10,270	613	5,082	4,854
Other softwoods	8	1	;	}	;	1	1	:	1	ω,	
Total	237,059	53,342		673	303	42,635	3,363	61,541	6,370	32,929	35,903
HARDWOODS											
Select white oaks	104	104	;	1	;	!	1	;	;	;	;
Select red oaks	15,496	575	1	1	30	1,656	1	5,188	926	2,782	4,289
Other red oaks	1	;	1	1	;	ł	1	;	;	:	!
Hickory	1	1	;	:	;	1	;	;	:	1	1
Yellow birch	19,639	802	;	13	579	744	-128	8,788	2,003	4,367	2,468
Hard maple	139,326	17,920	;	+	180	9,410	2,270	55,991	7,215	22,291	24,049
Soft maple	79,450	15,132	;	;	215	7,478	926	22,039	5,970	9,773	17,887
Beech	80	1	1	!	;	∞	;	;	;	1	1
Ash	31,615	7,854	;	;	48	3,989	2,329	7,504	243	5,707	3,941
Balsam poplar	4,484	88	1	1	;	2,427	+	1,296	87	81	505
Cottonwood	27	;	:	;	;	!	;	;	27	;	;
Bigtooth aspen	17,011	7,736	;	;	28	623	65	866	793	2,208	4,530
Quaking aspen	93,060	27,690	1	;	115	12,623	4,507	16,283	3,517	11,755	16,570
Basswood	29,144	6,858	1	;	16	5,566	753	6,043	2,144	3,551	4,213
Yellow-poplar	;	;	1	;	;	1	1	!	:	;	1
Black walnut	;	:	;	;	1	1	1	!	-	1	;
Black cherry	4,548	118	;	1	!	99	6.	2,678	816	73	788
Butternut	:	1	;	1	;	1	;	1	;	1	1
Elm	1,630	-2,077	1	;	-19	1,836	-250	3,791	-214	-662	-775
Paper birch	28,787	8,104	1	12	1	4,351	49	5,996	1,449	4,572	4,254
Other hardwoods	16	:	:	:	:	1	-			16	
Total	464,345	90,907	-	25	1,222	50,777	10,560	136,595	25,026	66,514	82,719
All species	701,404	144,249	!	869	1,525	93,412	13,923	198,136	31,396	99,443	118,622
1/7 10.	-										

1/International 1/4-inch rule.

Table 48.--Net annual growth of growing stock on commercial forest land by species group and forest type, Western Upper Peninsula, Michigan, 1979

(In thousand cubic feet)

					Forest ty	pe		
	A11	Jack	Red	White	Balsam	White	Black	Northern
Species group	types	pine	pine	pine	fir	spruce	spruce	white-cedar
SOFTWOODS								
White pine	4,794	54	233	1,490	533	117	121	88
Red pine	3,030	463	1,695	96	65	2	142	1
Jack pine	3,999	3,031	71	7	24	71	255	
White spruce	12,811	12	44	226	2,968	2,006	118	256
Black spruce	4,936	4	11	27	665	28	3,449	38
Balsam fir	16,748	33	11	-6	6,039	133	449	-465
Hemlock	6,260			9	115		14	9
Tamarack	841			-1	80	-1	390	-177
Northern white-cedar	7,331			15	843	36	411	3,651
Other softwoods	86		8				76	
Total	60,836	3,597	2,073	1,863	11,332	2,392	5,425	3,401
HARDWOODS					•	 		
Select white oaks	17							
Select red oaks	2,599	47	34	89	23			
Other red oaks								
Hickory								
Yellow birch	6,723			2	121	4	12	131
Hard maple	49,016		49	136	147	39	10	139
Soft maple	31,444	8	40	280	1,039	127	219	208
Beech	11							
Ash	7,914				226		69	214
Balsam poplar	917		2		105	1	5	44
Cottonwood	6							
Bigtooth aspen	2,295	11	49		-30		6	-18
Quaking aspen	15,664	105	101	213	564	216	108	101
Basswood	7,530			14	7			
Yellow-poplar	´ 							
Black walnut								
Black cherry	2,109				100	6	8	4
Butternut	-,-							
Elm	-1,291			-2	-36	3		54
Paper birch	8,873	6	59	101	839	36	321	118
Other hardwoods	8							
Total	133,835	177	334	833	3,105	432	758	995
All species	194,671	3,774	2,407	2,696	14,437	2,824	6,183	4,396

(Table 48 continued on next page)

				Fores	t type			
		0ak-	Elm-ash-	Maple-		Paper		Non-
Species group	Tamarack	hickory	soft maple	birch	Aspen	birch	Exotic	stocked
SOFTWOODS								
White pine	8	40	54	1,329	574	149		4
Red pine		29		23	463	51		
Jack pine				144	298	90		8
White spruce	53	5	414	3,599	2,595	515		
Black spruce	211	2	177	89	227	8		
Balsam fir	38	3	396	5,903	3,537	677		
Hemlock			279	5,718	97	19		
Tamarack	501		5		40	4		
Northern white-cedar	91		570	1,433	168	113		
Other softwoods				2				
Total	902	79	1,895	18,240	7,999	1,626		12
HARDWOODS								
Select white oaks					17			
Select red oaks		673	20	1,228	385	100		
Other red oaks								
Hickory								
Yellow birch		5	250	5,955	133	110		
Hard maple		91	646	44,687	2,504	568		
Soft maple		104	1,634	22,122	3,877	1,786		
Beech			·	11	·			
Ash		6	2,775	3,987	589	48		
Balsam poplar	3		27	105	603	22		
Cottonwood					6			
Bigtooth aspen		53		122	2,007	95		
Quaking aspen	10	9	76	3,165	10,788	199		9
Basswood			68	7,181	247	13		
Yellow-poplar								
Black walnut								
Black cherry			18	1,607	343	23		
Butternut				·				
Elm			-161	-1,318	69	100		
Paper birch	12	48	101	1,316	2,425	3,484		7
Other hardwoods			5	3	·			
Total	25	989	5,459	90,171	23,993	6,548		16
All species	927	1,068	7,354	108,411	31,992	8,174		28

Table 49.--Net annual growth of sawtimber on commercial forest land by species group and forest type, Western Upper Peninsula, Michigan, 1979

(In thousand board feet) $\frac{1}{}$ /

Species group SOFTWOODS White pine Red pine Jack pine	A11 types 25,759 12,329 21,954 53,710	Jack . pine 253 768 18,038	Red pine 1,537 9,201	White pine	Balsam fir	White spruce	Black spruce	Northern white-cedar
SOFTWOODS White pine Red pine	25,759 12,329 21,954 53,710	253 768	1,537		fir	spruce	spruce	white-cedar
White pine Red pine	12,329 21,954 53,710	768		7,664				
Red pine	12,329 21,954 53,710	768		7,664				
	12,329 21,954 53,710		9,201		3,130	524	625	547
	21,954 53,710	18 038		476	280	12	399	5
	53,710	10,000	524	50	29	26	286	
White spruce		62	53	634	15,341	3,382	396	341
Black spruce	5,499	3		916	2,510	543	880	19
Balsam fir	44,394	185	529	15	15,282	556	-524	-1,516
Hemlock	37,543			53	953		76	43
Tamarack	3,722			- 9	714	-18	1,626	-202
Northern white-cedar	32,141			29	4,718	80	3,147	12,123
Other softwoods	8							
Total	237,059	19,309	11,844	9,828	42,957	5,105	6,911	11,360
HARDWOODS								
Select white oaks	104							
Select red oaks	15,496	44	148	15				
Other red oaks								
Hickory								
Yellow birch	19,639				1,416		34	199
Hard maple	139,326			71	245	33	25	114
Soft maple	79,450		9	134	6,891		31	311
Beech	8							
Ash	31,615				139		1,101	105
Balsam poplar	4,484		9		129		19	- 37
Cottonwood	27							
Bigtooth aspen	17,011	23	666		-176			-100
Quaking aspen	93,060		56	121	5,952	754	763	-24
Basswood	29,144				10		700	
Yellow-poplar								
Black walnut								
Black cherry	4,548				18			4
Butternut	7,540							
Elm	1,630				683	-6		- 9
Paper birch	28,787	13	53	743	352	15	1,755	664
Other hardwoods	16			743			1,755	
Total	464,345	80	941	1,084	15,659	796	3,728	1,227
10041	107,070		771	1,004	10,000	7.50	0,720	1,5227
All species	701,404	19,389	12,785	10,912	58,616	5,901	10,639	12,587

(Table 49 continued on next page)

 $[\]frac{1}{I}$ International $\frac{1}{4}$ -inch rule.

(Table 49 continued)

				Fore	st type			
		0ak-	Elm-ash-	Maple-		Paper		Non-
Species group	Tamarack	hickory	soft maple	birch	Aspen	birch	Exotic	stocked
SOFTWOODS								
White pine	52	205	279	6,701	3,469	773		
Red pine		141		92	700	255		
Jack pine				68	2,121	812		
White spruce		28	1,637	18,492	11,806	1,538		
Black spruce	33		441	-314	514	-46		
Balsam fir	33		749	17,971	10,442	672		
Hemlock			862	35,320	156	80		
Tamarack	1,401		36		169	5		
Northern white-cedar	961		1,951	7,065	1,088	979		
Other softwoods				7,003				
Total	2,480	374	5,955	85,403				
HARDWOODS	2,400	3/4	3,933	05,405	30,465	5,068		
Select white oaks					104			
		2 050		0.616	104	740		
Select red oaks		3,852	19	8,616	2,060	742		
Other red oaks								
Hickory			1 000	15 006				
Yellow birch		8	1,988	15,926	33	35		
Hard maple		583	380	136,424	1,308	143		
Soft maple		15	3,361	64,098	3,719	881		
Beech				8				
Ash		33	14,146	14,888	1,162	41		
Balsam poplar	7		23	684	3,020	630		
Cottonwood					27			
Bigtooth aspen		58		1,652	14,816	72		
Quaking aspen	11	13	-174	25,325	58,745	1,518		
Basswood			657	28,396	81			
Yellow-poplar								
Black walnut								
Black cherry			12	4,453	61			
Butternut								
Elm			-510	915	579	-22		
Paper birch		54	103	7,490	3,733	13,812		
Other hardwoods			16					
Total	18	4,616	20,021	308,875	89,448	17,852		
			•					
All species	2,498	4,990	25,976	394,278	119,913	22,920		

Table 50.--Net annual growth of growing stock on commercial forest land by forest type and stand-age class, Western Upper Peninsula, Michigan, 1979

(In thousand cubic feet)

	All						St	Stand-age class	lass (years	(s.				
Forest type	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-140	141+
Jack pine	3,774	1	79	598	789	921	1.077	184	45	88	-7	;	;	1
Red pine	2,407	1	170	520	712	1	71	264	65	165	54	335	51	1
White pine	2,696	1	1	177	75	135	}	616	134	779	257	192	227	104
Balsam fir	14,437	682	735	899	1,888	2,814	2,734	1,515	1,411	623	381	799	8	179
White spruce	2,824	118	43	1	1,456	164	393	129	87	1	1	434	1	1
Black spruce	6,183	611	612	936	510	783	1,416	610	480	1	33	81	86	13
Northern white-cedar	4,396	22	148	150	100	397	296	476	663	1,131	336	563	136	-22
Tamarack	927	9/	69	180	4	229	222	15	;	1	107	1	1	25
Oak-hickory	1,068	1	;	53	173	225	1	220	1	70	121	146	09	1
Elm-ash-soft maple	7,354	167	176	205	634	693	879	989	528	630	230	553	650	723
Maple-birch	108,411	2,715	2,898	1,976	7,587	20,142	19,512	7,578	7,864	8,225	8,876	13,610	5,738	1,690
Aspen	31,992	2,508	1,735	1,123	5,086	7,633	7,673	2,337	2,361	1,033	232	271	1	:
Paper birch	8,174	109	264	66	672	1,038	3,111	1,473	620	387	128	1	234	39
Exotic	1	;	;	1	;	!	!	;	1	1	ł	;	1	1
Nonstocked	28	11	8	1	6	:	-	1	1	:	-	:	:	-
All types	194,671 7,019	7,019	7,537	6,685	19,695	35,174	37,384	16,103	14,258	13,131	10,748	16,984	7,202	2,751

Table 51.--Net annual growth of sawtimber on commercial forest land by forest type and stand-age class, Western Upper Peninsula, Michigan, 1979

17
feet)
board
thousand
(In

	A11						St	Stand-age class (years	ass (year	(\$,				
Forest type	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	91-100 101-120	121-140	141+
Jack pine	19,389	-	172	2,261	3,811	2,614	8,559	1,634	433	30	-125	1	;	;
Red pine	12,785	;	278	292	5,062		853	1,029	999	1,218	799	2,489	66	}
White pine	10,912	;	;	95	140	77	;	2,959	529	3,124	1,751	884	916	437
Balsam fir	58,616	991	1,929	2,756	6,784	9,819	8,809	7,945	14,212	2,311	1,518	1,335	-103	310
White spruce	5,901	283	75	;	798	964	546	1,556	283	1	;	1,396	;	;
Black spruce	10,639	202	1,058	747	1,161	219	787	3,024	114	1	750	1,061	1,329	-271
Northern white-cedar	12,587	24	63	6	295	2,109	877	2,511	957	1,712	243	1,805	1,864	30
Tamarack	2,498	776	202	009	;	45	144	!	1	1	397	1	1	133
Oak-hickory	4,990	1	;	75	120	951	;	759	1	1,367	1,028	490	200	;
Elm-ash-soft maple	25,976	194	1,425	634	1,717	573	3,700	1,379	1,171	4,564	1,948	3,273	2,196	3,202
Maple-birch	394,278	6,139	6,280	3,860	16,213	58,308	52,573	20,950	35,707	46,562	38,145	68,049	30,701	10,791
Aspen	119,913	5,251	3,611	1,107	12,398	29,545	36,497	13,073	9,863	5,523	1,100	1,945	1	1
Paper birch	22,920	119	187	23	918	1,296	11,135	2,705	1,470	1,162	3,556	1	278	71
Exotic	1	-	;	1	1	1	!	!	;	1	1	1	;	i
Nonstocked	1	-	:	:	-	:		:	:	;	:	:	:	:
All types	701,404	701,404 14,180 15,280	15,280	12,547	49,417	106,978	124,480	59,524	65,405	67,573	51,110	82,727	37,480	14,703

 $\frac{1}{2}$ /International 1/4-inch rule.

Table 52.--Net annual growth of growing stock on commercial forest land by forest type, stand-size class, and basal-area class, Western Upper Peninsula, Michigan, 1979

(In thousand cubic feet)

1,372	Forest type and	411						Basal	area clas	area class (square feet per acre)	feet per	acre)				
Freeding 1,372 5 1 102 451 79 268 210 113 149 1,088 1,	stand-size class	classes	0-10	11-20	21-30	31-40	41-50		61-70	71-80	81-90	91-100	101-120	121-150	151-180	181+
A seedling 2,296 50 102 52 52 52 52 52 52 52 52 52 52 52 52 52	Jack pine	1 272					100	100	5	036	610	113	071			
8 seedling 1,104	Sawtimber Polotimber	2,2,7	: :	¦ &	: :	: :	70T	40T	205	105	148	103	143	1 088	1 1	45
Freedring 1,004 50 11 51 146 1,003 284 373 358 216 149 1,089 Freedring 1,551 34 118 127 125 151 65 915 812 Freedring 2,407 34 118 127 125 100 176 915 812 Freedring 2,607 34 118 127 125 100 176 915 812 Freedring 3,026 34 130 56 488 135 398 366 442 801 Freedring 1,910 3	Sapling & seedling	104	1 1	3	=	51	16	26 26	3	3 !	<u> </u>	3 :	l i	200.4	l	? !
Recording 1,004 -126 51 65 49 111 410 554 and seedling 2,87 49 111 410 554 and seedling 2,87 125 125 100 176 915 812 and seedling 4,55 256 125 135 68 36 442 801 and seedling 2,566 56 216 915 142 801 and seedling 3,026 56 468 135 394 409 368 442 801 and seedling 3,026 56 468 135 394 402 368 1,31 and seedling 4,501 56 468	All stands	3,774	:	50	=	51	146	•	284	373	358	216	149	1,088	-	45
tedling 1,351	Red pine	500								105	13	3.7		202	950	
2,241	Dolotimber Dolotimber	1,004	1 :	: 1	: ;	: :	1 2	1 2	: :	671	40	1.5	¦ ;	410	554	1 1
2,407 34 118 127 125 100 176 915 812 eedling 455 <	Sapling & seedling	1,331		1	34	: :	110	18	i ;	;	F	:	1 1	2 1	5 :	1
eedling 2,241	All stands	2,407	:	;	34	1	118	127	-	125	100	176	1	915	812	:
eedling 2,241 30 50 21b 330 300 442 801 2,656 56 468 135 398 366 442 801 2,656 56 468 135 398 366 442 801 2,656 56 468 135 398 366 442 801 eedling 2,501 56 468 135 398 366 442 801 eedling 2,015 56 468 135 398 366 442 801 eedling 2,015	White pine					Č			ì			000	000	0 * *	100	
455	Sawtimber	2,241	;	1	1	30	!	1	20	216	1 }	330	300	744	801	;
gedling 2,636	Poletimber	455	;	:	:	1	:	:	1	252	135	89	1	1	1	;
s 2,696 30 56 468 135 398 366 442 801 eedling 3,026 1,683 1,683 1,684 1,912 1,647 891 3,172 1,664 1,311 55 267 123 534 120 123 266 123 123 1,030 640 427 891 3,172 1,664 1,311 25 267 123 534 120 123 266 123 534 120 123 266 1,689 760 944 1,566 3,588 3,383 1,336	Sapling & seedling	1	1	:	;	:	:	:	:	•	;	1	1		-	-
eedling 3,026	All stands	2,696	-	-	:	30	;	-	99	468	135	398	366	442	801	1
3,026	Balsam fir															
eedling 9,501 29 23 23 1,030 640 427 891 3,172 1,664 1,311 s 1,910 2 85 11 255 267 123 534 120 123 266 123 534 120 123 265 267 123 534 120 123 266 123 266 123 161 <t< td=""><td>Sawtimber</td><td>3,026</td><td>:</td><td>1</td><td>1</td><td>1</td><td>1</td><td>64</td><td>125</td><td>1</td><td>394</td><td>409</td><td>293</td><td>1,683</td><td>:</td><td>28</td></t<>	Sawtimber	3,026	:	1	1	1	1	64	125	1	394	409	293	1,683	:	28
eedling 1,910 2 85 11 255 267 123 534 120 123 206 123 36 25 s 14,437 2 85 40 278 290 220 1,689 760 944 1,506 3,588 3,383 1,336 25 eedling 2,015 276 143 46 1,386 129 s 2,015	Poletimber	9,501	1	1	59	23	23	33	1,030	640	427	891	3,172	1,664	1,311	258
s 14,437 2 85 40 278 290 220 1,689 760 944 1,506 3,588 3,383 1,336 eedling eedling 2,015 66 276 143 1,386 129 s 2,015 36 1,386 129 s 2,015 36 43	Sapling & seedling	1,910	2	85	11	255	267	123	534	120	123	506	123	36	25	:
eedling 2,015 147 1,386 129 eedling 2,015 276 143 46 1,386 129 s 2,015	All stands	14,437	2	85	40	278	290	220	1,689	260	944	1,506	3,588	3,383	1,336	316
eedling 2,015 62 66 87 68 218 147 eedling 2,015 1,386 129 s 2,814 82 133 43	White spruce															
2,015 276 143 46 1,386 129 eedling 2,824 276 143 46 1,386 129 eedling 2,824	Sawtimber	648	1	1	1	1	62	1	99	87	89	1	218	147	1	1
s 2,824 82 133 43 82 133 129	Poletimber	2,015	1	1	1	1	32	;	!	276	143	46	;	1,386	129	1
s 2,824 82 133 43 66 363 211 46 218 1,533 129 eedling 128	Sapling & seedling	161	1	-	82	1	36	43	-	-	:	:	1		1	-
128	All stands	2,824	-	-	82	!	133	43	99	363	211	46	218	1,533	129	-
128 44 84 3,681 66 107 297 80 46 455 226 1,268 840 -15 2,374 3 14 17 224 403 212 500 123 36 499 188 155 6,183 3 14 17 290 510 509 580 213 491 725 1,456 1,079 -15 1,060 31 12 41 90 134 527 181 -38 2,938 24 115 54 332 507 651 579 398 54 54 38 170 8 4,396 6 6 137 12 75 205 108 466 1,072 1,002 549	Black spruce															
3,681 -6 107 297 80 46 455 226 1,268 840 -15 2,374 3 14 17 224 403 212 500 123 36 499 188 155 6,183 3 14 17 290 510 509 580 213 491 725 1,456 1,079 -15 1,060 31 12 41 90 134 527 181 -38 2,938 24 115 54 332 507 651 59 38 <t< td=""><td>Sawtimber</td><td>128</td><td>1</td><td>;</td><td>1</td><td>1</td><td>1</td><td>!</td><td>1</td><td>44</td><td>1</td><td>1</td><td>;</td><td>84</td><td>1</td><td>1</td></t<>	Sawtimber	128	1	;	1	1	1	!	1	44	1	1	;	84	1	1
2,374 3 14 17 224 403 212 500 123 36 499 188 155 6,183 3 14 17 290 510 509 580 213 491 725 1,456 1,079 -15 1,060 31 12 41 90 134 527 181 -38 2,938 24 115 54 332 507 651 579 398 6 6 106 54 38 170 8 4,396 6 6 137 12 75 205 108 466 1,072 1,002 549	Poletimber	3,681	1	1	1	99	107	297	80	46	455	226	1,268	840	-15	311
6,183 3 14 17 290 510 569 580 213 491 725 1,456 1,079 -15 1,060 -1 31 12 41 90 134 527 181 -38 2,938 24 115 54 332 507 651 579 398 6 6 106 54 38 170 8 4,396 6 6 137 12 75 205 108 466 1,072 1,002 549	Sapling & seedling	2,374	33	14	17	224	403	212	200	123	36	499	188	155	1	:
1,060 31 12 41 90 134 527 181 -38 2,938 6 6 106 10 75 205 108 466 1,072 1,002 549	All stands	6,183	3	14	17	290	510	509	580	213	491	725	1,456	1,079	-15	311
redling 398 6 6 137 12 75 205 108 466 1,072 1,002 549	Northern white-cedar								:				ŗ	•	ć	ć
2,938 24 115 54 332 507 651 579 398 6 6 106 10 54 38 170 8 4,396 6 6 137 12 75 205 108 466 1,072 1,002 549	Sawtimber	1,060	1	1	1	!	31	12	41	9	11	134	527	181	138	28
4,396 6 6 137 12 75 205 108 466 1,072 1,002 549	Poletimber	2,938	1	;	! 4	۱ ۹	100	:	24	II5	5 P	332	20/	150	9/6	9/9
4,396 6 6 13/ 12 /5 205 108 466 1,0/2 1,002 549	Saping a secuning	350	:	:	9		100				10			0/1		
	All stands	4,396	:		9	9	137	12	75	205	108	466	1,072	1,002	549	/58

(Table 52 continued)	114						Basal	area cl	class (square	feet	ner acre)				
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60			81-90		101-120	121-150	151-180	181+
Tamarack															
Sawtimber	123	:	1	14	1 3	52	13	1 3	1 3	!	1	:	84	!	1
Poletimber Sanling & seedling	266 538	۳ ا	1 %	5	83	1 1	24	33	120	172	: ;	1 1	1 1	1	: :
A11 nt and n	760	,	33	18	160	25	2.4	3 0	253	170			70		
All stallas	351	2	36	2	100	67	4.7	113	503	7/1	:	:	04	-	•
Jak-nickory Sawtimber	396	ł	1	ł	1	;	1	1	ŀ	116	98	70	;	124	;
Poletimber	619	;	i	;	;	;	;	;	;	1	1	387	232		;
Sapling & seedling	53	;	1	1	1	:	:	:	!	1	;	53	1	;	;
All stands	1,068	1	ţ	:	:	1	1	:	:	116	98	510	232	124	:
Elm-ash-soft maple															
Sawtimber	2,617	;	1	1	17	1	23	1	-	157	170	393	1,154	260	143
Poletimber	3,613	:	1 5	53	144	19	1 6	180	240	193	833	417	464	941	153
Saping & seeding	1,124	:	3/	:	30	59	152	505	130	:	184	/2	-	1	:
All stands	7,354	1	37	59	191	78	175	685	370	350	1,187	837	1,618	1,501	296
Maple-birch	700				ć	,		6	0		i i				
Doletimber	45,303 56,409	1	:	:	07	100	514	77/	2,008	1,555	5,951	11,35/	15,53/	6,3/4	1,305
Sanling & seedling	6,699	۰ ا		25	312	837	727	1,141	1,028	1,091	, 55 % 80 %	16,752	19,551	0,110	867
All stands	108,411	2	29	52	332	1,645	1,577	4,886	6,588	6,208	12,846	24,860	35,261	12,484	1.603
Aspen															
Sawtimber	5,165	1	124	1	25	118	339	335	487		230	708	1,038	868	;
Poletimber	22,084	1 2	1 5	37	285	658	890	1,722	1,973	1,825	2,420	4,872	5,163	1,530	709
Sapility a securing	4,443	100	310	050	- 1	70761	- 1		- 1	77	738	301	:	- 1	
All stands	31,992	106	442	633	1,042	2,028	1,756	2,479	2,716	2,683	2,888	5,881	6,201	2,428	709
Paper birch Sawtimber	724	1	1	1	35	;	!		1	22	43	434	150		0
Poletimber	6 978	1	. 1		2 1	116	11.	127	464	654	122	717	2 7/7	616	2
Sapling & seedling	472	1	2	33	13	77		53	49	102	775	143	; ;	10	: :
All stands	8,174	:	2	33	48	193	115	180	513	808	465	1,294	3,897	616	10
Exotic															
Poletimber	: :	: :	: ;	! ;	1 1	1 1	1 1	: ;	• •	1	!	!	1	:	1
Sapling & seedling	i	;	;	1	:	:	!		1	1	1	:	l !	l !	i :
All stands	:	;	:	:	:	:	:	:	:	:	:	:	:	:	:
Nonstocked	28	15	13	:	:	:	:	:	1	:	:	:	:	:	:
All types	200 69		124	-	154	400	1 203	1 424	2 205	2 430	1 531	14 617	100	100	000
Poletimber	112,208	:	50	95	601	1.752	2,530	6.430	7, 783	7,645	12,049	24 092	34 976	0,977	1,390
Sapling & seedling Nonstocked	18,628	116	555	873	1,673	3,053	1,828	3,245	1,849	1,600	1,425	1,624	754	33)
All stands	194,671	131	742	982	2,428	5,303	5,561	11,099	12.957	12.684	21.005	40.231	56.735	20.765	4.048
	i														

Table 53.--Net annual growth of sawtimber on commercial forest land by forest type, stand-size class, and basal-area class, Western Upper Peninsula, Michigan, 1979

(In thousand board feet) $\underline{1}/$

Forest type and	ILIA						Basal	area clas	s (square	area class (square feet per acre)	acre)				
S	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-150	151-180	181+
Jack pine	9 7 6	1	1		1	305	5 420	173	979	1 404	810	820			
Poletimber	9,414	: :	921		1	2 :	2,354	910	36	650	1.156	2 1	2.901		483
Sapling & seedling	207	;		;	103	79	25	; ;	: 1	1	:	;		;	1
All stands	19,389	-	921	+	103	475	7,808	1,083	685	2,144	1,966	820	2,901	1	483
Red pine	7 1 1 2									ć	,,,,		747	000	
Sawtimber	/,153	1	!	:	!	1 ;	1 6	1	1,653	66	999	;	2,646	2,089	1
Poletimber	5,565	1	;	1	1	211	1,596	1	!	491	107	!	185	2,975	1
Sapling & seedling	19	:	:	:		:	- 67	1	-	1	1	:	•	:	-
All stands	12,785	1	:	1	1	211	1,663	:	1,653	290	773	-	2,831	5,064	-
White pine															
Sawtimber	10,476	;	!	!	113	!	!	229	1,046	;	1,517	1,629	1,386	4,556	;
Poletimber	436	;	1	;	1	1	1	;	235	77	124	1	1	;	1
Sapling & seedling	-	-	-	1	:	-	-								-
All stands	10,912	-	;	1	113	1	;	229	1,281	11	1,641	1,629	1,386	4,556	:
Balsam fir															
Sawtimber	14,879	1	;	;	1	1	750	172	1	2,956	1,060	1,674	7,850	1	417
Poletimber	38,282	;	1	33	21	399	31	5,846	2,351	710	2,995	9,746	9,083	6,027	1,040
Sapling & seedling	5,455	10	89	09	1,822	176	553	2,256	61	97	228	36	88	1	;
All stands	58,616	10	89	93	1,843	575	1,334	8,274	2,412	3,763	4,283	11,456	17,021	6,027	1,457
White spruce															
Sawtimber	2,255	1	;	;	1	288	:	288	283	131	;	819	446	1	;
Poletimber	3,289	;	1	1	;	9	1	;	099	79	124	!	802	1,556	1
Sapling & seedling	357	1	1	113	;	169	75	-	-	-	-	-	-	-	:
All stands	5,901	-	:	113	1	522	75	288	943	210	124	819	1,251	1,556	:
Black spruce															
Sawtimber	1,511	1	1	1	1	1	1	1	150	:	:	1	1,361	1	1
Poletimber	7,060	!	1	1	82	46	184	155	48	25	876	1,763	3,052	908	50
Sapling & seedling	2,068	1	1	:	70	1,123	80	09	61	77	597	-	1	1	:
All stands	10,639	-	-	-	155	1,169	264	215	259	102	1,473	1,763	4,413	806	20
Northern white-cedar															
Sawtimber	4,298	1	1	¦	1	47	25	151	110	18	365	991	1,2/1	401	910
Sapling & seedling	222			18			:	7	\$	87	1,62,1	0.1 0.1	1,905	1,293	
All stands	12,587	:	:	18	:	47	52	171	174	186	1,602	1,623	3,222	1,699	3,793
												(Table	le 53 continued	8	next page)

(Table 53 continued on next page)

stand-size class classes 0-10 Tamarack Sawtimber Poletimber All stands Oak-hickory Sawtimber Sawtimber Sabling & seedling Sawtimber Sabling & seedling Sawtimber Sabling & seedling	11-20	- [3	וחחלה ככ	מוכם בומים להלפתו ב ובכב הבו	7 7 7 7				
575 144 seedling 1,779 ds 2,498 3,085 1,830 75		21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-150	151-180	181+
seedling 1,779 ds 2,498 3,085 1,830 seedling 75													
seedling 1,779 ds 2,498 3,085 1,830 75	1	26	1	133	1 3	! '	1 8	!	!	!	386	+	:
ds 2,498 3,085 1,830 75	912		9 669	: :	05 -	<u> </u>	818	95	1 1	: :	: :	: :	: :
3,085 1,830 75	912	121	705	133	20	7	89	95	:	:	386	:	:
3,085 r 1,830 seedling 75								i i					
seedling 75	: :	; ;	1 1	: :	1 1	1 1	1 1	228	24/	1,36/	764	913	: :
	1	1	ŀ	;	1	1	;	;	1	75	5 1	1	1
All stands 4,990	:	1	:	:	1	1		558	247	2,508	764	913	:
Elm-ash-soft maple													
	1	1	33	1	83	1	;	029	862	3,017	5,191	3,440	809
Poletimber 10,335 Sapling 8 seedling 1.737	30 1	1 1	517 113	-7 54	- '	720 25	130 161	66 ¦	2,642 1,340	1,963	1,523	2,093	655
1	30	1	663	47	90	745	291	692	4,844	4,987	6,714	5,533	1,263
۔		l	63	1 190	7.07	3 001	0 400	097 7	375 86	59 201	82 072	36 703	5 007
Dolotimber 145 684	1 1	: :	3 1	1,130	128	790	9,400 8 468	697,7	17 200	30,201	56 883	10,703	500,
143,084 seedling 15,078	22	745	757	420	1,143	3,179	662	3,208	1,867	2,949	117	13,304	700
	22	745	820	2,940	2,015	11,069	18,530	17,616	47,542	91,482	139,972	56,007	5,509
29,205	73	1 6	161	871	1,256	3,255	5,096	2,910	547	5,380	6,721	2,935	1 1
Foletimber 81,735 Sapling & seedling 8,973	705	92	6/ 4,184	8/9 839	2,534 1,032	10,594 542	6,281 458	7,084	8,159 105	21,/3/ 132	12,4/0	5,5/1	799,5
	778	1,044	4,412	2,589	4,822	14,391	11,835	10,618	8,811	27,249	19,191	8,506	5,667
	;	1	141	+	1	;	;	119	528	1,698	3,141	:	44
Poletimber 16,919 Sanling & seedling 330	1 1	1.05	43	41	14	82 116	861 61	153	231	1,609	10,255	3,673	1 1
22,920	1	59	184	41	14	198	922	315	759	3,315	13,396	3,673	44
Exotic Sawtimber	;	;	;	!	1	;	;	1	;	1	:	;	1
Poletimber	1	1	;	!	-	1	!	4	1	-	1	1	1
Saping & seeding		:	:		:		:	:		-		-	-
All stands	1	:	1	-	:	1	1	:	:	1	1	-	
Nonstocked	1	1	:	:		:			:	:	1	-	1
336,296	73	56	511	2,925	8,314	7,359	18,384	16,706	34,978	75,596	113,371	51,037	6,986
Spling & seedling 36,348 19 Nonstocked	1,	2,012	7,791	2,860	2,982	6,185 6,185	1,472	3,631	4,137	3,268	251 251	45,500	002,11
All stands 701,404 19	2,731	2,193	8,998	8,749	18,187	36,670	39,074	37,043	74,065	147,651	213,448	94,340	18,236

 $\frac{1}{1}$ International 1/4-inch rule.

Table 54_* --Timber removals $^{1/}$ from growing stock on commercial forest land by species group and county, Western Upper Peninsula, Michigan, 1979

(In thousand cubic feet)

	All				Ö	County			
Species group	counties	Baraga	Dickinson	Gogebic	Houghton	Iron	Кемеепам	Marquette	Ontonagon
SOFTWOODS									
White pine	2,409	171	243	332	440	264	109	649	201
Red pine	1,945	125	227	509	250	379	22	548	185
Jack pine	2,889	44	137	133	497	529	1	1,379	169
White spruce	1,100	84	81	09	71	389	35	277	103
Black spruce	921	73	114	47	53	323	20	298	17
Balsam fir	3.816	313	387	240	132	1320	30	1,107	287
Hemlock	3,868	746	93	712	284	456	97	957	523
Tamarack	79	2	11	6	2	25	;	22	2
Northern white-cedar	926	09	173	20	52	78	75	459	53
Other softwoods	1	-	-					-	
Total	18,003	1,621	1,466	1,792	1,760	3,763	389	969,5	1,516
HARDWOODS									
Select white oaks	23	;	9	;	15	;	;	1	1
Select red oaks	1,417	63	26	112	335	98	566	406	93
Other red oaks		1	1	1	;	;	;	;	:
Hickory	;	;	:	;	;	1	:	;	:
Yellow birch	3,224	491	52	423	429	546	173	929	554
Hard maple	14,549	1,921	452	1,813	1,949	1,825	716	3,541	2,332
Soft maple	6,075	840	485	418	908	763	292	1,619	852
Beech	101	-	က	ł	;	;	:	97	:
Ash	547	39	29	109	30	99	18	47	171
Balsam poplar	651	64	569	1	10	13	1	588	2
Cottonwood	;	;	;	;	;	1	!	1	:
Bigtooth aspen	3,792	491	689	305	319	593	2	929	461
Quaking aspen	22,510	1,999	4,901	3,191	2,157	4,010	26	1,837	4,359
Basswood	1,153	74	83	190	133	190	27	175	281
Yellow-poplar	:	1	;	;	;	;	:	:	;
Black walnut	:	1	1	;	;	;	:	;	:
Butternut	:	:	;	;	;	i	:	;	:
Elm	3,351	434	225	391	274	1,042	47	440	498
Paper birch	2,574	228	645	94	198	361	34	820	164
Other hardwoods2/	332	09	16	33	36	107	1	42	37
Total	60,299	6,705	7,949	7,079	6,691	9,602	1,636	10,829	9,808
All species	78,302	8,326	9,415	8,871	8,451	13,365	2,025	16,525	11,324
1 /									

 $\frac{1}{2}$ /Removals in 1979 are trend-level removals. $\frac{1}{2}$ /Includes black cherry.

Table 55.--Timber removals $\frac{1}{2}^{\prime}$ from sawtimber on commercial forest land by species group and county, Western Upper Peninsula, Michigan, 1979

(In thousand board feet) $\frac{2}{}$

	All					County			
Species group	counties	Baraga	Dickinson	Gogebic	Houghton	Iron	Кемеепам	Marquette	Ontonagon
SOFTWOODS									
White pine	12,010	772	1,294	1,791	2,452	1,199	559	2,998	945
Red nine	7,770	361	1,131	903	1,224	1,365	110	2,037	639
Jack pine	7,680	63	573	530	1.540	1,289	~	3,180	473
White spring	4.233	302	393	225	228	1.507	133	1,152	290
Rlack springe	956	090	105	36	35	352	34	322	12
Ralcam fir	9 512	767	886	540	302	3 432	41	2 757	685
Dalsail III	12,740	707 6	330	040	705	1,430	300	2 450	1 200
Telli OCK	13,740	70/67	603	6,000	406	67461	200	0,40	1,100
amarack	14/	o į	01	07	0,00	4,	1 0	74	n i
Northern white-cedar	2,130	167	468	125	132	194	139	830	7.5
Other softwoods	1	1		;	;	1	:	1	1
Total	58,186	5,238	5,207	7,032	6,879	10,814	1,407	16,777	4,832
HARDWOODS									
Select white oaks	94	;	က	;	80	;	;	7	4
Select red oaks	4,832	199	149	436	1,480	223	996	933	446
Other red oaks	1	;	;	;	1	:	;	;	1
Hickory	;	;	;	;	;	:	;	1	!
Yellow birch	12,551	1.890	171	1,670	1,577	2,037	864	2,548	1,794
Hard maple	62,127	8,096	1,308	8,166	8,572	6,948	3,527	16,830	8,680
Soft maple	9,885	1,177	609	625	1,612	1,230	738	2,515	1,379
Beech	519	2	11	;	1		;	503	1
Ash	1,507	121	125	429	73	179	88	124	368
Balsam poplar	1,108	66	486	1	53	20	ŀ	434	16
Cottonwood	;	1	:	ł	:	;	;	1	;
Bigtooth aspen	11,389	1,554	1,813	1,667	1,307	1,556	13	1,963	1,516
Quaking aspen	977,09	5,009	7,620	12,663	8,691	8,672	131	3,533	14,457
Basswood	4,466	314	284	788	298	292	138	826	753
Yellow-poplar	1	1	1	;	ľ	1	;	1	1
Black walnut	:	!	!	1	1	1	1	1	1
Butternut	1	1	:	;	;	;	;	1	1
Elm	10,987	1,259	740	1,396	738	3,717	231	1,543	1,363
Paper birch	4,842	385	973	302	638	662	64	1,515	303
Other hardwoods 3/	539	06	21	43	55	192	1	72	69
Total	185,622	20,198	14,313	28,185	25,474	26,201	6,761	33,346	31,144
All species	243,808	25.436	19,520	35,217	32,353	37.015	8.168	50.123	35,976

 $[\]frac{1}{2}/\text{Removals}$ in 1979 are trend-level removals. $\frac{2}{3}/\text{International }14-\text{inch rule.}$ $\frac{3}{1}/\text{Includes black cherry.}$

Table 56.--Timber removals $\frac{1}{2}$ from growing stock and sawtimber on commercial forest land by species group, Western Upper Peninsula, Michigan, 1965 and 1979

	Growin	ng stock	Saw	rtimber
Species group	<u>2</u> /1965	1979	<u>2</u> /1965	1979
	Thousand	cubic feet	$\frac{3}{\text{Thousand}}$	hoard foot
SOFTWOODS	mousuna	Cubic icce	mousand	Dodra reec
White pine	1,325	2,409	7,876	12,010
Red pine	326	1,945	1,559	7,770
Jack pine	3,560	2,889	9,690	7,680
White spruce	1,679	1,100	8,437	4,233
Black spruce	1,703	921	3,689	956
Balsam fir	2,933	3,816	8,820	9,512
Hemlock	7,933	3,868	41,467	13,748
Tamarack	284	79	1,118	147
Northern white-cedar	1,522	976	3,279	2,130
Other softwoods	1,522	37 U	5,279	2,130
	21,265		05 025	EQ 106
Total	21,200	18,003	85,935	58,186
HARDWOODS	123	23	797	94
Select white oaks	791	_		
Select red oaks	791	1,417	2,910	4,832
Other red oaks				
Hickory	 	2.004		10 551
Yellow birch	5,263	3,224	29,703	12,551
Hard maple	15,300	14,549	79,954	62,127
Soft maple	2,559	6,075	6,358	9,885
Beech	353	101	1,921	519
Ash	257	547	1,207	1,507
Balsam poplar	73	651	326	1,108
Cottonwood				
Bigtooth aspen	2,563	3,792	11,700	11,389
Quaking aspen	16,953	22,510	38,846	60,776
Basswood	840	1,153	4,426	4,466
Yellow-poplar				
Black walnut				
Butternut				
Elm	993	3,351	5,454	10,987
Paper birch 🚜/	537	2,574	2,001	4,842
Other hardwoods4/	613	332	3,431	539
Total	47,218	60,299	189,034	185,622
All species	68,483	78,302	274,969	243,808

 $[\]frac{1}{\text{Removals}}$ in 1979 are trend-level removals. $\frac{2}{\text{Figures}}$ have been adjusted from those published after the 1966 survey to conform to 1980 volumes because of changes in survey definitions and procedures. $\frac{3}{\text{International}}$ 1/4-inch rule. $\frac{4}{\text{Includes}}$ black cherry.

Table 57.--Timber removals¹/ from growing stock and sawtimber on commercial forest land by item and species category, Western Upper Peninsula, Michigan, 1979

			Grow	Growing stock						Sawtimber	er.	
	LIA		Other		Hard	Other Other	All		Other		Hard	Other Other
Item	species	Pine	softwoods	Aspen	maple	hardwoods	species	Pine	softwoods	Aspen	maple	hardwoods
			Thought bacourt	+:04				2/	2/Thousand board foot	+004		
STUINDING GOODINING	1		וווחתאמוות כר	בור ובבו	1 1 1 1 1 1 1	ı ı	! !		HIOUSalla DO	מות ופבר-	1	1
Pulpwood Pulpwood	36,241	3,481	6,371	15,922	2,939	7,528	72,030	8,170	16,948	26,997	7711	12,204
Saw logs	20,116	3,143	1,224	5,030	6,126	4,593	112,493	18,137	7,034	24,508	37,196	25,618
Fuelwood	645	4	7	40	307	291	2,147	7	23	140	1,009	896
Posts	333	;	333	1	1	;	343	1	343	1	1	1
Veneer logs	2,934	41	1	2,120	. 542	272	21,450	1	:	15,500	3,958	1,991
Poles	14	14	1	1	1	:	22	22	1	1	1	1
0 ther $\frac{3}{2}$ /	20	2	18	1	30	1	271	8	70	!	193	1
Total	60,333	6,640	7,953	23,112	9,944	12,684	208,791	26,380	24,418	67,145	20,067	40,781
LOGGING RESIDUE	4,391	281	378	1,314	1,212	1,206	8,744	423	927	1,998	3,160	2,236
OTHER REMOVALS	13,578	322	2,429	1,876	3,393	5,558	26,273	657	5,381	3,022	8,900	8,313
TOTAL REMOVALS	78,302	7,243	10,760	26,302	14,549	19,448	243,808	27,460	30,726	72,165	62,127	51,330

 $1/{\rm Removals}$ in 1979 are trend-level removals. $\frac{2}{2}/{\rm International}$ $14-{\rm inch}$ rule. $\frac{3}{4}/{\rm Includes}$ charcoal wood, shingle bolts, cabin logs, particleboard bolts, piling, etc. $\frac{4}{4}/{\rm Less}$ than 500 cubic feet.

Table 58.--Net annual growth and removals $\frac{1}{}^{\prime}$ of growing stock on commercial forest land by species group, Western Upper Peninsula, Michigan, 1979

(In thousand cubic feet)

	Net annual	Annual timber
Species group	growth	removals
SOFTWOODS		
White pine	4,794	2,409
Red pine	3,030	1,945
Jack pine	3,999	2,889
White spruce	12,811	1,100
Black spruce	4,936	921
Balsam fir	16,748	3,816
Hemlock	6,260	3,868
Tamarack	841	79
Northern white-cedar	7,331	976
Other softwoods	86	
Total	60,836	18,003
HARDWOODS		
Select white oaks	17	23
Select red oaks	2,599	1,417
Other red oaks		
Hickory		
Yellow birch	6,723	3,224
Hard maple	49,016	14,549
Soft maple	31,444	6,075
Beech	11	101
Ash	7,914	547
Balsam poplar	917	651
Cottonwood	6	
Bigtooth aspen	2,295	3,792
Quaking aspen	15,664	22,510
Basswood	7,530	1,153
Yellow-poplar		
Black walnut		
Butternut		
Elm	-1,291	3,351
Paper birch	8,873	2,574
Other hardwoods $\frac{2}{}$	2,117	332
Total	133,835	60,299
All species	194,671	78,302

 $[\]frac{1}{2}/\text{Removals}$ in 1979 are trend-level removals. $\underline{2}/\text{Includes}$ black cherry.

Table 59.--Net annual growth and removals $\frac{1}{}$ of sawtimber on commercial forest land by species group, Western Upper Peninsula, Michigan, 1979

(In thousand board feet) $\frac{2}{}$

	Net annual	Annual timber
Species group	growth	removals
SOFTWOODS		
White pine	25,759	12,010
Red pine	12,329	7,770
Jack pine	21,954	7,680
White spruce	53,710	4,233
Black spruce	5,499	956
Balsam fir	44,394	9,512
Hemlock	37,543	13,748
Tamarack	3,722	147
Northern white-cedar	32,141	2,130
Other softwoods	8	
Total	237,059	58,186
HARDWOODS		
Select white oaks	104	94
Select red oaks	15,496	4,832
Other red oaks		
Hickory		
Yellow birch	19,639	12,551
Hard maple	139,326	62,127
Soft maple	79,450	9,885
Beech	8	519
Ash	31,615	1,507
Balsam poplar	4,484	1,108
Cottonwood	27	·
Bigtooth aspen	17,011	11,389
Quaking aspen	93,060	60,776
Basswood	29,144	4,466
Yellow-poplar		
Black walnut		
Butternut		
Elm	1,630	10,987
Paper birch	28,787	4,842
Other hardwoods $\frac{3}{}$	4,564	539
Total	464,345	185,622
All species	701,404	243,808

 $[\]frac{1}{2}/{\rm Removals}$ in 1979 are trend-level removals. $\frac{2}{2}/{\rm International}$ 1/4-inch rule. $\frac{3}{2}/{\rm Includes}$ black cherry.

Table 60.--Net annual growth and removals $\frac{1}{2}$ of growing stock on commercial forest land by ownership class and softwoods and hardwoods, Western Upper Peninsula, Michigan, 1979

(In thousand cubic	: feet)
--------------------	---------

	Ne Ne	t annual gro	wth	An	nual timber r	emovals
Ownership class	All species	Softwoods	Hardwoods	All species	Softwoods	Hardwoods
National Forest	33,821	12,275	21,546	7,634	1,885	5,749
Bureau of Land Mgmt.			·	´		
Miscellaneous federal	50	43	7			
Indian	695	150	545	115	10	105
State	25,323	10,120	15,203	7,750	1,941	5,809
County and municipal	3,800	963	2,837	907	176	731
Forest industry	53,914	17,095	36,819	17,647	4,619	13,028
Farmer	9,397	2,198	7,199	2/44,249	$\frac{2}{9}$,372	2/34,877
Misc. private-corp.	29,208	6,970	22,238			
Misc. private-indiv.	38,463	11,022	27,441			
All owners	194,671	60,836	133,835	78,302	18,003	60,299

 $[\]frac{1}{R}$ Removals in 1979 are trend-level removals.

Table 61.--Net annual growth and removals $\frac{1}{}$ of sawtimber on commercial forest land by ownership class and softwoods and hardwoods, Western Upper Peninsula, Michigan, 1979

(In thousand board feet) $\frac{2}{}$

	Ne	t annual gro	wth	Aı	nnual timber	removals
Ownership class	All species	Softwoods	Hardwoods	All species	Softwoods	Hardwoods
National Forest	144,249	53,342	90,907	17,577	5,448	12,129
Bureau of Land Mgmt.	´	´ 	·	´ 		
Miscellaneous federal	698	673	25	••		
Indian	1,525	303	1,222	207	21	186
State	93,412	42,635	50,777	17,768	5,309	12,459
County and municipal	13,923	3,363	10,560	2,129	430	1,699
Forest industry	198,136	61,541	136,595	52,819	14,513	38,306
Farmer	31,396	6,370	25,026	<u>3</u> 153,308	$\frac{3}{1}$ /32,465	3/120,843
Misc. private-corp.	99,443	32,929	66,514			
Misc. private-indiv.	118,622	35,903	82,719			
All owners	701,404	237,059	464,345	243,808	58,186	185,622

^{1/}Removals in 1979 are trend-level removals.

²/Includes miscellaneous private-corporation and miscellaneous private-individual.

^{2/}International 1/4-inch rule.

^{3/}Includes miscellaneous private-corporation and miscellaneous private-individual.

Table 62.--Annual mortality of growing stock on commercial forest land by softwoods and hardwoods, Western Upper Peninsula, Michigan, 1965 and 1979

(In million cubic feet)

Species	<u>1</u> /1965	1979
Softwoods	10.3	14.0
Hardwoods	26.9	34.3
Total	37.2	48.3

1/Figures have been adjusted from those published after the 1966 survey to conform to 1979 volumes because of changes in survey definitions and procedures.

Table 63.--Annual mortality of growing stock on commercial forest land by species group and cause,
Western Upper Peninsula, Michigan, 1979

(In thousand cubic feet)

					Cau	se		
	A11							Unknown
Species group	causes	Insects	Disease	Fire	Animals	Weather	Suppression	and othe
SOFTWOODS								
White pine	241	5	132			13		91
Red pine	12		5				7	
Jack pine	372	34	95		15	53		175
White spruce	890	110	61			268	9	442
Black spruce	1,015	53	259		10	202	10	481
Balsam fir	9,264	499	2,054		55	1,963	15	4,678
Hemlock	343		90			30		223
Tamarack	917		266					651
Northern white-cedar	918		276		40	171		431
Other softwoods								
Total	13,972	701	3,238		120	2,700	41	7,172
HARDWOODS	10,572	, 01	0,200			2,700		7,172
Select white oaks	2		2					
Select red oaks	394		56			42		296
Other red oaks	354							
Hickory								
Yellow birch	2,328		989			158		1,181
Hard maple	5,774		2,003		216	1,381	61	2,113
	1,447		594		210	158		695
Soft maple	2,447		394			130		2
Beech	906		296					610
Ash			460			122		209
Balsam poplar	791					122		
Cottonwood	1 606		1 172			93		360
Bigtooth aspen	1,626		1,173		177		69	
Quaking aspen	12,118	43	7,052		1//	1,522 187	09	3,255 375
Basswood	781		219					
Yellow-poplar								
Black walnut								100
Black cherry	230		31					199
Butternut								1 045
Elm	7,217	62	6,110		15	42	1.5	1,045
Paper birch	741		292		15	43	15	376
Other hardwoods	1							1
Total	34,359	105	19,277		408	3,707	145	10,717
All species	48,331	806	22,515		528	6,407	186	17,889

(In thousand board feet) $\frac{1}{}$ /

					Cau	se		
Consider seems	A11	Incente	Diana	C÷	A-imala	Uzzkkan	C	Unknown
Species group	causes	Insects	Disease	Fire	Animals	Weather	Suppression	and othe
SOFTWOODS .	. 100	0.5	607					
White pine	1,132	25	627			74		406
Red pine								
Jack pine	1,231		808		153			270
White spruce	3,253	401	258			1,398		1,196
Black spruce	2,708	156	878			138	104	1,432
Balsam fir	14,382	636	3,712		198	4,623		5,213
Hemlock	1,645		416			143		1,086
Tamarack	1,375		1,375					
Northern white-cedar	2,910		866		44	558		1,442
Other softwoods	1							1
Total	28,637	1,218	8,940		395	6,934	104	11,046
HARDWOODS								
Select white oaks	11		2			1		8
Select red oaks	1,362		244					1,118
Other red oaks								-,
Hickory								
Yellow birch	9,135		3,345			1,090		4,700
Hard maple	15,910		7,240			3,330		5,340
Soft maple	2,632		844			469		1,319
Beech	3		2					1,013
Ash	1,822		711					1,111
Balsam poplar	2,817		1,852					965
Cottonwood	3		2					1
Bigtooth aspen	4,440		3,316			1,124		
Quaking aspen	25,180		9,683		598	6,461		8,438
Basswood	1,904		759			796		349
Yellow-poplar	1,904		759			7 3 0		
Black walnut								
Black cherry	217		30					187
Butternut	217		30 					10/
Elm		164	15,813					
= * * * *	18,675 1,273		535			349		2,698 389
Paper birch	•							
Other hardwoods	1		11					
Total	85,385	164	44,379		598	13,620	0	26,624
All species	114,022	1,382	53,319		993	20,554	104	37,670

^{1/}International 1/4-inch rule.

Table 65.--Annual mortality of growing stock and sawtimber on commercial forest land by ownership class and softwoods and hardwoods, Western Upper Peninsula, Michigan, 1979

		Growing stock	<		Sawtimber	
	A11			A11		
Ownership class	species	Softwoods	Hardwoods	species	Softwoods	Hardwoods
	<u>T</u>	nousand cubic	feet	1/ _{The}	ousand board fo	<u>eet</u>
National Forest	9,734	2,723	7,011	20,697	5,035	15,662
Bureau of Land Management						
Miscellaneous federal	239	7	232	574	21	553
Indian	33	31	2	95	88	7
State	6,692	2,612	4,080	14,244	4,588	9,656
County and municipal	927	208	719	2,018	428	1,590
Forest industry	11,869	3,475	8,394	31,007	7,123	23,884
Farmer	1,976	279	1,697	4,404	453	3,951
Misc. private-corp.	7,550	2,365	5,185	19,671	6,033	13,638
Misc. private-indiv.	9,311	2,272	7,039	21,312	4,868	16,444
All owners	48,331	13,972	34,359	114,022	28,637	85,385

 $[\]frac{1}{1}$ International $\frac{1}{4}$ -inch rule.

Table 66.--Output of timber products by source of material and softwoods and hardwoods, Western Upper Peninsula, Michigan, 1978

No. of Thousand No. of Thousand No. of Thousand Units Cubic feet Units Units Cubic feet Units Units		Standard				Roundwood	Roundwood products			
Monor List Product	units		otal	Growi	ng stock	Nongro	ving stock	Plant	byproducts	
wood L/Standard 143,486 11,327 124,805 9,852 13,301 1,050 5,380 wood cords 6,32,865 11,327 124,805 9,852 13,301 1,050 5,380 tal 55,265 34,131 334,227 36,241 65,100 5,140 32,938 tal 55,569 4,46 25,637 4,367 2,577 129 tal board feet 25,699 16,186 93,033 16,369 2,576 129 tal board feet 21,449 2,534 21,460 2,394 21,449 2,394 tal board feet 21,449 2,543 2,344	COORIG		No. of units	Thousand cubic feet	No. of units	Thousand cubic feet	No. of units	Thousand cubic feet	No. of units	Thousand cubic feet
teal 575,751 45,458 459032 36,241 78,401 6,190 38,318 GS 2/Thousand 26,394 4,496 25,637 4,387 757 129 wood board feet 122,003 20,681 118,670 20,116 3,333 565 teal 122,003 20,681 118,670 20,116 3,333 565 wood board feet 21,499 2,934 21,449 2,934 wood board feet 21,499 2,934	rucrwour Softwood Hardwood	$\frac{1}{\text{Standard}}$	143,486	11,327	124,805 334,227	9,852	13,301 65,100	1,050 5,140	5,380	425
GS vocal ZThousand board reet 26,394 (4,486) (25,637) (15,749)	Total		575,751	45,458	459,032	36,241	78,401	6,190	38,318	3,027
tall beard feet 21,450 20,681 118,670 20,116 3,333 565 L065 2/Thousand board feet 21,450 2,934 21,449 2,934 tral board feet 21,450 2,934 21,449 2,934 tral board feet 21,450 2,934 21,450 2,934 tral board feet 21,450 2,934 21,450 2,934 tral board feet 3,450 2,934 21,450 2,934 tral board feet 3,450 3,952 268 130 2,934 tral board Thousand 3,56 3,65 325 333 31 32 tral board Thousand 4,1324 30 30 tral 1,574 14 1,674 14 tral board Thousand 4,1324 30 30 tral 1,365 1,365 50 50 33 3 3 1,312 1 3/ wood Thousand 4,1324 20 20 3 3 1,234 1 tral board cubic feet 1,324 1,324 50 50 30 3 3 1,312 1 tral board Thousand 4,1324 20 20 3 3 1,236 tral board feet 1,324 1,324 30 30 1,585,519 15,509 15,509 16,513 175,090 16,333 17,311 175,090	SAW LOGS Softwood	2/Thousand	26,394	4,496	25,637	4,367	757	129	1	1
LOGS 2/Thousand board feet 21,449 2,934 21,449 2,934	Total	2000	122,003	20,681	118,670	20,116	3,333	565	: :	1
tall 21,450 2,934 21,450 2,934	VENEER LOGS Softwood Hardwood	2/Thousand	21,449	2,934	1 21,449	2 934	1 1			1 :
Mood colds 1/standard cords 3,952 cords 268 cords 130 cords 7 dos 408 cords 22 dos 3,414 cords 4,414 cords 4,414 cords 4,414	Total		21,450	2,934	21,450	2,934	-	-	:	:
ttal 61,405 4,273 9,309 645 25,368 1,757 26,728 wood Thousand 1,674 1,674 1,674 1,674 1,674 1,674 1,674 1,236 50 20	FUELWOOD Softwood Hardwood	1/Standard cords	3,952	268 4,005	130 9,179	7 638	408	22	3,414	239
wood pieces Thousand pieces 356 365 325 333 31 32 wood wood cubic feet Pieces 1,674 14 1,674 14 1,674 14 wood cubic feet 1,324	Total		61,405	4,273	9,309	645	25,368	1,757	26,728	1,871
Pieces 1,674 14 1,674 14 1,674 14 1,674 14 1,674 14 1,674 14 Thousand 41 41 20 20 3 3 1,294 Cubic feet 1,365 1,365 50 50 3 3 1,312 Thousand 16,511 45,740 1,236 Cubic feet 58,579 45,740 7,311 75,090 60,333 8,547	POSTS Softwood Hardwood	Thousand	356	365	325	333	31	32		1 1
Thousand 1,574 14 1,674 14	Total		356	365	325	333	31	32	:	:
Thousand 41 41 20 20 3 3 3 18 18 cubic feet 1,324 1,324 30 30 1,294 Thousand 16,511 14,593 1,236 58,579 75,090 75,090 60,333 8,547 $\frac{1}{1}$	POLES Softwood Hardwood Total	Pieces	1,674	14 14	1,674	14	1 1 1	1 1 1	! ! !	1 1
Thousand 16,511 14,593 1,236 58,579 45,740 7,311 75,090 60,333 8,547	OTHER 3/ Softwood Hardwood	Thousand cubic feet	1,324	1,324	20 30	20 30	m '	m (1,294	1,294
Thousand $16,511$ $14,593$ $1,236$ $58,579$ $45,740$ $7,311$ $7,311$ $75,090$ $60,333$ $8,547$	10191		1,305	1,305	ng	20	٧	2	1,312	1,312
75,090 60,333 8,547	ALL PRODUCTS Softwood Hardwood	Thousand cubic feet	1 1	16,511 58,579	: :	14,593 45,740	1 1	1,236 7,311	1 1	682 5 , 528
	Total		-	75,090	-	60,333	1	8,547	-	6,210

1/Rough-wood, 128 cubic foot basis. 2/IInternational 1/4-inch rule. 3/IOther (industrial production) includes cabin logs, charcoal wood, particleboard bolts, shingle bolts, piling, etc.

Table 67.--Output of roundwood products by source and softwoods and hardwoods, Western Upper Peninsula, Michigan, 1978

(In thousand cubic feet)

Product and	All		Growing-stock trees	trees	Rough and	Salvable	0ther
species group	sources	Total	Sawtimber	Poletimber	rotten trees	dead trees	sources
INDUSTRIAL PRODUCTS							
Softwood	4,496	4,367	4,298	69	Н	47	81
Hardwood	16,185	15,749	14,725	1,024	121	11	304
Subtotal	20,681	20,116	19,023	1,093	122	28	385
Softwood			;	1			
Hardwood	2,934	2.934	2.934	: :	: ;	: :	¦
Subtotal	2.934	2.934	2.934	:	:	1	1
Pulpwood							
Softwood Hardwood	10,902	9,852	6,533 11,820	3,319 14,569	210	216 261	624
Subtotal	42,431	36,241	18,353	17,888	3,018	477	2,695
Cooperage		ı					
Hardwood Hardwood	: :	: :	: :	1 1	: :	: ;	1 1
30043.5							
Subtotal Piling	;	:	;	!	;	1	!
Softwood	2	2	2	;	:	;	1
Hardwood	-	:	:	-	-	-	
Subtotal	2	2	2	1	1	1	:
Poles Softwood	14	14	12	^	;	;	
Hardwood	: :	: :	: ;	' ;	;	;	1
Subtotal	14	14	12	2	:	:	:
Mine timbers (Round)	:		,	,			
Softwood	14	11	6 0	2	:	m	:
20040 181	9	30	200	:	:		:
Subtotal Posts (Round and split)	44	41	39	5	:	m	:
Softwood	365	333	88	245	4	;	28
Hardwood							
Subtotal	365	333	88	245	4	1	28
Other Softwood	7	7	4	٣	;	;	
Hardwood	`	` ¦	٠ :	? !	: :	: :	:
Subtotal	1	7	V	3	******		
All industrial products			•	ז	ł	!	}
Softwood	15,800	14,586	10,946	3,640	215	266	733
Total	66 478	59 688	40 455	10 233	3 144	538	3 108
FUELWOOD		2005		604	60		60
Softwood	29	7	4 4	e 00	1,1	2 5	19
ilal umood	2/2/3	020	3/0	907	133	143	1,439
Total	2,402	645	374	271	134	145	1,478
ALL PRODUCTS	15 920	17 603	10 050	2 643	216	0,90	752
Hardwood	53,051	45,740	29,879	3,043 15,861	3,062	415	3,834
T.4.1	000 00	60 02	40 020	10 504	020 0	200	702 4

Table 68.--Timber products from roundwood by species group and product, Western Upper Peninsula, Michigan, 1978

Species group	All Products	Pı	lpwood	Saw 1	ogs	Veneer	logs
	1/Thousand cubic feet	Cords	1/Thousand cubic feet	2/Thousand board feet	1/Thousand cubic feet	2/Thousand board feet	1/Thousand cubic feet
SOFTWOODS							
White pine	2,254	5,419	429	10,856	1,822	1	
Red pine	1,963	13,346	1,053	5,323	893		
Jack pine	3,046	31,883	2,520	2,792	525		
White spruce	859	9,630	759	524	96		
Black spruce	720	8,063	636	438	81		
Balsam fir	3,410	42,593	3,362	63	12		
Hemlock	2,932	24,315	1,922	5,877	986		
Tamarack	44	533	40	24	4		
Northern white-cedar	601	2,324	181	497	77		
Other softwoods							
Total	15,829	138,106	10,902	26,394	4,496	1	
HARDWOODS							
Select white oaks	22	105	7	93	15		
Select red oaks	590	670	51	2,462	429	806	110
Other red oaks							
Hickory							
Yellow birch	2,645	18,516	1,461	5,882	989	726	99
Hard maple	12,799	60,111	4,747	39,288	6,343	3,958	542
Soft maple	3,734	34,567	2,731	4,977	874	77	10
Beech	102	263	21	481	81		
Ash	477	3,553	282	926	159		
Balsam poplar	685	8,564	674	61	11		
Cottonwood							
Bigtooth aspen	3,568	31,630	2,499	4,204	740	2,235	306
Quaking aspen	21,171	187,759	14,832	24,956	4,390	13,265	1,814
Basswood	818	2,457	193	3,535	619	40	5
Yellow-poplar		2,437					
Black walnut							
Butternut							
Elm	3,285	20,354	1,607	7,161	1,257	232	32
Danam bimak	2,867	27,358	2,157	1,460	257	110	16
Other hardwoods 3/	288	3,420	267	123	21		
Total	53,051	399,327	31,529	95,609	16,185	21,449	2,934
IULAI	33,031	399,32/	31,329	95,009	10,103	21,449	2,334

(Table 68 continued on next page)

 $[\]frac{1}{S}$ Small quantities may round off to less than 500 cubic feet and will be shown as a dash in columns showing thousand cubic feet.

 $[\]frac{2}{I}$ International $\frac{1}{4}$ -inch rule. $\frac{3}{I}$ Includes black cherry.

Species group	F	uelwood	Po	sts	Po	oles	Other Products
	Cords	1/Thousand cubic feet	Thousand pieces	1/Thousand cubic feet	Pieces	1/Thousand cubic feet	1/Thousand
SOFTWOODS							
White pine	73	3					
Red pine	45	1			1,674	14	2
Jack pine	43	1					
White spruce			4	4			
Black spruce			3	3			
Balsam fir			35	36			
Hemlock	346	24					
Tamarack							
Northern white-cedar	31		314	322			21
Other softwoods							
Total	538	29	356	365	1,674	14	23
HARDWOODS							
Select white oaks							
Select red oaks	40						
Other red oaks							
Hickory							
Yellow birch	1,407	96					
Hard maple	16,263	1,137					30
Soft maple	1,727	119					
Beech							
Ash	558	36					
Balsam poplar							
Cottonwood							
Bigtooth aspen	325	23					
Quaking aspen	1,927	135					
Basswood	28	1					
Yellow-poplar							
Black walnut							
Butternut							
Elm	5,575	389					
Paper birch	6,279	437					
Other hardwoods	10						
Total	34,139	2,373					30
All species	34,677	2,402	356	365	1,674	14	53

Table 69.--Volume of primary plant residue by kind of material and type of use, Western Upper Peninsula, Michigan, 1978

(In thousand cubic feet)

			Kind of wo	od residue				
	To	tal	Coar	se <u>1</u> /	Fi	ne <u>2</u> /	Bai	rk3/
Type of use	Softwood	Hardwood	Softwood	Hardwood	Softwood	Hardwood	Softwood	Hardwood
Fiber products $\frac{4}{}$	374.1	3,778.5	368.8	3,727.1	5.3	51.4	15.0	107.0
Charcoal								
Industrial fuel	193.2	1,431.5	21.6	90.8	171.6	1,340.7	174.0	1,252.2
Domestic fuel	45.7	200.5	45.7	200.5			17.4	90.3
Miscellaneous ⁵ /	18.0	117.1	8.4	6.8	9.6	110.3	2.9	19.4
Not used $\frac{6}{}$	103.6	1,839.2	19.2	57.1	84.4	1,782.1	83.4	1,565.3
Total	734.6	7,366.8	463.7	4,082.3	270.9	3,284.5	292.7	3,034.2

 $[\]frac{1}{S}$ Suitable for chipping such as slabs, edgings, veneer cores, etc.

^{2/}Not suitable for chipping such as sawdust, veneer clippings, etc.

³/Does not include bark disposal at pulpmills.

^{4/}For manufacture of pulp, hardboard, or roofing felt.

 $[\]overline{\underline{5}}/\text{Livestock}$ bedding, mulch, small dimension, and specialty items.

^{6/}Includes residue burned as waste.

Table 70.--All live shrub $^{1/}$ biomass yields on commercial forest land by shrub species group and forest type, western Upper Peninsula, Michiqan, 1980

(In pounds per acre)

										-					
Shriib	Jack.	Ded	White	_	White	Rlack	Northern		Oak	Elm-ash-	Manjo		Daner		O.N.
spcies group	pine	pine	pine	fir	spruce	spruce	cedar	Tamarack	hickory	maple	birch	Aspen	birch	Exotic	stocked
TALL SHRUBS															
Balsam fir	32.0	196.0	298.8	405.0	59.6	93.2	408.4	305,6	461.2	178.0	118.0	162.8	259.6	1	;
Tamarack	1	-	-	1	1	6.4	!	119.6	1	1	1	4.0	36.4	;	;
White spruce	-	1	-	9.5	10.8	1	10.4	!	71.6	20.8	4.8	1	18.0	1	1
Black spruce	32.8	1	1	31.6	1	460.0	14.8	248.0	1	21.2	1	1	1	1	1
Jack pine	64.4	-	-	-	1	-	-	•	1	1	1	1	1	1	1
White pine	;	1	1	;	1	-	1	12.0	-	1	1	10.0	18.0	;	;
Northern white-cedar	1	1	-	310.0	-	5.2	542.8	44.0	-	65.6	5.2	21.6	48.4	1	;
Hemlock	1	1	1	1	1	}	1	1	-	21.2	15.2	1	1	;	;
Striped maple	-	1	1	1	1	1	1	1	1	1	4.0	1	1	;	;
Red maple	26.8	5.5	77.6	70.4	170.4	22.0	132.4	52.8	5.2	192.8	140.8	52.4	73.2	;	1
Sugar maple	1	1	175.2	32.8	59.6	81.6	46.8	!	150.8	110.0	853.2	158.0	50.4	;	;
Mountain maple	!	;	1	152.8	102.4	1	315.6	1	;	64.8	0.99	41.6	358.4	;	;
Speckled alder	!	1	7.6	955.2	280.8	1,952.4	757.2	2,718.0	1	397.2	38.4	225.6	132.0	;	56.4
Yellow hirch	1	1	1	14.4	1	1	8.0	1	;	19.6	29.6	15.6	1	;	1
Paper birch	!	;	-	18.4	37.2	1	39.6	1	7.6	16.0	7.2	4.0	17.6	;	;
Swamp birch	1	-	1	;	-	18.0	1	1	;	1	1	1	1	1	;
American hornbeam	1	-	}	-	-	1	;	1	1	51.6	i	;	1	;	;
Flowering dogwood	}	-	!	;	1	4.4	;	1	1	1	1	1	1	1	;
Other dogwood	!	1	1	16.4	}	50.4	44.0	38.8	1	65.2	1	20.4	1	;	;
Hawthorn	1	1	-	1	-	1	-	1	1	1	1 !	4.0	1	;	1
White ash	-	-	1	1	I	1	1	!	1	18.4	4 .8	28.4	1	!	:
Black ash	!	1	-	71.6	-	1 9	100.0	1	-	453.6	13.6	-	0.9	;	;
Mountain holly	:	1	1 1	-	1	4.8	-	!	1	-	1 !	-	!	;	:
Eastern hophornbeam	!	1	34.8	1 ;	1	}	1 1	!	289.2	1	16.8	1 1	1	;	1
Balsam poplar	1	1	!	12.8	-	1	7.5	!	:	1	1	26.0	1 ;	!	
Bigtooth aspen	}	1	;	1	1	1	1 6	1	1 ;	"	1 3	0.9	74.4	1	1
Quaking aspen	1	!	1	1	1 0	4.4	26.8	!	5.4	22.4	21.6	302.4	12.4	1	1 2
Pin cherry	1 5		1 6	10	10.0	1 ,	1	1	1		3	φ. 6	1 5	;	ე°0
Black cherry	03.6	1	21.2	17.2	11.0	4.0	-	100	1	240.4	7.6	24.8	30.4	1	۱ (
CHORECHEFTY	10	!	9.0	13.0	99.0	9.0	!	34.0	1	4.70	0./	2.60	14.4	1	0.4
Northerny	10.0	100	1	1	!	!	!	!	0 09	10 01	10 01	۱ <u>۷</u>	20 6	:	!
Sweet dale		t • 1			1		26.0	1 1	6.00	0.1		2 !	20.0		: :
Mountain ash	:	;	1	i	-				1	10.4	4.8	4.0	;	ł	ł
Witch hazel	;	1	24.0	1	8	1	1	1	1	17.2	2.6	: :	1	1	;
Juneherry	74.0	1	68,0	52.4	97.6	18.4	;	837.6	5.2	72.0	10.0	85.2	61.2	;	4.4
Hazel	1	1	446.4	68.8	132.4	1	221.2	0.96	242.8	184.8	192.8	443.6	119.6	1	;
Leatherwood	1	1	1	-	1	-	-	-	1	1	5.2	1	1	;	;
Viburnum	-	-	}	}	-	-	}	}	1	82.0	1	1	1	1	;
Elder	}	-	1	1	1	-	-	-	1	-	16.4	!	1	;	ļ
Sumac	1	1	-	1	1	1	-	-	-	1	1	4.4	1	1	1
Buffaloberry	-	}	I I	-	1	1	1	;	1	1	1	7.6	1	1	-
Willow	1	68.8	5.2	10.8	295.6	6.8	30.4	822.0	-	141.2	10.4	42.0	0.9	;	:
American basswood	1	!	-	1 9	1	1		1	!	x 0	12.0	6.X	1	1	;
Allel Icali elli				0.0				-			11.0		-	1	-
Total	304.0	312.4 1.168.4		V 220 C	4 4 1 4	1		4 4 4	000						

						Fo	Forest type								
							Northern	_		Elm-ash-					
Shrub	Jack	Red	White	_	White	Black	white-		0ak-		Maple-		Paper		
spcies group	pine	pine	pine	fir	spruce	spruce	cedar	Tamarack	hickory	maple	birch	Aspen	birch	Exotic	stocked
LOW SHRUBS															
Yew	1	-	!	11.4	-	1	1.6	1	1		1.9	1	1	:	1
Labrador tea	1	1	;	95.8	15.4	228.0	8,4	!	-	3,3	-	-	!	;	;
Leatherleaf	1	:	!	-	1	20.4	1	378.3	;	3.4	:	1	1	1	1
Bog laurel	1	!	1	1	1	3.7	!	;	1	1	1	;	!	;	+
Sweetfern	19.5	1.5	;	;	4.4	1	1	1.2	1	1	1	8.0	!	1	4.8
Gooseberry-currant	}	;	1	;	!	1	4.4	6.2	1	1	!	2.3	1	;	+
Raspberry-blackberry	1	1	52.9	19.0	6.3	4.0	4.8	1.5	:	3.2	22.0	43.7	27.0	1	1
Rose	-	1	!	}	-	1	!	!	1	1.4	1	1.1	!	1	}
Black huckleberry	;	2.5	1	;	1	1	1	1	1	-	!	1	1	;	;
Bilberry-blueberry	565.8	151.7	46.9	20.6	14.3	113.1	3.0	83.3	2.6	16.8	3.0	18.0	11.2	;	128.3
Bush honeysuckle	!	11.1	16.9	3.6	6.8	1	1	6.9	1	3.7	;	3.1	1.3	;	;
Honeysuckle	1	5.8	2.9	6.2	8.2	3.0	3.8	6.3	1	1.4	5.5	11.6	3.6	;	;
Bearberry	1	11.1	1	1	!	2.8	1	1	;	1	!	1	1	:	:
Bog rosemary	1	1	1	1	-	5.2	-					-	-	-	
Total	585.3	183.7	119.6	156.6	55.4	380.2	26.0	483.7	2.6	33.2	32.4	87.8	43.1	1	133.1
All shrubs	889.3	496.1	1,288.0	2,423.0	1,431.8	3,121.8	2,757.6	5,812.9	889.3 496.1 1,288.0 2,423.0 1,431.8 3,121.8 2,757.6 5,812.9 1,303.4 2,589.2 1,688.0 1,858.6 1,469.1	2,589.2	1,688.0	1,858.6	1,469.1	1	203.5
Number of plots2/	20	œ	14	32	84	73	10	13	6	61	834	163	43	:	5

(Table 70 continued)

1/Trees under 1.0-inch d.b.h. are also included. Tree and shrub species that averaged less than 1.0 pound per acre are not included. $\frac{2}{2}/\text{Number}$ of plots by forest type from which average yields were derived.

Table 71.--All live tree biomass yields on commercial forest land by species group and forest type, Western Upper Peninsula, Michigan, 1980

(In pounds per acre)

							Forest	st type							
-			100		4 1 1 1	1	Northern		-	Elm-ash-					
Species group	Jack pine	Red pine	white	Kalsam fir	Spruce	Black	wnite- cedar	Tamarack	uak- hickory	sort maple	maple- birch	Aspen	Paper birch	Exotic	Non- stocked
SOFTWOODS															
White pine	1,387	9,814	68,994	3,114	6,207	1,475	1,297	601	3,084	719	1,207	1,550	2,228	1	617
Red pine	4,307	69,184	7,270	763	255	1,336	48	;	6,094	1	42	1,165	870	1	1
Jack pine	89,272	4,262	1,640	256	893	2,581	1	1	!	1	86	779	1,830	3,729	304
White spruce	185	1,013	7,483	10,312	51,651	1,471	2,260	88	730	3,485	1,815	3,346	3,609	1	;
Black spruce	2,216	1,169	3,466	5,385	3,426	36,322	5,952	9,549	1,080	1,444	221	745	1,378	1	813
Balsam fir	761	3,263	23,248	46,619	12,106	9,606	21,739	3,766	3,430	12,866	6,365	9,239	15,957	1	:
Hemlock	;	!	948	1,643	;	344	229	;	;	4,402	10,873	360	784	1	1
Tamarack	;	!	150	1,286	632	6,310	2,147	33,439	;	297	13	390	813	1	1
Northern white-cedar	;	1	879	7,565	3,046	8,613	61,615	3,153	;	9,313	2,266	689	3,858	!	1
Other softwoods	:	183	-	-		27	-	-	1	-	5	;	1	15,619	1
Total	98,128	88,888	114,078	76,943	78,216	68,085	95,287	50,596	14,418	32,526	22,905	18,263	31,327	19,348	1,734
HARDWOODS												1			
Select white oaks	!	1	1	;	1	;	:	1	1	1	1	1/0	1	1	;
Select red oaks	1,734	2,225	1,888	141	1	1	1	:	100,197	435	2,345	1,669	2,844	1	!
Other red oaks	1	;	!	1	1	!	1	;	1	1	1	1	1	1	1
Hickory	1	1	;	;	1	!	;	;	1	ľ	1	1	1	1	;
Yellow birch	1	1	544	3,830	241	1,192	3,400	1	2,411	9,938	16,856	1,139	885	1	1
Hard maple	143	938	7,883	2,283	3,251	508	1,488	1	23,625	7,829	70,745	7,545	9,912	!	49
Soft maple	1,200	2,128	9,757	9,336	3,728	3,145	5,169	368	16,872	24,700	22,163	9,510	15,316	1	;
Beech	1	1	;	!	;	;	!	;	1	!	30	;	1	1	1
Ash	-	1	351	1,331	}	826	2,916	131	589	39,768	3,191	1,366	745	1	1
Balsam poplar	!	115	1	1,385	99	178	1,219	648	!	512	230	2,940	708	}	1
Cottonwood	!	-	1	1	!	1	1	1	;	1	1	12	1	!	1
Bigtooth aspen	753	5,113	1	434	;	36	44	1	9,675	42	946	8,139	3,698	}	1
Quaking aspen	2,666	11,318	13,577	8,640	26,753	3,979	1,710	2,205	3,676	3,826	7,042	47,849	10,219	1	1,306
Basswood	1	!	305	57	1	!	!	;	;	1,099	7,253	559	294	1	:
Yellow-poplar	:	!	1	!	1	1	!	}	1	!	;	1	1	!	-
Black walnut	1	!	1	1	1	;	1	1	1	}	1	;	1	1	1
Black cherry	240	762	1	1,339	392	242	107	1	1	484	2,141	948	614	1	1
Butternut	;	;	;	1	1	!	1	;	1	1	1	1	1	1	-
Elm	-	;	303	1,265	700	81	506	!	!	7,973	5,486	1,565	286	1	!
Paper birch	809	5,808	19,075	6,910	3,795	3,096	7,250	1,093	6,939	2,977	2,577	7,449	68,893	1	1,289
Other hardwoods	1	93	-	;	1	1	;	;	1	137	37	1	;	1	1
Noncommercial species	77	:	20	148	52	601	380	:	93	230	2,458	527	625	1	1
Total	10,421	28,500	53,733	37,099	38,977	13,737	23,889	4,445	164,077	99,950	143,500	91,387	115,036		2,644
All species	108,549	117,388	167,811	114,042	117,193	81,822	119,176	55,041	178,495	132,476	166,405	109,650	146,363	19,348	4,378
Number of plots $\frac{1}{2}$	39	22	23	199	21	119	135	22	14	101	1,321	378	62	-	13
1/															

1/Number of plots by forest type from which average yields were derived.

Table 72.--All live tree biomass on commercial forest land by species group and forest type, Western Upper Peninsula, Michigan, 1980

(In green tons)

					Forest type	01		
								Northern
	All	Jack	Red	White	Balsam	White	Black	white-
Species group	types	pine	pine	pine	fir	spruce	spruce	cedar
SOFTWOODS								
White pine	5,286,834	61,238	282,646	1,679,994	570,784	126,010	154,523	136,274
Red pine	3,258,078		1,992,506	177,018	139,819	5,182	139,956	5,073
Jack pine	4,980,396	3,941,355	122,740	39,936	47,005	18,137	270,386	:
White spruce	7,494,408	8,164	29,161	182,209	1,890,265	1,048,514	154,040	237,550
Black spruce	6,655,403	97,848	33,661	84,402	987,167	69,538	3,804,701	625,511
Balsam fir	26,059,064	33,600	93,977	566,098	8,545,280	245,761	1,006,223	2,284,829
Hemlock	13,844,227	1	1	23,081	301,204	!	36,024	24,102
Tamarack	1,982,235	;	:	3,653	235,743	12,829	661,010	225,635
Northern white-cedar	12,912,836	1	1	21,399	1,386,592	61,838	902,177	6,475,751
Other softwoods	26,568	-	5,275	1	-	-	2,834	
Total	82,500,049	4,332,342	2,559,966	2,777,790	14,103,859	1,587,809	7,131,874	10,014,725
HARDWOODS								
Select white oaks	62,148	1	1	1	:	1	:	;
Select red oaks	4,979,212	76,562	64,073	45,974	25,877	1	1	;
Other red oaks	1	:	:	i	1	!	ł	1
	;	1	;	:	1	1	:	:
birch	22,549,510	!	:	13,256	702,119	4,888	124,858	357,362
	89,220,135	6,331	27,010	191,951	418,526	65,996	21,905	156,442
	36,183,842	L)	61,291	237,590	1,711,380	75,674	329,470	543,225
Beech	35,997	1	;	1	1	1	1	:
	8,384,754	1	1	8,542	244,004	l	102,451	306,509
Balsam poplar	86	1	3,317	1	253,880	1,325	18,605	128,168
Cottonwood	4,244	;	1	1	1	1	1	1
Bigtooth aspen	۳,	33,258	147,253	1	79,626	1	3,788	4,668
Quaking aspen	989	250,149	325,971	330,589	1,583,673	543,082	416,787	179,675
Basswood	8,941,629	1	1	7,431	10,503	!	+	
Yellow-poplar	1	1	1	:	;	!	!	1
Black walnut		!	1	1	1	1	1	1
Black cherry	3,295,562	10,579	21,949	!	245,501	7,967	25,340	11,269
Butternut	1	1	1	1	:	:	;	:
Elm		1	1	7,377	231,899	14,211	8,520	21,682
Paper birch	14,199,168	26,845	167,283	464,484	1,266,587	77,042	324,270	762,029
Other hardwoods		1	2,681	1	1	1	1	1
Noncommercial species 3		3,407	:	1,206	27,071	1,047	62,914	39,917
Total	236,589,158	460,123	820,828	1,308,400	6,800,646	791,232	1,438,908	2,510,946
All species	319,089,207	4,792,465	3,380,794	4,086,190	20,904,505	2,379,041	8,570,782	12,525,671
						(Table	72 continued	d on next page)

(Table 72 continued)

Species group	Tamarack	Oak- hickory	Elm-ash- soft maple	Maple- birch	Aspen	Paper birch	Exotic	Non- stocked
SOFTWOODS								
White pine	10,819	34,849	61,030	1,431,461	568,191	160,158	;	8,857
Red pine	:	68,867	;	49,899	427,078	62,543	!	1
Jack pine	;	1	1	116,310	285,586	131,598	2,983	4,360
White spruce	1,578	8,246	295,679	2,152,745	1,226,795	259,462	1	1
Black springe	171 881	12,199	122,521	262,255	272 995	99 053	1	11 671
Balsam fir	67 783	38 763	1 091 675	7 550 183	3 387 585	1 147 307		110611
Uom Jook	20.6	20,600	272,272	12 007 050	130 147	100,111,1		
Telliock	1 00	:	2/4,6/6	12,097,039	140,046	20,230	!	!
lamarack	601,895	:	79,50	14,948	142,846	58,469	:	1
Northern white-cedar	56,751	1	790,175	2,687,991	252,768	277,394	1	!
Other softwoods	1	:	;	5,964	;	;	12,495	1
Total	910,707	162,924	2,759,759	27,169,615	6,695,991	2,252,322	15,478	24,888
HARDWOODS								
Select white oaks	!	;	;	1	62,148	1	;	1
Select red oaks	1	1,132,224	36,878	2,781,149	612,018	204,457	;	1
Other red oaks	;	1	1	1	1	:	;	1
Hickory	1	;	;	:	1	!	1	:
Yellow birch	1	27.243	843.278	19,995,541	417.543	63.422	;	;
Hard manle	;	266 959	664 292	83 920 940	2 766 368	712, 705		710
Soft manle	6 627	190,649	2 095 816	26,290,929	3 486 951	1 101 248	1	
Beech	13060		21062061	35 997	100600160	0 1 6 4 6 4	;	
2 4	2 251	0 0 0	060 170 0	706,50	000	E2 E4E	}	
AST	7, 531	0,034	3,374,330	3,783,348	079,000	55,545	ł	!
Balsam poplar	11,6/1	!	43,476	273,183	1,078,117	20,897	1	1
Cottonwood	:	:	:	:	4,244	1	1	1
Bigtooth aspen	1	109,327	3,533	1,122,665	2,984,137	265,851	;	!
Quaking aspen	39,692	41,537	324,645	8,353,366	17,543,834	734,724	1	18,742
Basswood	!	;	93,290	8,604,305	204,983	21,117	;	1
Yellow-poplar	;	1		1			1	1
Black walnut	1	1	;	:	;	:	;	;
Black cherry	;	1	41 046	2 540 326	347 447	44 138	;	ł
Butternut				2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				
מיניפו זומי	}	}	040 040	274 707 7	270 000	7000		1
	1 5		0/0,049	0,507,473	273,802	796,07	!	1 0
Paper birch	19,6/0	/8,410	265,262	3,056,762	2,/31,291	4,953,411	1	18,492
Other hardwoods	!	1	11,612	43,575	1	1	1	1
Noncommercial species	1	1,052	19,479	2,915,555	193,164	44,966	1	!
Total	80,011	1,854,055	8,480,816	170,227,314	33,506,867	8,271,068		37,944
11	000	070 210 6	11 240 675	000 300 501	40 202 050	10 522 200	15 470	60 63
All species	990,/18	2,010,979	11,240,5/5	197,396,929	40,202,858	10,523,390	15,4/8	02,832

Table 73.--All live tree biomass by species group and tree biomass component, Western Upper Peninsula, Michigan, 1980

			1	Biomass compon	ent	
			Growi	ng stock	(Cull
	A11	1-to 5-inch		Tops and		Tops and
Species group	components	trees	Boles	limbs	Boles	limbs
				-Green tons		
SOFTWOODS				-dreen cons		
White pine	5,286,834	127,464	3,441,508	1,563,551	93,959	60,352
Red pine	3,258,078	527,215	1,862,560	837,629	18,633	12,041
Jack pine	4,980,396	407,183	3,073,439	1,398,212	62,149	39,413
White spruce	7,494,408	1,311,025	4,139,174	1,951,885	53,550	38,774
Black spruce	6,655,403	2,890,867	2,536,294	1,184,575	25,362	18,305
Balsam fir	26.059.064	10,536,330	10,367,536	4,804,037	208,943	142,218
Hemlock	13,844,227	537,966	8,314,780	3,789,459	733,264	468,758
Tamarack	1,982,235	570,408	893,070	431,047	43,512	44,198
Northern white-cedar	12,912,836	2,849,899	5,450,125	2,703,626	1,028,712	880,474
Other softwoods	26,568	12,495	8,104	3,673	1,028,712	1,102
Total	82,500,049	19,770,852	40,086,590	18,667,694	2,269,278	1,705,635
HARDWOODS						
Select white oaks	62,148		27,907	13,355	13,715	7,171
Select red oaks	4,979,212	248,733	3,012,604	1,383,794	204,704	129,377
Other red oaks						
Hickory						
Yellow birch	22,549,510	2,201,162	10,397,103	4,973,163	2,814,435	2,163,647
Hard maple	89,220,135	16,215,427	44,706,352	21,011,074	4,448,251	2,839,031
Soft maple	36,183,842	7,182,064	17,374,435	8,299,622	1,979,117	1,348,604
Beech	35,997	1,311	14,897	6,883	7,867	5,039
Ash	8,384,754	2,203,031	3,943,263	1,796,957	260,948	180,555
Balsam poplar	1,862,639	246,118	1,058,582	507,159	29,071	21,709
Cottonwood	4,244		2,338	1,906		
Bigtooth aspen	4,754,106	241,116	2,733,194	1,245,795	317,481	216,520
Quaking aspen	30,686,466	3,126,219	16,397,150	7,642,943	2,070,126	1,450,028
Basswood	8,941,629	744,481	5,301,552	2,347,069	329,719	218,808
Yellow-poplar						
Black walnut						
Black cherry	3,295,562	623,872	1,503,761	686,950	295,746	185,233
Butternut			-,000,102			
Elm	8,062,100	835,801	4,601,754	2,118,523	326,123	179,899
Paper birch	14,199,168	1,436,690	7,943,780	3,737,960	658,769	421,969
Other hardwoods	57,868	14,301	5,086	2,343	22,671	13,467
Noncommercial species	3,309,778	1,853,620	5,000	2,070	948,519	507,639
Total	236,589,158	37,173,946	119,023,758	55,775,496	14,727,262	9,888,696
10001	230,303,130	3/,1/3,340	113,023,730	55,775,490	14,727,202	3,000,030
All species	319,089,207	56,944,798	159,110,348	74,443,190	16,996,540	11,594,331

(Table 73 continued on next page)

			B	iomass componen	t	
			Growin	g stock	Cu	11
	A11	1-to 5-inch		Tops and		Tops and
Species group	components	trees	Boles	limbs	Boles	limbs
			Thou	sand cubic feet		
SOFTWOODS			-i			
White pine	292,146	7,052	190,184	86,404	5,180	3,326
Red pine	158,591	25,562	90,721	40,799	916	593
Jack pine	209,474	16,949	129,331	58,842	2,661	1,691
White spruce	425,261	74,279	234,963	110,800	3,029	2,190
Black spruce	407,382	176,541	155,547	72,649	1,539	1,106
Balsam fir	1,189,138	481,111	472,737	219,056	9,637	6,597
Hemlock	584,706	22,392	350,531	159,787	31,613	20,383
Tamarack	86,588	25,073	38,837	18,745	1,937	1,996
Northern white-cedar	882,671	194,201	374,884	185,972	68,971	58,643
Other softwoods	1,304	593	403	183	65	60
Total	4,237,261	1,023,753	2,038,138	953,237	125,548	96,585
HARDWOODS	4,237,201	1,023,755	2,030,130	303,237	123,340	90,303
Select white oaks	2,212		990	473	492	257
Select red oaks		0 540				
	174,339	8,540	105,360	48,400	7,341	4,698
Other red oaks						
Hickory	047 405	01 505	200 102	105 700	100.045	
Yellow birch	847,495	81,525	388,183	185,720	108,245	83,822
Hard maple	3,384,326	610,176	1,695,220	796,720	171,979	110,231
Soft maple	1,567,902	309,906	752,305	359,387	86,893	59,411
Beech	1,412	51	581	268	312	200
Ash	339,598	87,945	160,150	72,981	10,833	7,689
Balsam poplar	94,556	12,446	53,750	25,752	1,490	1,118
Cottonwood	186		102	84		
Bigtooth aspen	227,774	11,455	130,797	59,620	15,388	10,514
Quaking aspen	1,465,085	148,514	782,060	364,541	99,886	70,084
Basswood	445,285	36,856	263,952	116,859	16,570	11,048
Yellow-poplar						
Black walnut						
Black cherry	149,617	27,945	68,232	31,175	13,623	8,642
Butternut						
Elm	316,412	32,490	180,661	83,170	12,922	7,169
Paper birch	590,602	59,800	330,020	155,290	27,691	17,801
Other hardwoods	2,427	595	213	98	954	567
Noncommercial species	139,339	77,154		***	40,496	21,689
Total	9,748,567	1,505,398	4,912,576	2,300,538	615,115	414,940
All species	13,985,828	2,529,151	6,950,714	3,253,775	740,663	511,525

Table 74.--Sampling errors $\frac{1}{2}$ for estimates smaller than the Unit totals of volume, net growth, removals, and area of commercial forest land, Western Upper Peninsula, Michigan, 1980

Sampling	Commercial forest	Gr	owing Stock			Sawtimber	
error	area	Inventory	Growth	Removals	Inventory	Growth	Removals
Percent	Thousand acres	<u>Mill</u>	ion cubic f	eet	<u>-2/Mill</u>	ion board fo	<u>eet</u>
1	972.9	5,631.5	429.1	13,257.9	39,389.7	6,615.0	61,065.1
2	243.2	1,407.9	107.3	3,314.5	9,847.4	1,653.8	15,266.3
3	108.1	625.7	47.7	1,473.1	4,376.6	735.0	6,785.0
4	60.8	352.0	26.8	828.6	2,461.9	413.4	3,816.6
5	38.9	225.3	17.2	530.3	1,575.6	264.6	2,442.6
10	9.7	56.3	4.3	132.6	393.9	66.2	610.7
15	4.3	25.0	1.9	58.9	175.1	29.4	271.4
20	2.4	14.1	1.1	33.1	98.5	16.5	152.7
25	1.6	9.0	0.7	21.2	63.0	10.6	97.7
50	0.4	2.3	0.2	5.3	15.8	2.6	24.4
100	0.1	0.6	0.0	1.3	3.9	0.7	6.1

 $[\]frac{1}{2}$ /At the 68-percent probability level. $\frac{2}{I}$ International $\frac{1}{4}$ -inch rule.

Spencer, John S., Jr.

Timber Resource of Michigan's Western Upper Peninsula, 1980. Resour. Bull. NC-60. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1982. 102 p.

The fourth inventory of the timber resource of Michigan's Western Upper Peninsula Survey Unit shows an 8-percent decline in commercial forest area and a 22-percent gain in growing-stock volume between 1966 and 1980. Presented are highlights and statistics on area, volume, growth, mortality, removals, utilization, and biomass.

KEY WORDS: Timber resource, statistics, area, volume, growth, mortality, removals.

